


EMC shield clamps for bus modules

with plug-in mounting function



The EMC shield clamp provides strain relief, cable guidance and earthing for decentralised bus modules of numerous manufacturers. The STFZ2 types are used for analogue I/O modules using two actuators / sensors.

Type STFZ|SKL is suitable for:

- Bosch Rexroth:** IP20 Inline Module
- PHOENIX CONTACT:** All terminals of the INLINE range. The terminals 1.4 and 2.4 must not be used for signal I/O.
- Pilz:** All PSSu-Modules with shield terminals 13 and 23
- Siemens:** All terminals of the ET200s range. Terminals 4 and 8 must not be used for signal I/O.
- TURCK:** All terminals of the BL20 I/O system.
- VIPA SLIO:** All terminals of the SLIO range. Terminals 4+8 must not be used for signal I/O.
- WAGO:** All terminals of the WAGO I/O Systems 750. Terminals 4 and 8 must not be used for signal I/O.
- Rockwell Automation / Allen-Bradley:** Series 1734

The STFZ I/O Insert Tool can be used for quick and easy mounting of STFZ terminal clamps.

Type STFZ-SP|SKL is suitable for:

Siemens: SIMATIC ET 200SP

Type STFZ-U|SKL is suitable for:

BECKHOFF: EL 3122, ES 3122, ES 9100, ES 9410, KL 1114, KS 2134

Specifications

Material	Shield clamp: Spring steel, zinc plated Snap foot: Mild steel, galvanically zinc plated
Properties	vibration proof
Mounting options	Snap-in

Advantages & benefits

- Large contact area
- Shield contact and strain relief separated
- The spring design requires no adjustments and will permanently maintain contact to the cable shield
- Earthing of signal cables close to the terminal
- Strain relief and cable management directly on the bus module

Product types & sizes

STFZ-SP SKL 1.5-3	Part No.	37512.1	Shield diameter	1,5 - 3 mm
	EAN	4251269305696	Min. shield diam. pos. 1	1,5 mm
	Package quantity	10	Max. shield diam. pos. 1	3 mm
	Suitable for I/O modules	Siemens SIMATIC ET 200SP	Length	26,5 mm
	No. of shield clamps	1	Strain relief function	Yes
	Shield clamp type	SKL	Width	11,8 mm
	For max. no. of cables	1	Height	32,9 mm

STFZ-SP|SKL 3-6

	Part No.	37512.2	Shield diameter	3 - 6 mm
	EAN	4251269305702	Min. shield diam. pos. 1	3 mm
	Package quantity	10	Max. shield diam. pos. 1	6 mm
	Suitable for I/O modules	Siemens SIMATIC ET 200SP	Length	26,5 mm
	No. of shield clamps	1	Strain relief function	Yes
	Shield clamp type	SKL	Width	11,8 mm
	For max. no. of cables	1	Height	33,6 mm

STFZ-SP|SKL 6-8

	Part No.	37512.3	Shield diameter	6 - 8 mm
	EAN	4251269305719	Min. shield diam. pos. 1	6 mm
	Package quantity	10	Max. shield diam. pos. 1	8 mm
	Suitable for I/O modules	Siemens SIMATIC ET 200SP	Length	26,5 mm
	No. of shield clamps	1	Strain relief function	Yes
	Shield clamp type	SKL	Width	11,8 mm
	For max. no. of cables	1	Height	35 mm

STFZ2-SP|01

	Part No.	37507.01	Shield diameter	- 1,5 - 3 mm
	EAN	4251269305511	Length	36,5 mm
	Package quantity	10	Min. shield diam. pos. 2	1,5 mm
	Suitable for I/O modules	Siemens SIMATIC ET 200SP	Max. shield diam. pos. 2	3 mm
	No. of shield clamps	1	Strain relief function	Yes
	Shield clamp type	SKL	Width	15,9 mm
	For max. no. of cables	1	Height	32,9 mm

STFZ2-SP|02

	Part No.	37507.02	Shield diameter	- 3 - 6 mm
	EAN	4251269305528	Length	36,5 mm
	Package quantity	10	Min. shield diam. pos. 2	3 mm
	Suitable for I/O modules	Siemens SIMATIC ET 200SP	Max. shield diam. pos. 2	6 mm
	No. of shield clamps	1	Strain relief function	Yes
	Shield clamp type	SKL	Width	15,9 mm
	For max. no. of cables	1	Height	33,6 mm

STFZ2-SP|03

	Part No.	37507.03	Shield diameter	- 6 - 8 mm
	EAN	4251269305535	Length	36,5 mm
	Package quantity	10	Min. shield diam. pos. 2	6 mm
	Suitable for I/O modules	Siemens SIMATIC ET 200SP	Max. shield diam. pos. 2	8 mm
	No. of shield clamps	1	Strain relief function	Yes
	Shield clamp type	SKL	Width	15,9 mm
	For max. no. of cables	1	Height	35 mm

STFZ2-SP|10

	Part No.	37507.10	Shield diameter	1,5 - 3 mm -
	EAN	4251269305542	Min. shield diam. pos. 1	1,5 mm
	Package quantity	10	Max. shield diam. pos. 1	3 mm
	Suitable for I/O modules	Siemens SIMATIC ET 200SP	Length	36,5 mm
	No. of shield clamps	1	Strain relief function	Yes
	Shield clamp type	SKL	Width	15,9 mm
	For max. no. of cables	1	Height	32,9 mm

STFZ2-SP|20

	Part No.	37507.20	Shield diameter	3 - 6 mm -
	EAN	4251269305580	Min. shield diam. pos. 1	3 mm
	Package quantity	10	Max. shield diam. pos. 1	6 mm
	Suitable for I/O modules	Siemens SIMATIC ET 200SP	Length	36,5 mm
	No. of shield clamps	1	Strain relief function	Yes
	Shield clamp type	SKL	Width	15,9 mm
	For max. no. of cables	1	Height	33,6 mm

STFZ2-SP|30

	Part No.	37507.30	Shield diameter	6 - 8 mm -
	EAN	4251269305627	Min. shield diam. pos. 1	6 mm
	Package quantity	10	Max. shield diam. pos. 1	8 mm
	Suitable for I/O modules	Siemens SIMATIC ET 200SP	Length	36,5 mm
	No. of shield clamps	1	Strain relief function	Yes
	Shield clamp type	SKL	Width	15,9 mm
	For max. no. of cables	1	Height	35 mm

STFZ2-SP|11

	Part No.	37507.11	Shield diameter	1,5 - 3 mm 1,5 - 3 mm
	EAN	4251269305559	Min. shield diam. pos. 1	1,5 mm
	Package quantity	10	Max. shield diam. pos. 1	3 mm
	Suitable for I/O modules	Siemens SIMATIC ET 200SP	Length	36,5 mm
	No. of shield clamps	2	Min. shield diam. pos. 2	1,5 mm
	Shield clamp type	SKL	Max. shield diam. pos. 2	3 mm
	For max. no. of cables	2	Strain relief function	Yes
			Width	15,9 mm
			Height	32,9 mm

STFZ2-SP|12

	Part No.	37507.12	Shield diameter	1,5 - 3 mm 3 - 6 mm
	EAN	4251269305566	Min. shield diam. pos. 1	1,5 mm
	Package quantity	10	Max. shield diam. pos. 1	3 mm
	Suitable for I/O modules	Siemens SIMATIC ET 200SP	Length	36,5 mm
	No. of shield clamps	2	Min. shield diam. pos. 2	3 mm
	Shield clamp type	SKL	Max. shield diam. pos. 2	6 mm
	For max. no. of cables	2	Strain relief function	Yes
			Width	16,8 mm
			Height	33,6 mm

STFZ2-SP|13

	Part No.	37507.13	Shield diameter	1,5 - 3 mm 6 - 8 mm
	EAN	4251269305573	Min. shield diam. pos. 1	1,5 mm
	Package quantity	10	Max. shield diam. pos. 1	3 mm
	Suitable for I/O modules	Siemens SIMATIC ET 200SP	Length	36,5 mm
	No. of shield clamps	2	Min. shield diam. pos. 2	6 mm
	Shield clamp type	SKL	Max. shield diam. pos. 2	8 mm
	For max. no. of cables	2	Strain relief function	Yes
			Width	16,8 mm
			Height	35 mm

STFZ2-SP|21

	Part No.	37507.21	Shield diameter	3 - 6 mm 1,5 - 3 mm
	EAN	4251269305597	Min. shield diam. pos. 1	3 mm
	Package quantity	10	Max. shield diam. pos. 1	6 mm
	Suitable for I/O modules	Siemens SIMATIC ET 200SP	Length	36,5 mm
	No. of shield clamps	2	Min. shield diam. pos. 2	1,5 mm
	Shield clamp type	SKL	Max. shield diam. pos. 2	3 mm
	For max. no. of cables	2	Strain relief function	Yes
			Width	16,8 mm
			Height	33,6 mm

STFZ2-SP 22	Part No. EAN Package quantity Suitable for I/O modules No. of shield clamps Shield clamp type For max. no. of cables	37507.22 4251269305603 10 Siemens SIMATIC ET 200SP 2 SKL 2	Shield diameter Min. shield diam. pos. 1 Max. shield diam. pos. 1 Length Min. shield diam. pos. 2 Max. shield diam. pos. 2 Strain relief function Width Height	3 - 6 mm 3 - 6 mm 3 mm 6 mm 36,5 mm 3 mm 6 mm Yes 16,8 mm 33,6 mm
--------------------	--	---	--	--


STFZ2-SP 23	Part No. EAN Package quantity Suitable for I/O modules No. of shield clamps Shield clamp type For max. no. of cables	37507.23 4251269305610 10 Siemens SIMATIC ET 200SP 2 SKL 2	Shield diameter Min. shield diam. pos. 1 Max. shield diam. pos. 1 Length Min. shield diam. pos. 2 Max. shield diam. pos. 2 Strain relief function Width Height	3 - 6 mm 6 - 8 mm 3 mm 6 mm 36,5 mm 6 mm 8 mm Yes 16,8 mm 35 mm
--------------------	--	---	--	--

STFZ2-SP 31	Part No. EAN Package quantity Suitable for I/O modules No. of shield clamps Shield clamp type For max. no. of cables	37507.31 4251269305634 10 Siemens SIMATIC ET 200SP 2 SKL 2	Shield diameter Min. shield diam. pos. 1 Max. shield diam. pos. 1 Length Min. shield diam. pos. 2 Max. shield diam. pos. 2 Strain relief function Width Height	6 - 8 mm 1,5 - 3 mm 6 mm 8 mm 36,5 mm 1,5 mm 3 mm Yes 16,8 mm 35 mm
--------------------	--	---	--	--

STFZ2-SP 32	Part No. EAN Package quantity Suitable for I/O modules No. of shield clamps Shield clamp type For max. no. of cables	37507.32 4251269305641 10 Siemens SIMATIC ET 200SP 2 SKL 2	Shield diameter Min. shield diam. pos. 1 Max. shield diam. pos. 1 Length Min. shield diam. pos. 2 Max. shield diam. pos. 2 Strain relief function Width Height	6 - 8 mm 3 - 6 mm 6 mm 8 mm 36,5 mm 3 mm 6 mm Yes 16,8 mm 35 mm
--------------------	--	---	--	--

STFZ2-SP 33	Part No. EAN Package quantity Suitable for I/O modules No. of shield clamps Shield clamp type For max. no. of cables	37507.33 4251269305658 10 Siemens SIMATIC ET 200SP 2 SKL 2	Shield diameter Min. shield diam. pos. 1 Max. shield diam. pos. 1 Length Min. shield diam. pos. 2 Max. shield diam. pos. 2 Strain relief function Width Height	6 - 8 mm 6 - 8 mm 6 mm 8 mm 36,5 mm 6 mm 8 mm Yes 16,8 mm 35 mm
--------------------	--	---	--	--

STFZ-U|SKL 1.5-3




Part No.	37514.1	Shield diameter	1,5 - 3 mm
EAN	4251269305726	Min. shield diam. pos. 1	1,5 mm
Package quantity	10	Max. shield diam. pos. 1	3 mm
Suitable for I/O modules	Beckhoff EL/ES 3122, ES 9100, ES 9410, KL 1114, KS 2134, Omron NX	Length	35,5 mm
		Strain relief function	Yes
		Width	11,8 mm
No. of shield clamps	1	Height	29,9 mm
Shield clamp type	SKL		
For max. no. of cables	1		

STFZ-U|SKL 3-6




Part No.	37514.2	Shield diameter	3 - 6 mm
EAN	4251269305733	Min. shield diam. pos. 1	3 mm
Package quantity	10	Max. shield diam. pos. 1	6 mm
Suitable for I/O modules	Beckhoff EL/ES 3122, ES 9100, ES 9410, KL 1114, KS 2134, Omron NX	Length	35,5 mm
		Strain relief function	Yes
		Width	11,8 mm
No. of shield clamps	1	Height	30,6 mm
Shield clamp type	SKL		
For max. no. of cables	1		

STFZ-U|SKL 6-8




Part No.	37514.3	Shield diameter	6 - 8 mm
EAN	4251269305740	Min. shield diam. pos. 1	6 mm
Package quantity	10	Max. shield diam. pos. 1	8 mm
Suitable for I/O modules	Beckhoff EL/ES 3122, ES 9100, ES 9410, KL 1114, KS 2134, Omron NX	Length	35,5 mm
		Strain relief function	Yes
		Width	11,8 mm
No. of shield clamps	1	Height	31,6 mm
Shield clamp type	SKL		
For max. no. of cables	1		

STFZ|SKL 1.5-3



Part No.	37510.1	Shield diameter	1,5 - 3 mm
EAN	4251269305665	Min. shield diam. pos. 1	1,5 mm
Package quantity	10	Max. shield diam. pos. 1	3 mm
Suitable for I/O modules	Bosch Rexroth Inline (IP20), Phoenix Contact Inline, Pilz PSSu, Siemens ET200s, TURCK BL20, WAGO 750, VIPA SLIO, RA / Allen-Bradley 1734	Length	26,5 mm
		Strain relief function	Yes
		Width	11,8 mm
No. of shield clamps	1	Height	32,9 mm
Shield clamp type	SKL		
For max. no. of cables	1		


STFZ|SKL 3-6



Part No.	37510.2	Shield diameter	3 - 6 mm
EAN	4251269305672	Min. shield diam. pos. 1	3 mm
Package quantity	10	Max. shield diam. pos. 1	6 mm
Suitable for I/O modules	Bosch Rexroth Inline (IP20), Phoenix Contact Inline, Pilz PSSu, Siemens ET200s, TURCK BL20, WAGO 750, VIPA SLIO, RA / Allen-Bradley 1734	Length	26,5 mm
		Strain relief function	Yes
		Width	11,8 mm
No. of shield clamps	1	Height	33,6 mm
Shield clamp type	SKL		
For max. no. of cables	1		

STFZ SKL 6-8 	Part No.	37510.3	Shield diameter	6 - 8 mm
	EAN	4251269305689	Min. shield diam. pos. 1	6 mm
	Package quantity	10	Max. shield diam. pos. 1	8 mm
	Suitable for I/O modules	Bosch Rexroth Inline (IP20), Phoenix Contact Inline, Pilz PSSu, Siemens ET200s, TURCK BL20, WAGO 750, VIPA SLIO, RA / Allen-Bradley 1734	Length	26,5 mm
		1	Strain relief function	Yes
	No. of shield clamps	SKL	Width	11,8 mm
	Shield clamp type	1	Height	35 mm
	For max. no. of cables			
STFZ2 01 	Part No.	37505.01	Shield diameter	- 1,5 - 3 mm
	EAN	4251269305368	Length	36 mm
	Package quantity	10	Min. shield diam. pos. 2	1,5 mm
	Suitable for I/O modules	Bosch Rexroth Inline (IP20), Phoenix Contact Inline, Pilz PSSu, Siemens ET200s, TURCK BL20, WAGO 750, VIPA SLIO, RA / Allen-Bradley 1734	Max. shield diam. pos. 2	3 mm
		1	Strain relief function	Yes
	No. of shield clamps	SKL	Width	16 mm
	Shield clamp type	1	Height	33 mm
	For max. no. of cables			
STFZ2 02 	Part No.	37505.02	Shield diameter	- 3 - 6 mm
	EAN	4251269305375	Length	36 mm
	Package quantity	10	Min. shield diam. pos. 2	3 mm
	Suitable for I/O modules	Bosch Rexroth Inline (IP20), Phoenix Contact Inline, Pilz PSSu, Siemens ET200s, TURCK BL20, WAGO 750, VIPA SLIO, RA / Allen-Bradley 1734	Max. shield diam. pos. 2	6 mm
		1	Strain relief function	Yes
	No. of shield clamps	SKL	Width	16 mm
	Shield clamp type	1	Height	34 mm
	For max. no. of cables			
STFZ2 03 	Part No.	37505.03	Shield diameter	- 6 - 8 mm
	EAN	4251269305382	Length	36 mm
	Package quantity	10	Min. shield diam. pos. 2	6 mm
	Suitable for I/O modules	Bosch Rexroth Inline (IP20), Phoenix Contact Inline, Pilz PSSu, Siemens ET200s, TURCK BL20, WAGO 750, VIPA SLIO, RA / Allen-Bradley 1734	Max. shield diam. pos. 2	8 mm
		1	Strain relief function	Yes
	No. of shield clamps	SKL	Width	16 mm
	Shield clamp type	1	Height	35 mm
	For max. no. of cables			
STFZ2 10 	Part No.	37505.10	Shield diameter	1,5 - 3 mm -
	EAN	4251269305399	Min. shield diam. pos. 1	1,5 mm
	Package quantity	10	Max. shield diam. pos. 1	3 mm
	Suitable for I/O modules	Bosch Rexroth Inline (IP20), Phoenix Contact Inline, Pilz PSSu, Siemens ET200s, TURCK BL20, WAGO 750, VIPA SLIO, RA / Allen-Bradley 1734	Length	36 mm
		1	Strain relief function	Yes
	No. of shield clamps	SKL	Width	16 mm
	Shield clamp type	1	Height	33 mm
	For max. no. of cables			

STFZ2 20 	Part No.	37505.20	Shield diameter	3 - 6 mm -
	EAN	4251269305436	Min. shield diam. pos. 1	3 mm
	Package quantity	10	Max. shield diam. pos. 1	6 mm
	Suitable for I/O modules	Bosch Rexroth Inline (IP20), Phoenix Contact Inline, Pilz PSSu, Siemens ET200s, TURCK BL20, WAGO 750, VIPA SLIO, RA / Allen-Bradley 1734	Length	36 mm
	No. of shield clamps	1	Strain relief function	Yes
	Shield clamp type	SKL	Width	16 mm
	For max. no. of cables	1	Height	34 mm

STFZ2 30 	Part No.	37505.30	Shield diameter	6 - 8 mm -
	EAN	4251269305474	Min. shield diam. pos. 1	6 mm
	Package quantity	10	Max. shield diam. pos. 1	8 mm
	Suitable for I/O modules	Bosch Rexroth Inline (IP20), Phoenix Contact Inline, Pilz PSSu, Siemens ET200s, TURCK BL20, WAGO 750, VIPA SLIO, RA / Allen-Bradley 1734	Length	36 mm
	No. of shield clamps	1	Strain relief function	Yes
	Shield clamp type	SKL	Width	16 mm
	For max. no. of cables	1	Height	35 mm

STFZ2 11 	Part No.	37505.11	Shield diameter	1,5 - 3 mm 1,5 - 3 mm
	EAN	4251269305405	Min. shield diam. pos. 1	1,5 mm
	Package quantity	10	Max. shield diam. pos. 1	3 mm
	Suitable for I/O modules	Bosch Rexroth Inline (IP20), Phoenix Contact Inline, Pilz PSSu, Siemens ET200s, TURCK BL20, WAGO 750, VIPA SLIO, RA / Allen-Bradley 1734	Length	36 mm
	No. of shield clamps	2	Min. shield diam. pos. 2	1,5 mm
	Shield clamp type	SKL	Max. shield diam. pos. 2	3 mm
	For max. no. of cables	2	Strain relief function	Yes
			Width	17 mm
			Height	33 mm


STFZ2 12 	Part No.	37505.12	Shield diameter	1,5 - 3 mm 3 - 6 mm
	EAN	4251269305412	Min. shield diam. pos. 1	1,5 mm
	Package quantity	10	Max. shield diam. pos. 1	3 mm
	Suitable for I/O modules	Bosch Rexroth Inline (IP20), Phoenix Contact Inline, Pilz PSSu, Siemens ET200s, TURCK BL20, WAGO 750, VIPA SLIO, RA / Allen-Bradley 1734	Length	36 mm
	No. of shield clamps	2	Min. shield diam. pos. 2	3 mm
	Shield clamp type	SKL	Max. shield diam. pos. 2	6 mm
	For max. no. of cables	2	Strain relief function	Yes
			Width	17 mm
			Height	34 mm

STFZ2|13




Part No.	37505.13	Shield diameter	1,5 - 3 mm 6 - 8 mm
EAN	4251269305429	Min. shield diam. pos. 1	1,5 mm
Package quantity	10	Max. shield diam. pos. 1	3 mm
Suitable for I/O modules	Bosch Rexroth Inline (IP20), Phoenix Contact Inline, Pilz PSSu, Siemens ET200s, TURCK BL20, WAGO 750, VIPA SLIO, RA / Allen-Bradley 1734	Length	36 mm
		Min. shield diam. pos. 2	6 mm
		Max. shield diam. pos. 2	8 mm
		Strain relief function	Yes
No. of shield clamps	2	Width	17 mm
Shield clamp type	SKL	Height	35 mm
For max. no. of cables	2		

STFZ2|21



Part No.	37505.21	Shield diameter	3 - 6 mm 1,5 - 3 mm
EAN	4251269305443	Min. shield diam. pos. 1	3 mm
Package quantity	10	Max. shield diam. pos. 1	6 mm
Suitable for I/O modules	Bosch Rexroth Inline (IP20), Phoenix Contact Inline, Pilz PSSu, Siemens ET200s, TURCK BL20, WAGO 750, VIPA SLIO, RA / Allen-Bradley 1734	Length	36 mm
		Min. shield diam. pos. 2	1,5 mm
		Max. shield diam. pos. 2	3 mm
		Strain relief function	Yes
		Width	17 mm
		Height	34 mm
No. of shield clamps	2		
Shield clamp type	SKL		
For max. no. of cables	2		

STFZ2|22




Part No.	37505.22	Shield diameter	3 - 6 mm 3 - 6 mm
EAN	4251269305450	Min. shield diam. pos. 1	3 mm
Package quantity	10	Max. shield diam. pos. 1	6 mm
Suitable for I/O modules	Bosch Rexroth Inline (IP20), Phoenix Contact Inline, Pilz PSSu, Siemens ET200s, TURCK BL20, WAGO 750, VIPA SLIO, RA / Allen-Bradley 1734	Length	36 mm
		Min. shield diam. pos. 2	3 mm
		Max. shield diam. pos. 2	6 mm
		Strain relief function	Yes
		Width	17 mm
		Height	34 mm
No. of shield clamps	2		
Shield clamp type	SKL		
For max. no. of cables	2		


STFZ2|23




Part No.	37505.23	Shield diameter	3 - 6 mm 6 - 8 mm
EAN	4251269305467	Min. shield diam. pos. 1	3 mm
Package quantity	10	Max. shield diam. pos. 1	6 mm
Suitable for I/O modules	Bosch Rexroth Inline (IP20), Phoenix Contact Inline, Pilz PSSu, Siemens ET200s, TURCK BL20, WAGO 750, VIPA SLIO, RA / Allen-Bradley 1734	Length	36 mm
		Min. shield diam. pos. 2	6 mm
		Max. shield diam. pos. 2	8 mm
		Strain relief function	Yes
		Width	17 mm
		Height	35 mm
No. of shield clamps	2		
Shield clamp type	SKL		
For max. no. of cables	2		



Part No.	37505.31	Shield	6 - 8 mm
EAN	4251269305481	diameter	1,5 - 3 mm
		Min. shield	6 mm
Package	10	diam. pos. 1	
quantity		Max. shield	8 mm
Suitable for I/O modules	Bosch Rexroth Inline (IP20), Phoenix Contact Inline, Pilz PSSu, Siemens ET200s, TURCK BL20, WAGO 750, VIPA SLIO, RA / Allen-Bradley 1734	diam. pos. 1	
		Length	36 mm
		Min. shield	1,5 mm
		diam. pos. 2	
		Max. shield	3 mm
		diam. pos. 2	
		Strain relief function	Yes
		Width	17 mm
		Height	35 mm
No. of shield clamps	2		
Shield clamp type	SKL		
For max. no. of cables	2		



Part No.	37505.32	Shield	6 - 8 mm 3 -
EAN	4251269305498	diameter	6 mm
		Min. shield	6 mm
Package	10	diam. pos. 1	
quantity		Max. shield	8 mm
Suitable for I/O modules	Bosch Rexroth Inline (IP20), Phoenix Contact Inline, Pilz PSSu, Siemens ET200s, TURCK BL20, WAGO 750, VIPA SLIO, RA / Allen-Bradley 1734	diam. pos. 1	
		Length	36 mm
		Min. shield	3 mm
		diam. pos. 2	
		Max. shield	6 mm
		diam. pos. 2	
		Strain relief function	Yes
		Width	17 mm
		Height	35 mm
No. of shield clamps	2		
Shield clamp type	SKL		
For max. no. of cables	2		



Part No.	37505.33	Shield	6 - 8 mm 6 -
EAN	4251269305	diameter	8 mm
	504	Min. shield	6 mm
Package	10	diam. pos. 1	
quantity		Max. shield	8 mm
Suitable for I/O modules	Bosch	diam. pos. 1	
	Rexroth	Length	36 mm
	Inline (IP20),	Min. shield	6 mm
	Phoenix	diam. pos. 2	
	Contact	Max. shield	8 mm
	Inline, Pilz	diam. pos. 2	
	PSSu,	Strain relief	Yes
	Siemens	function	
	ET200s,	Width	17 mm
	TURCK BL20,	Height	35 mm
	WAGO 750,		
	VIPA SLIO,		
	RA / Allen-		
	Bradley 1734		
No. of shield	2		
clamps			
Shield clamp	SKL		
type			
For max. no. of	2		
cables			

STFZ I/O Insert Tool



Part No.	61430
EAN	
Package	1
quantity	
Suitable for I/O modules	Bosch
	Rexroth
	Inline (IP20),
	Phoenix
	Contact
	Inline, Pilz
	PSSu,
	Siemens
	ET200s,
	TURCK BL20,
	WAGO 750,
	VIPA SLIO,
	RA / Allen-
	Bradley 1734

