

ZL|SB-EMC shield plates

for strain relief plates



The shield plates ZL|SB-EMC provide shield earthing in addition to strain relief.

Affix the corresponding shield plates to [ZL strain relief plates](#). The shield plate contacts the cable shield with the earth potential.

The result is a secure low resistance connection between cable shield and earth.

ZL strain relief plates offered separately.



Specifications

Material	Stainless steel
Mounting options	Screw type mounting

Advantages & benefits

Product types & sizes

ZL 39 SB-EMC-1 	Part No.	36322	Height	12 mm
	EAN	4251269302541	No. of screw holes	2
	Package quantity	10	Diam. of screw holes	6,5 mm
	For max. no. of cables	3	No. of teeth	3
	Length L1	42 mm		
	Length L2	19,5 mm		
	Width	26 mm		
ZL 39 SB-EMC-2 	Part No.	37150	Height	12 mm
	EAN	4251269305221	No. of screw holes	2
	Package quantity	10	Diam. of screw holes	6,5 mm
	For max. no. of cables	3	No. of teeth	3
	Length L1	42 mm		
	Length L2	19,5 mm		
	Width	42,1 mm		

ZL 60|SB-EMC-1

	Part No.	36328	Height	12 mm
	EAN	4251269302572	No. of screw holes	2
	Package quantity	10	Diam. of screw holes	6,5 mm
	For max. no. of cables	4	No. of teeth	4
	Length L1	64 mm		
	Length L2	43,5 mm		
	Width	26 mm		

ZL 60|SB-EMC-2

	Part No.	37152	Height	12 mm
	EAN	4251269305238	No. of screw holes	2
	Package quantity	10	Diam. of screw holes	6,5 mm
	For max. no. of cables	4	No. of teeth	4
	Length L1	64 mm		
	Length L2	43,5 mm		
	Width	42,1 mm		

ZL 70|SB-EMC-1

	Part No.	36323	Height	12 mm
	EAN	4251269332845	No. of screw holes	2
	Package quantity	10	Diam. of screw holes	6,5 mm
	For max. no. of cables	5	No. of teeth	5
	Length L1	72,7 mm		
	Length L2	43,5 mm		
	Width	26 mm		

ZL 87|SB-EMC-1

	Part No.	36324	Height	12 mm
	EAN	4251269302558	No. of screw holes	2
	Package quantity	10	Diam. of screw holes	6,5 mm
	For max. no. of cables	6	No. of teeth	6
	Length L1	90 mm		
	Length L2	68 mm		
	Width	26 mm		

ZL 87|SB-EMC-2

	Part No.	37154	Height	12 mm
	EAN	4251269305245	No. of screw holes	2
	Package quantity	10	Diam. of screw holes	6,5 mm
	For max. no. of cables	6	No. of teeth	6
	Length L1	90 mm		
	Length L2	68 mm		
	Width	42,1 mm		

ZL 103|SB-EMC-1

	Part No.	36332	Height	12 mm
	EAN	4251269302596	No. of screw holes	2
	Package quantity	10	Diam. of screw holes	6,5 mm
	For max. no. of cables	7	No. of teeth	7
	Length L1	106 mm		
	Length L2	84 mm		
	Width	26 mm		

ZL 103|SB-EMC-2

	Part No.	37156	Height	12 mm
	EAN	4251269305252	No. of screw holes	2
	Package quantity	10	Diam. of screw holes	6,5 mm
	For max. no. of cables	7	No. of teeth	7
	Length L1	106 mm		
	Length L2	84 mm		
	Width	42,1 mm		

ZL 121|SB-EMC-1

	Part No.	36330	Height	12 mm
	EAN	4251269302589	No. of screw holes	2
	Package quantity	10	Diam. of screw holes	6,5 mm
	For max. no. of cables	8	No. of teeth	8
	Length L1	124 mm		
	Length L2	102,5 mm		
	Width	26 mm		

ZL 121|SB-EMC-2

	Part No.	37158	Height	12 mm
	EAN	4251269305269	No. of screw holes	2
	Package quantity	10	Diam. of screw holes	6,5 mm
	For max. no. of cables	8	No. of teeth	8
	Length L1	124 mm		
	Length L2	102,5 mm		
	Width	42,1 mm		

ZL 140|SB-EMC-1

	Part No.	36326	Height	12 mm
	EAN	4251269302565	No. of screw holes	2
	Package quantity	10	Diam. of screw holes	6,5 mm
	For max. no. of cables	9	No. of teeth	9
	Length L1	142 mm		
	Length L2	121 mm		
	Width	26 mm		

ZL 140|SB-EMC-2

	Part No.	37159	Height	12 mm
	EAN	4251269305276	No. of screw holes	2
	Package quantity	10	Diam. of screw holes	6,5 mm
	For max. no. of cables	9	No. of teeth	9
	Length L1	142 mm		
	Length L2	121 mm		
	Width	42,1 mm		