

KEL-DP round | Multi-membrane cable entry plates

pluggable into metric cut-outs M12 - M50 / IP65 / UL Type 12



KEL-DP entry plates are designed for routing cables without connectors, hoses or fibre optics in limited space.

The KEL-DP products are an easy to assemble and cost saving alternative to traditional cable glands. Simply make a small hole in the thin membrane and push the cables through. The KEL-DP round provides protection IP65 / UL type 12.

The round version vo the KEL-DP fits perfectly into metric cut-outs M12 | M16 | M20 | M25 | M32 | M40 | M50. A special rib ensures a centred fit in the cut-outs.

ST-B Plugs can be used for sealing pierced membranes if cables have been removed.

IP54

Made in Germany

IP55

RoHS compliant

IP64

REACH COMPLIANCE

IP65

UL TYPE 12

Specifications







IP rating (EN 60529)	IP54, IP55, IP64, IP65
UL Type (UL 50E)	UL Type 12
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free
Mounting options	Snap-in

Advantages & benefits


- Quick assembly without tools
- High cable density
- Cost-effective solution
- Hygienic design - free of dirt-collecting recesses

Product types & sizes

KEL-DP 12 1 A gy round	Part No.	43603	Mounting height	5 mm
	EAN		External diameter	19 mm
	Package quantity	10	Cut-out size, round	12 mm
	For max. no. of cables	1	Cut-out size, metric	M12
	Max. cable diameter	6,2 mm	For min. wall thickness	1,5 mm
	Colour	grey (similar RAL 7035)	For max. wall thickness	2,5 mm
	Height	12 mm	For wall thickness	1,5 - 2,5 mm
			Clamping range	1 x 1 - 6.2 mm

KEL-DP 16 1 A gy round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	43600 4251269329791 10 1 9,2 mm grey (similar RAL 7035) 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 23 mm 16 mm M16 1,5 mm 2,5 mm 1,5 - 2,5 mm 1 x 1 - 9.2 mm
KEL-DP 16 1 A bk round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	50535 10 1 9,2 mm black 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 23 mm 16 mm M16 1,5 mm 2,5 mm 1,5 - 2,5 mm 1 x 1 - 9.2 mm
KEL-DP 16 3 A gy round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	43601 4251269329807 10 3 5,2 mm grey (similar RAL 7035) 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 23 mm 16 mm M16 1,5 mm 2,5 mm 1,5 - 2,5 mm 3 x 1 - 5.2 mm
KEL-DP 16 7 A gy round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	43602 4251269329814 10 7 3,2 mm grey (similar RAL 7035) 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 23 mm 16 mm M16 1,5 mm 2,5 mm 1,5 - 2,5 mm 7 x 1 - 3.2 mm
KEL-DP 20 1 A gy round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	43571 4251269329784 10 1 14 mm grey (similar RAL 7035) 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 27 mm 20 mm M20 1,5 mm 2,5 mm 1,5 - 2,5 mm 1 x 1 - 14 mm
KEL-DP 20 4 A gy round 	Part No. EAN Package quantity For max. no. of cables Max. cable diameter Colour Height	43572 4251269320477 10 4 5,2 mm grey (similar RAL 7035) 12 mm	Mounting height External diameter Cut-out size, round Cut-out size, metric For min. wall thickness For max. wall thickness For wall thickness Clamping range	5 mm 27 mm 20 mm M20 1,5 mm 2,5 mm 1,5 - 2,5 mm 4 x 1 - 5.2 mm


KEL-DP 20|4-1 A gy
round



Part No. **43575**
EAN **4251269323911**
Package quantity **10**
For max. no. of cables **4**
Max. cable diameter **8 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **27 mm**
Cut-out size, round **20 mm**
Cut-out size, metric **M20**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **2 x 1 - 8 mm**
2 x 1 - 4.5 mm


KEL-DP 20|5 A gy
round



Part No. **43573**
EAN **4251269320484**
Package quantity **10**
For max. no. of cables **5**
Max. cable diameter **10,6 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **27 mm**
Cut-out size, round **20 mm**
Cut-out size, metric **M20**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **1 x 1 - 10.6 mm**
2 x 1 - 4.6 mm
2 x 1 - 3.6 mm


KEL-DP 20|9 A gy
round



Part No. **43574**
EAN **4251269320491**
Package quantity **10**
For max. no. of cables **9**
Max. cable diameter **4,6 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **27 mm**
Cut-out size, round **20 mm**
Cut-out size, metric **M20**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **5 x 1 - 4.6 mm**
4 x 1 - 3.6 mm


KEL-DP 25|4 A gy
round



Part No. **43533**
EAN **4251269310027**
Package quantity **10**
For max. no. of cables **4**
Max. cable diameter **8 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **32 mm**
Cut-out size, round **25 mm**
Cut-out size, metric **M25**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **4 x 1 - 8 mm**


KEL-DP 25|4 B gy
round



Part No. **50536**
EAN **4251269333248**
Package quantity **10**
For max. no. of cables **4**
Max. cable diameter **8 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **32 mm**
Cut-out size, round **25 mm**
Cut-out size, metric **M25**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
For wall thickness **2,8 - 4 mm**
Clamping range **4 x 1 - 8 mm**


KEL-DP 25|4 A bk
round



Part No. **50533**
EAN **4251269314803**
Package quantity **10**
For max. no. of cables **4**
Max. cable diameter **8 mm**
Colour **black**
Height **12 mm**

Mounting height **5 mm**
External diameter **32 mm**
Cut-out size, round **25 mm**
Cut-out size, metric **M25**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **4 x 1 - 8 mm**


KEL-DP 25|4 B bk
round



Part No. **43535**
EAN **4251269324079**
Package quantity **10**
For max. no. of cables **4**
Max. cable diameter **8 mm**
Colour **black**
Height **12 mm**

Mounting height **5 mm**
External diameter **32 mm**
Cut-out size, round **25 mm**
Cut-out size, metric **M25**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
For wall thickness **2,8 - 4 mm**
Clamping range **4 x 1 - 8 mm**


KEL-DP 25|6 A gy
round



Part No. **43531**
EAN **4251269310003**
Package quantity **10**
For max. no. of cables **6**
Max. cable diameter **9,4 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **32 mm**
Cut-out size, round **25 mm**
Cut-out size, metric **M25**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **4 x 1 - 5.2 mm**
2 x 1 - 9.4 mm


KEL-DP 25|6 A bk
round



Part No. **50531**
EAN **4251269314780**
Package quantity **10**
For max. no. of cables **6**
Max. cable diameter **9,4 mm**
Colour **black**
Height **12 mm**

Mounting height **5 mm**
External diameter **32 mm**
Cut-out size, round **25 mm**
Cut-out size, metric **M25**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **4 x 1 - 5.2 mm**
2 x 1 - 9.4 mm


KEL-DP 25|7 A gy
round



Part No. **43534**
EAN **4251269322563**
Package quantity **10**
For max. no. of cables **7**
Max. cable diameter **5,2 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**


Mounting height **5 mm**
External diameter **32 mm**
Cut-out size, round **25 mm**
Cut-out size, metric **M25**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **7 x 1 - 5.2 mm**

KEL-DP 32|7 A gy
round




Part No.	43592	Mounting height	5 mm
EAN	4251269322488	External diameter	38 mm
Package quantity	10	Cut-out size, round	32 mm
For max. no. of cables	7	Cut-out size, metric	M32
Max. cable diameter	8 mm	For min. wall thickness	1,5 mm
Colour	grey (similar RAL 7035)	For max. wall thickness	2,5 mm
Height	12 mm	For wall thickness	1,5 - 2,5 mm
		Clamping range	7 x 1 - 8 mm

KEL-DP 32|7 B gy
round




Part No.	43596	Mounting height	5 mm
EAN	4251269322525	External diameter	38 mm
Package quantity	10	Cut-out size, round	32 mm
For max. no. of cables	7	Cut-out size, metric	M32
Max. cable diameter	8 mm	For min. wall thickness	2,8 mm
Colour	grey (similar RAL 7035)	For max. wall thickness	4 mm
Height	12 mm	For wall thickness	2,8 - 4 mm
		Clamping range	7 x 1 - 8 mm

KEL-DP 32|10 A gy
round




Part No.	43532	Mounting height	5 mm
EAN	4251269310010	External diameter	38 mm
Package quantity	10	Cut-out size, round	32 mm
For max. no. of cables	10	Cut-out size, metric	M32
Max. cable diameter	9,4 mm	For min. wall thickness	1,5 mm
Colour	grey (similar RAL 7035)	For max. wall thickness	2,5 mm
Height	12 mm	For wall thickness	1,5 - 2,5 mm
		Clamping range	6 x 1 - 5.2 mm
			2 x 1 - 6.4 mm
			2 x 1 - 9.4 mm

KEL-DP 32|10 B gy
round




Part No.	43560	Mounting height	5 mm
EAN	4251269310133	External diameter	38 mm
Package quantity	10	Cut-out size, round	32 mm
For max. no. of cables	10	Cut-out size, metric	M32
Max. cable diameter	9,4 mm	For min. wall thickness	2,8 mm
Colour	grey (similar RAL 7035)	For max. wall thickness	4 mm
Height	12 mm	For wall thickness	2,8 - 4 mm
		Clamping range	6 x 1 - 5.2 mm
			2 x 1 - 6.4 mm
			2 x 1 - 9.4 mm

KEL-DP 32|10 A bk
round



Part No.	50532	Mounting height	5 mm
EAN	4251269314797	External diameter	38 mm
Package quantity	10	Cut-out size, round	32 mm
For max. no. of cables	10	Cut-out size, metric	M32
Max. cable diameter	9,4 mm	For min. wall thickness	1,5 mm
Colour	black	For max. wall thickness	2,5 mm
Height	12 mm	For wall thickness	1,5 - 2,5 mm
		Clamping range	6 x 1 - 5.2 mm
			2 x 1 - 6.4 mm
			2 x 1 - 9.4 mm


KEL-DP 32|10 B bk
round



Part No. **50560**
EAN **4251269314889**
Package quantity **10**
For max. no. of cables **10**
Max. cable diameter **9,4 mm**
Colour **black**
Height **12 mm**

Mounting height
External diameter **38 mm**
Cut-out size, round **32 mm**
Cut-out size, metric **M32**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
For wall thickness **2,8 - 4 mm**
Clamping range **6 x 1 - 5.2 mm**
2 x 1 - 6.4 mm
2 x 1 - 9.4 mm


KEL-DP 32|10-2 A gy
round



Part No. **43593**
EAN **4251269322495**
Package quantity **10**
For max. no. of cables **10**
Max. cable diameter **6,4 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **38 mm**
Cut-out size, round **32 mm**
Cut-out size, metric **M32**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **10 x 1 - 6.4 mm**


KEL-DP 32|10-2 B gy
round



Part No. **43597**
EAN **4251269322532**
Package quantity **10**
For max. no. of cables **10**
Max. cable diameter **6,4 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **38 mm**
Cut-out size, round **32 mm**
Cut-out size, metric **M32**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
For wall thickness **2,8 - 4 mm**
Clamping range **10 x 1 - 6.4 mm**


KEL-DP 32|11 A gy
round



Part No. **43594**
EAN **4251269322501**
Package quantity **10**
For max. no. of cables **11**
Max. cable diameter **8 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **38 mm**
Cut-out size, round **32 mm**
Cut-out size, metric **M32**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **2 x 1 - 8 mm**
9 x 1 - 5.2 mm


KEL-DP 32|11 B gy
round



Part No. **43598**
EAN **4251269322549**
Package quantity **10**
For max. no. of cables **11**
Max. cable diameter **8 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **38 mm**
Cut-out size, round **32 mm**
Cut-out size, metric **M32**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
For wall thickness **2,8 - 4 mm**
Clamping range **2 x 1 - 8 mm**
9 x 1 - 5.2 mm

KEL-DP 32|13 A gy
round




Part No. **43595**
EAN **4251269322518**
Package quantity **10**
For max. no. of cables **13**
Max. cable diameter **5,2 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
For wall thickness
Clamping range

5 mm
38 mm
32 mm
M32
1,5 mm
2,5 mm
1,5 - 2,5 mm
13 x 1 - 5.2 mm

KEL-DP 32|13 B gy
round




Part No. **43599**
EAN **4251269322556**
Package quantity **10**
For max. no. of cables **13**
Max. cable diameter **5,2 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
For wall thickness
Clamping range

5 mm
38 mm
32 mm
M32
2,8 mm
4 mm
2,8 - 4 mm
13 x 1 - 5.2 mm

KEL-DP 40|9 A gy
round




Part No. **43536**
EAN **4251269310034**
Package quantity **10**
For max. no. of cables **9**
Max. cable diameter **11,3 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
For wall thickness
Clamping range

5 mm
50 mm
40 mm
M40
1,5 mm
2,5 mm
1,5 - 2,5 mm
8 x 1 - 9.5 mm
1 x 1 - 11.3 mm

KEL-DP 40|9 B gy
round




Part No. **43561**
EAN **4251269310140**
Package quantity **10**
For max. no. of cables **9**
Max. cable diameter **11,3 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
For wall thickness
Clamping range

5 mm
50 mm
40 mm
M40
2,8 mm
4 mm
2,8 - 4 mm
8 x 1 - 9.5 mm
1 x 1 - 11.3 mm

KEL-DP 40|16 A gy
round




Part No. **43537**
EAN **4251269310041**
Package quantity **10**
For max. no. of cables **16**
Max. cable diameter **11,3 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
For wall thickness
Clamping range

5 mm
50 mm
40 mm
M40
1,5 mm
2,5 mm
1,5 - 2,5 mm
2 x 1 - 5.3 mm
10 x 1 - 6.3 mm
2 x 1 - 9.5 mm
2 x 1 - 11.3 mm


KEL-DP 40|16 B gy
round



Part No. **43563**
EAN **4251269310164**
Package quantity **10**
For max. no. of cables **16**
Max. cable diameter **11,3 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height
External diameter **5 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **40 mm**
For min. wall thickness **M40**
For max. wall thickness **2,8 mm**
For wall thickness **4 mm**
Clamping range **2,8 - 4 mm**
2 x 1 - 5.3 mm
10 x 1 - 6.3 mm
2 x 1 - 9.5 mm
2 x 1 - 11.3 mm


KEL-DP 40|17 A gy
round



Part No. **43538**
EAN **4251269310058**
Package quantity **10**
For max. no. of cables **17**
Max. cable diameter **7,2 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **50 mm**
Cut-out size, round **40 mm**
Cut-out size, metric **M40**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **1 x 1 - 4 mm**
16 x 1 - 7.2 mm


KEL-DP 40|17 B gy
round



Part No. **43565**
EAN **4251269310188**
Package quantity **10**
For max. no. of cables **17**
Max. cable diameter **7,2 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **50 mm**
Cut-out size, round **40 mm**
Cut-out size, metric **M40**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
For wall thickness **2,8 - 4 mm**
Clamping range **1 x 1 - 4 mm**
16 x 1 - 7.2 mm


KEL-DP 50|9 A gy
round



Part No. **43554**
EAN **4251269310102**
Package quantity **10**
For max. no. of cables **9**
Max. cable diameter **18 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **5 x 1 - 7 mm**
4 x 1 - 18 mm


KEL-DP 50|9 B gy
round



Part No. **43568**
EAN **4251269310218**
Package quantity **10**
For max. no. of cables **9**
Max. cable diameter **18 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**


Mounting height **5 mm**
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
For wall thickness **2,8 - 4 mm**
Clamping range **5 x 1 - 7 mm**
4 x 1 - 18 mm

KEL-DP 50|9 A bk
round




Part No.	50554	Mounting height	5 mm
EAN	4251269314858	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	9	Cut-out size, metric	M50
Max. cable diameter	18 mm	For min. wall thickness	1,5 mm
Colour	black	For max. wall thickness	2,5 mm
Height	12 mm	For wall thickness	1,5 - 2,5 mm
		Clamping range	5 x 1 - 7 mm 4 x 1 - 18 mm

KEL-DP 50|9 B bk
round




Part No.	50568	Mounting height	5 mm
EAN	4251269314933	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	9	Cut-out size, metric	M50
Max. cable diameter	18 mm	For min. wall thickness	2,8 mm
Colour	black	For max. wall thickness	4 mm
Height	12 mm	For wall thickness	2,8 - 4 mm
		Clamping range	5 x 1 - 7 mm 4 x 1 - 18 mm

KEL-DP 50|11 A gy
round




Part No.	43555	Mounting height	5 mm
EAN	4251269310119	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	11	Cut-out size, metric	M50
Max. cable diameter	22,5 mm	For min. wall thickness	1,5 mm
Colour	grey (similar RAL 7035)	For max. wall thickness	2,5 mm
Height	12 mm	For wall thickness	1,5 - 2,5 mm
		Clamping range	7 x 1 - 7.2 mm 3 x 1 - 11.2 mm 1 x 1 - 22.5 mm

KEL-DP 50|11 B gy
round




Part No.	43569	Mounting height	5 mm
EAN	4251269310225	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	11	Cut-out size, metric	M50
Max. cable diameter	22,5 mm	For min. wall thickness	2,8 mm
Colour	grey (similar RAL 7035)	For max. wall thickness	4 mm
Height	12 mm	For wall thickness	2,8 - 4 mm
		Clamping range	7 x 1 - 7.2 mm 3 x 1 - 11.2 mm 1 x 1 - 22.5 mm

KEL-DP 50|11 A bk
round




Part No.	50555	Mounting height	5 mm
EAN	4251269314865	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	11	Cut-out size, metric	M50
Max. cable diameter	22,5 mm	For min. wall thickness	1,5 mm
Colour	black	For max. wall thickness	2,5 mm
Height	12 mm	For wall thickness	1,5 - 2,5 mm
		Clamping range	7 x 1 - 7.2 mm 3 x 1 - 11.2 mm 1 x 1 - 22.5 mm

KEL-DP 50|11 B bk
round




Part No.	50569	Mounting height	5 mm
EAN	4251269314940	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	11	Cut-out size, metric	M50
Max. cable diameter	22,5 mm	For min. wall thickness	2,8 mm
Colour	black	For max. wall thickness	4 mm
Height	12 mm	For wall thickness	2,8 - 4 mm
		Clamping range	7 x 1 - 7.2 mm
			3 x 1 - 11.2 mm
			1 x 1 - 22.5 mm

KEL-DP 50|12 A gy
round




Part No.	43551	Mounting height	5 mm
EAN	4251269310072	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	12	Cut-out size, metric	M50
Max. cable diameter	11,2 mm	For min. wall thickness	1,5 mm
Colour	grey (similar RAL 7035)	For max. wall thickness	2,5 mm
Height	12 mm	For wall thickness	1,5 - 2,5 mm
		Clamping range	10 x 1 - 9.2 mm
			2 x 1 - 11.2 mm

KEL-DP 50|12 B gy
round




Part No.	43562	Mounting height	5 mm
EAN	4251269310157	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	12	Cut-out size, metric	M50
Max. cable diameter	11,2 mm	For min. wall thickness	2,8 mm
Colour	grey (similar RAL 7035)	For max. wall thickness	4 mm
Height	12 mm	For wall thickness	2,8 - 4 mm
		Clamping range	10 x 1 - 9.2 mm
			2 x 1 - 11.2 mm

KEL-DP 50|12 A bk
round




Part No.	50551	Mounting height	5 mm
EAN	4251269314827	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	12	Cut-out size, metric	M50
Max. cable diameter	11,2 mm	For min. wall thickness	1,5 mm
Colour	black	For max. wall thickness	2,5 mm
Height	12 mm	For wall thickness	1,5 - 2,5 mm
		Clamping range	10 x 1 - 9.2 mm
			2 x 1 - 11.2 mm

KEL-DP 50|12 B bk
round



Part No.	50562	Mounting height	5 mm
EAN	4251269314896	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	12	Cut-out size, metric	M50
Max. cable diameter	11,2 mm	For min. wall thickness	2,8 mm
Colour	black	For max. wall thickness	4 mm
Height	12 mm	For wall thickness	2,8 - 4 mm
		Clamping range	10 x 1 - 9.2 mm
			2 x 1 - 11.2 mm


KEL-DP 50|16 A gy
round



Part No. **43550**
EAN **4251269310065**
Package quantity **10**
For max. no. of cables **16**
Max. cable diameter **11,3 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **4 x 1 - 5.3 mm**
5 x 1 - 6.3 mm
3 x 1 - 9.5 mm
4 x 1 - 11.3 mm


KEL-DP 50|16 B gy
round



Part No. **43564**
EAN **4251269310171**
Package quantity **10**
For max. no. of cables **16**
Max. cable diameter **11,3 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
For wall thickness **2,8 - 4 mm**
Clamping range **4 x 1 - 5.3 mm**
5 x 1 - 6.3 mm
3 x 1 - 9.5 mm
4 x 1 - 11.3 mm


KEL-DP 50|16 A bk
round



Part No. **50550**
EAN **4251269314810**
Package quantity **10**
For max. no. of cables **16**
Max. cable diameter **11,3 mm**
Colour **black**
Height **12 mm**

Mounting height **5 mm**
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **4 x 1 - 5.3 mm**
5 x 1 - 6.3 mm
3 x 1 - 9.5 mm
4 x 1 - 11.3 mm


KEL-DP 50|16 B bk
round



Part No. **50564**
EAN **4251269314902**
Package quantity **10**
For max. no. of cables **16**
Max. cable diameter **11,3 mm**
Colour **black**
Height **12 mm**

Mounting height **5 mm**
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
For wall thickness **2,8 - 4 mm**
Clamping range **4 x 1 - 5.3 mm**
5 x 1 - 6.3 mm
3 x 1 - 9.5 mm
4 x 1 - 11.3 mm


KEL-DP 50|18 A gy
round



Part No. **43553**
EAN **4251269310096**
Package quantity **10**
For max. no. of cables **18**
Max. cable diameter **12 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **2 x 1 - 4 mm**
2 x 1 - 6 mm
4 x 1 - 7.2 mm
5 x 1 - 9.4 mm
5 x 1 - 12 mm


KEL-DP 50|18 B gy
round



Part No. **43567**
EAN **4251269310201**
Package quantity **10**
For max. no. of cables **18**
Max. cable diameter **12 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
For wall thickness **2,8 - 4 mm**
Clamping range **2 x 1 - 4 mm**
2 x 1 - 6 mm
4 x 1 - 7.2 mm
5 x 1 - 9.4 mm
5 x 1 - 12 mm


KEL-DP 50|18 A bk
round



Part No. **50553**
EAN **4251269314841**
Package quantity **10**
For max. no. of cables **18**
Max. cable diameter **12 mm**
Colour **black**
Height **12 mm**

Mounting height **5 mm**
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **2 x 1 - 4 mm**
2 x 1 - 6 mm
4 x 1 - 7.2 mm
5 x 1 - 9.4 mm
5 x 1 - 12 mm


KEL-DP 50|18 B bk
round



Part No. **50567**
EAN **4251269314926**
Package quantity **10**
For max. no. of cables **18**
Max. cable diameter **12 mm**
Colour **black**
Height **12 mm**

Mounting height **5 mm**
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
For wall thickness **2,8 - 4 mm**
Clamping range **2 x 1 - 4 mm**
2 x 1 - 6 mm
4 x 1 - 7.2 mm
5 x 1 - 9.4 mm
5 x 1 - 12 mm


KEL-DP 50|20 A gy
round



Part No. **43552**
EAN **4251269310089**
Package quantity **10**
For max. no. of cables **20**
Max. cable diameter **9,3 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **16 x 1 - 6.3 mm**
4 x 1 - 9.3 mm


KEL-DP 50|20 B gy
round



Part No. **43566**
EAN **4251269310195**
Package quantity **10**
For max. no. of cables **20**
Max. cable diameter **9,3 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
For wall thickness **2,8 - 4 mm**
Clamping range **16 x 1 - 6.3 mm**
4 x 1 - 9.3 mm


KEL-DP 50|20 A bk
round



Part No. **50552**
EAN **4251269314834**
Package quantity **10**
For max. no. of cables **20**
Max. cable diameter **9,3 mm**
Colour **black**
Height **12 mm**

Mounting height **5 mm**
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **16 x 1 - 6.3 mm**
4 x 1 - 9.3 mm


KEL-DP 50|20 B bk
round



Part No. **50566**
EAN **4251269314919**
Package quantity **10**
For max. no. of cables **20**
Max. cable diameter **9,3 mm**
Colour **black**
Height **12 mm**

Mounting height **5 mm**
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
For wall thickness **2,8 - 4 mm**
Clamping range **16 x 1 - 6.3 mm**
4 x 1 - 9.3 mm


KEL-DP 50|35 A gy
round



Part No. **43556**
EAN **4251269310126**
Package quantity **10**
For max. no. of cables **35**
Max. cable diameter **5,2 mm**
Colour **grey (similar RAL 7035)**
Height **12 mm**

Mounting height **5 mm**
External diameter **60 mm**
Cut-out size, round **50 mm**
Cut-out size, metric **M50**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
For wall thickness **1,5 - 2,5 mm**
Clamping range **35 x 1 - 5.2 mm**


KEL-DP 50|35 B gy
round



Part No.	43570
EAN	4251269310232
Package quantity	10
For max. no. of cables	35
Max. cable diameter	5,2 mm
Colour	grey (similar RAL 7035)
Height	12 mm

Mounting height	5 mm
External diameter	60 mm
Cut-out size, round	50 mm
Cut-out size, metric	M50
For min. wall thickness	2,8 mm
For max. wall thickness	4 mm
For wall thickness	2,8 - 4 mm


KEL-DP 50|35 A bk
round



Part No.	50556
EAN	4251269314872
Package quantity	10
For max. no. of cables	35
Max. cable diameter	5,2 mm
Colour	black
Height	12 mm

Mounting height	5 mm
External diameter	60 mm
Cut-out size, round	50 mm
Cut-out size, metric	M50
For min. wall thickness	1,5 mm
For max. wall thickness	2,5 mm
For wall thickness	1,5 - 2,5 mm
Clamping range	35 x 1 - 5.2 mm

KEL-DP 50|35 B bk
round



Part No.	50570
EAN	4251269314957
Package quantity	10
For max. no. of cables	35
Max. cable diameter	5,2 mm
Colour	black
Height	12 mm

Mounting height	5 mm
External diameter	60 mm
Cut-out size, round	50 mm
Cut-out size, metric	M50
For min. wall thickness	2,8 mm
For max. wall thickness	4 mm
For wall thickness	2,8 - 4 mm
Clamping range	35 x 1 - 5.2 mm