

KTMBBS | Multi-range cable grommets for KEL systems, grey

for cable diameters 4 - 29 mm / IP54 / UL Type 12



Cable grommets KTMBBS grey are used to route pre-terminated cables with the following cable entry components:

- [KEL cable entry frames](#)
- [KVT split cable glands](#)

The innovative membrane enables the routing of cables with diameters that can vary up to 3 mm.

Utilising the KTMBBS, cables with cable diameters from 4 to 29 mm can be routed.

The innovative wave cut and the flexible sealing lips make it possible to seal the cable with IP54 / UL Type 12.

[ST-B Plugs](#) can be used for sealing the grommets if cables have been removed.



Specifications

IP rating (EN 60529)	IP54
UL Type (UL 50E)	UL Type 12
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free


Advantages & benefits

- Routing of cables with and without connectors
- Only 12 grommets cover a clamping range from 4 to 29 mm
- Innovative wave cut for a better sealing
- Innovative membrane for high flexibility

Product types & sizes

KTMBBS 4-7 gy	Part No.	41380	Height	19 mm
	EAN	4251269324987	Mounting height	2 mm
	Package quantity	10	For cable type	Round cable
	For max. no. of cables	1	Clamping range	4 - 7 mm
	Colour	grey (similar RAL 7035)	Clamping range	1 x 4 - 7 mm
	Length	21 mm		
	Width	21 mm		


KTMB5 6-9 gy



Part No. **41381**
EAN **4251269324994**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
Clamping range **6 - 9 mm**
Clamping range **1 x 6 - 9 mm**


KTMB5 8-11 gy



Part No. **41382**
EAN **4251269325007**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
Clamping range **8 - 11 mm**
Clamping range **1 x 8 - 11 mm**


KTMB5 10-12 gy



Part No. **41383**
EAN **4251269325014**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
Clamping range **10 - 12 mm**
Clamping range **1 x 10 - 12 mm**


KTMB5 12-15 gy



Part No. **41384**
EAN **4251269325021**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
Clamping range **12 - 15 mm**
Clamping range **1 x 12 - 15 mm**


KTMB5 14-17 gy



Part No. **41385**
EAN **4251269325038**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
Clamping range **14 - 17 mm**
Clamping range **1 x 14 - 17 mm**


KTMB5 16-19 gy



Part No. **41386**
EAN **4251269325045**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**


Height
Mounting height **19 mm**
For cable type **2 mm**
Clamping range **Round cable**
Clamping range **16 - 19 mm**
Clamping range **1 x 16 - 19 mm**

KTMB5 18-21 gy




Part No.	41387	Height	19 mm
EAN	4251269325052	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	18 - 21 mm
Colour	grey (similar RAL 7035)	Clamping range	1 x 18 - 21 mm
Length	41,5 mm		
Width	42 mm		

KTMB5 20-23 gy




Part No.	41388	Height	19 mm
EAN	4251269325069	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	20 - 23 mm
Colour	grey (similar RAL 7035)	Clamping range	1 x 20 - 23 mm
Length	41,5 mm		
Width	42 mm		

KTMB5 22-25 gy




Part No.	41389	Height	19 mm
EAN	4251269325076	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	22 - 25 mm
Colour	grey (similar RAL 7035)	Clamping range	1 x 22 - 25 mm
Length	41,5 mm		
Width	42 mm		

KTMB5 24-27 gy



Part No.	41390	Height	19 mm
EAN	4251269325083	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	24 - 27 mm
Colour	grey (similar RAL 7035)	Clamping range	1 x 24 - 27 mm
Length	41,5 mm		
Width	42 mm		

KTMB5 26-29 gy



Part No.	41391	Height	19 mm
EAN	4251269325090	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	26 - 29 mm
Colour	grey (similar RAL 7035)	Clamping range	1 x 26 - 29 mm
Length	41,5 mm		
Width	42 mm		