

Connector housings & insert sets 3A / 4A

for adapter grommets AT-HA & cable entry frames MIS



icotek offers 3A or 4A insert sets and matching connector housings with integrated M20 (cable diam. 6 - 12 mm) or M25 (cable diam. 13 - 18 mm) cable glands for [adapter grommets AT-HA](#) and [split cable entry frames MIS](#).

The connector housings are compatible and CE-compliant with numerous insert manufacturers (Harting, Ilme, Phoenix Contact, TE Connectivity, Weidmüller, Lapp, Amphenol, Molex, RS Pro, ...).

EN 45545-2

certified

ISO 4892-2A

IK04

IEC 61984

UL 1977

UL ECBT2

RoHS compliant

REACH COMPLIANCE

Made in Germany

UL

Specifications

Material	Enclosure: Polyamide Einsatz: Polycarbonate
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 125 C°
Properties	silicone free, halogen free

Advantages & Benefits

- Connector housings: High degree of protection IP65 when plugged in
- Connector housings are compatible with numerous insert manufacturers

Product Types & Sizes

Insert set 3A



Part No.	55510
EAN	4251269337499
Package quantity	5
Rated current	10 A
Operating voltage	230 V

Insert set 4A



Part No.	55511
EAN	4251269337529
Package quantity	5
Rated current	10 A
Operating voltage	230 V

Housing KV 20



Part No.	55514
EAN	
Package quantity	5
Cable gland	M20
Clamping range	1 x 6 - 12 mm

Housing KV 25



Part No.	55515
EAN	
Package quantity	5
Cable gland	M25
Clamping range	1 x 13 - 18 mm

