

UCL | Cable Clamps / Cable Clips

for 1-5/8" Unistrut Channels



The UCL cable clamps are characterized by a high clamping range and great flexibility. Ideally suited for strain relief on the 1-5/8" Unistrut Channel with opening dimensions 7/8" (suitable for all channel heights). It offers flexible clamping ranges from 8 mm (0.315") to 64 mm (2.52").






Specifications

Material	Steel, zinc plated
Properties	vibration proof
Mounting options	Clamping


Advantages & Benefits

Quick and easy assembly
For mounting on all 1-5/8" Unistrut Channels with opening dimensions 7/8" (suitable for all channel heights)

Product Types & Sizes

UCL 8-12		Part No. EAN Package quantity Max. cable diameter Length Width Mounting height	32020 25 12 mm 39 mm 16 mm 61 mm	Clamping range Clamping range	8 - 12 mm 1 x 8 - 12 mm
UCL 12-16		Part No. EAN Package quantity Max. cable diameter Length Width Mounting height	32021 25 16 mm 39 mm 20 mm 66,5 mm	Clamping range Clamping range	12 - 16 mm 1 x 12 - 16 mm
UCL 16-20		Part No. EAN Package quantity Max. cable diameter Length Width Mounting height	32022 25 20 mm 39 mm 24 mm 70,2 mm	Clamping range Clamping range	16 - 20 mm 1 x 16 - 20 mm


UCL 20-24



Part No.	32023
EAN	
Package quantity	25
Max. cable diameter	24 mm
Length	39 mm
Width	28 mm
Mounting height	73,5 mm

Clamping range	20 - 24 mm
Clamping range	1 x 20 - 24 mm


UCL 24-28



Part No.	32024
EAN	
Package quantity	25
Max. cable diameter	28 mm
Length	39 mm
Width	32 mm
Mounting height	77,5 mm


Clamping range	24 - 28 mm
Clamping range	1 x 24 - 28 mm

UCL 28-32



Part No.	32025	Clamping range	28 - 32 mm
EAN		range	
Package quantity	25	Clamping range	1 x 28 - 32 mm
Max. cable diameter	32 mm		
Length	39 mm		
Width	36,5 mm		
Mounting height	83 mm		

UCL 32-36




Part No.	32026
EAN	
Package quantity	25
Max. cable diameter	36 mm
Length	39 mm
Width	40,5 mm
Mounting height	87 mm


Clamping range	32 - 36 mm
Clamping range	1 x 32 - 36 mm

UCL 36-40

Part No.	32027	Clamping range	36 - 40 mm
EAN		Clamping range	
Package quantity	25	Clamping range	1 x 36 - 40 mm
Max. cable diameter	40 mm		
Length	39 mm		
Width	44,5 mm		
Mounting height	93,5 mm		




UCL 40-44



Part No.	32028
EAN	
Package quantity	25
Max. cable diameter	44 mm
Length	39 mm
Width	49 mm
Mounting height	103 mm

Clamping range	40 - 44 mm
Clamping range	1 x 40 - 44 mm


UCL 44-48



Part No.	32029
EAN	
Package quantity	25
Max. cable diameter	48 mm
Length	39 mm
Width	53 mm
Mounting height	106 mm

Clamping range	44 - 48 mm
Clamping range	1 x 44 - 48 mm

UCL 48-52



Part No.	32030
EAN	
Package quantity	25
Max. cable diameter	52 mm
Length	39 mm
Width	57 mm
Mounting height	112 mm

Clamping range	48 - 52 mm
Clamping range	1 x 48 - 52 mm

UCL 52-56

	Part No.	32031	Clamping range	52 - 56 mm
	EAN		Clamping range	1 x 52 - 56 mm
	Package quantity	25		
	Max. cable diameter	56 mm		
	Length	39 mm		
	Width	61 mm		
	Mounting height	115,5 mm		

UCL 56-60

	Part No.	32032	Clamping range	56 - 60 mm
	EAN		Clamping range	1 x 56 - 60 mm
	Package quantity	25		
	Max. cable diameter	60 mm		
	Length	45 mm		
	Width	65,5 mm		
	Mounting height	120 mm		

UCL 60-64

	Part No.	32033	Clamping range	60 - 64 mm
	EAN		Clamping range	1 x 60 - 64 mm
	Package quantity	25		
	Max. cable diameter	64 mm		
	Length	45 mm		
	Width	69,5 mm		
	Mounting height	124 mm		