


KDR-BES-U | Brush strip with clamp profile

in custom length or sized for Rittal, nVent Hoffman, ELDON, Häwa, Schneider Electric & ETA enclosures



RoHS
compliant

REACH
COMPLIANCE

Made in
Germany

Cable pass-through brush strip for enclosure bases or individual cut-outs on cabinets, enclosures, panels, server racks or machine walls.

Due to the innovative and universal clamp strip the brush can also be assembled in a 90° angle, e.g. on bent sheet metal. Brush may be removed from the profile at any time and remounted using other mounting options.

The KDR-BES-U brush strip is adaptable to almost any enclosure or cabinet type on the market. The standard gland plates included in the enclosure delivery can be used for assembly. They do not have to be changed!

There are 4 different models available:

- Order No. 58210.xxxx - for sheet/wall thickness 1.5 - 2 mm, brush height 35 mm
- Order No. 58215.xxxx - for sheet/wall thickness 1.5 - 2 mm, brush height 50 mm
- Order No. 58225.xxxx - for sheet/wall thickness 2.5 - 3 mm, brush height 35 mm
- Order No. 58230.xxxx - for sheet/wall thickness 2.5 - 3 mm, brush height 50 mm

Defining your individual length:

X (mm) = sight size of enclosure base opening

Order numbers (ex.):

X = 999 mm --> Order No. 58210.0999

Specifications

Material	Aluminum Brushes: Polyamide
Operating temperature	-20 C° to 90 C°
Properties	silicone free, halogen free


Advantages & Benefits

- Quick assembly without tools
- Original enclosure gland plates can be used when mounting
- Three mounting types possible
- Brush may be remounted at any time using other mounting options
- Available in almost any length up to 1.500 mm

Product Types & Sizes

KDR-BES-U-xxxx (1.5-2-35 mm) 	Part No. EAN Package quantity Brush height For min. wall thickness For max. wall thickness For wall thickness	58210.xxxx 1 35 mm 1,5 mm 2 mm 1,5 - 2 mm	Suitable for enclosure	universal
KDR-BES-U-xxxx (1.5-2-50 mm) 	Part No. EAN Package quantity Brush height For min. wall thickness For max. wall thickness For wall thickness	58215.xxxx 1 50 mm 1,5 mm 2 mm 1,5 - 2 mm	Suitable for enclosure	universal


KDR-BES-U-xxxx (2.5-3-35 mm)



Part No. **58225.xxxx**
EAN
Package quantity **1**
Brush height **35 mm**
For min. wall thickness **2,5 mm**
For max. wall thickness **3 mm**
For wall thickness **2,5 - 3 mm**

Suitable for enclosure **universal**


KDR-BES-U-xxxx (2.5-3-50 mm)



Part No. **58230.xxxx**
EAN
Package quantity **1**
Brush height **50 mm**
For min. wall thickness **2,5 mm**
For max. wall thickness **3 mm**
For wall thickness **2,5 - 3 mm**

Suitable for enclosure **universal**


KDR-BES-U-VX25-600 (35 mm)



Part No. **58225.0452**
EAN **4251269320385**
Package quantity **1**
Length **452 mm**
Width **16 mm**
For enclosure width **600 mm**
Sight size of base opening **452 mm**

Brush height **35 mm**
For wall thickness **2,5 - 3 mm**
Suitable for enclosure **Rittal VX25**


KDR-BES-U-VX25-600 (50mm)



Part No. **58230.0452**
EAN **4251269320996**
Package quantity **1**
Length **452 mm**
Width **16 mm**
For enclosure width **600 mm**
Sight size of base opening **452 mm**

Brush height **50 mm**
For wall thickness **2,5 - 3 mm**
Suitable for enclosure **Rittal VX25**


KDR-BES-U-VX25-800 (35 mm)



Part No. **58225.0652**
EAN **4251269320392**
Package quantity **1**
Length **652 mm**
Width **16 mm**
For enclosure width **800 mm**
Sight size of base opening **652 mm**

Brush height **35 mm**
For wall thickness **2,5 - 3 mm**
Suitable for enclosure **Rittal VX25**

KDR-BES-U-VX25-800 (50mm)



Part No. **58230.0652**
EAN **4251269321016**
Package quantity **1**
Length **652 mm**
Width **16 mm**
For enclosure width **800 mm**
Sight size of base opening **652 mm**

Brush height **50 mm**
For wall thickness **2,5 - 3 mm**
Suitable for enclosure **Rittal VX25**

KDR-BES-U-VX25-1000
(35 mm)

	Part No.	58225.0402	Division bar	Yes
	EAN	4251269320408	Brush height	35 mm
	Package quantity	1	For wall thickness	2,5 - 3 mm
	Length	402 mm	Suitable for enclosure	Rittal VX25
	Width	16 mm		
	For enclosure width	1.000 mm		
	Sight size of base opening	402 mm		

KDR-BES-U-VX25-1000
(50mm)

	Part No.	58230.0402	Division bar	Yes
	EAN	4251269320989	Brush height	50 mm
	Package quantity	1	For wall thickness	2,5 - 3 mm
	Length	402 mm	Suitable for enclosure	Rittal VX25
	Width	16 mm		
	For enclosure width	1.000 mm		
	Sight size of base opening	402 mm		

KDR-BES-U-VX25-1200
(35 mm)

	Part No.	58225.0502	Division bar	Yes
	EAN	4251269320415	Brush height	35 mm
	Package quantity	1	For wall thickness	2,5 - 3 mm
	Length	502 mm	Suitable for enclosure	Rittal VX25
	Width	16 mm		
	For enclosure width	1.200 mm		
	Sight size of base opening	502 mm		

KDR-BES-U-VX25-1200
(50mm)

	Part No.	58230.0502	Division bar	Yes
	EAN	4251269321009	Brush height	50 mm
	Package quantity	1	For wall thickness	2,5 - 3 mm
	Length	502 mm	Suitable for enclosure	Rittal VX25
	Width	16 mm		
	For enclosure width	1.200 mm		
	Sight size of base opening	502 mm		

KDR-BES-U-TS8-1200

	Part No.	58210.0495	Division bar	Yes
	EAN	4251269316531	Brush height	35 mm
	Package quantity	1	For wall thickness	1,5 - 2 mm
	Length	495 mm	Suitable for enclosure	Rittal TS 8
	Width	16 mm		
	For enclosure width	1.200 mm		
	Sight size of base opening	495 mm		

KDR-BES-U-HW-600
(392/35 mm)

	Part No.	58210.0392	For wall thickness	1,5 - 2 mm
	EAN	4251269324697	Suitable for enclosure	Häwa H390 / H395
	Package quantity	1		
	Length	392 mm		
	For enclosure width	600 mm		
	Sight size of base opening	392 mm		
	Brush height	35 mm		

KDR-BES-U-HW-600
(392/50 mm)

	Part No.	58215.0392	For wall thickness	1,5 - 2 mm
	EAN	4251269324734	Suitable for enclosure	Häwa H390 / H395
	Package quantity	1		
	Length	392 mm		
	For enclosure width	600 mm		
	Sight size of base opening	392 mm		
	Brush height	50 mm		

KDR-BES-U-HW-600
(592/35 mm)

	Part No.	58210.0592	For wall thickness	1,5 - 2 mm
	EAN	4251269324703	Suitable for enclosure	Häwa H390 / H395
	Package quantity	1		
	Length	592 mm		
	For enclosure width	600 mm		
	Sight size of base opening	592 mm		
	Brush height	35 mm		

KDR-BES-U-HW-600
(592/50 mm)

	Part No.	58215.0592	For wall thickness	1,5 - 2 mm
	EAN	4251269324741	Suitable for enclosure	Häwa H390 / H395
	Package quantity	1		
	Length	592 mm		
	For enclosure width	600 mm		
	Sight size of base opening	592 mm		
	Brush height	50 mm		

KDR-BES-U-HW-600
(792/35 mm)

	Part No.	58210.0792	For wall thickness	1,5 - 2 mm
	EAN	4251269324710	Suitable for enclosure	Häwa H390 / H395
	Package quantity	1		
	Length	792 mm		
	For enclosure width	600 mm		
	Sight size of base opening	792 mm		
	Brush height	35 mm		

KDR-BES-U-HW-600
(792/50 mm)

	Part No.	58215.0792	For wall thickness	1,5 - 2 mm
	EAN	4251269324758	Suitable for enclosure	Häwa H390 / H395
	Package quantity	1		
	Length	792 mm		
	For enclosure width	600 mm		
	Sight size of base opening	792 mm		
	Brush height	50 mm		

KDR-BES-U-HW-600
(992/35 mm)

	Part No.	58210.0992	For wall thickness	1,5 - 2 mm
	EAN	4251269324727	Suitable for enclosure	Häwa H390 / H395
	Package quantity	1		
	Length	992 mm		
	For enclosure width	600 mm		
	Sight size of base opening	992 mm		
	Brush height	35 mm		

KDR-BES-U-HW-600
(992/50 mm)

	Part No.	58215.0992	For wall thickness	1,5 - 2 mm
	EAN	4251269324765	Suitable for enclosure	Häwa H390 / H395
	Package quantity	1		
	Length	992 mm		
	For enclosure width	600 mm		
	Sight size of base opening	992 mm		
	Brush height	50 mm		

KDR-BES-U-SSP-600
(35 mm)

	Part No.	58210.0414	Brush height	35 mm
	EAN	4251269324611	For wall thickness	1,5 - 2 mm
	Package quantity	1	Suitable for enclosure	Schneider Electric Spacial SF
	Length	414 mm		
	Width	16 mm		
	For enclosure width	600 mm		
	Sight size of base opening	414 mm		

KDR-BES-U-SSP-600
(50 mm)

	Part No.	58215.0414	Brush height	50 mm
	EAN	4251269324659	For wall thickness	1,5 - 2 mm
	Package quantity	1	Suitable for enclosure	Schneider Electric Spacial SF
	Length	414 mm		
	Width	16 mm		
	For enclosure width	600 mm		
	Sight size of base opening	414 mm		

KDR-BES-U-SSP-800
(35 mm)

	Part No.	58210.0614	Brush height	35 mm
	EAN	4251269324628	For wall thickness	1,5 - 2 mm
	Package quantity	1	Suitable for enclosure	Schneider Electric Spacial SF
	Length	614 mm		
	Width	16 mm		
	For enclosure width	800 mm		
	Sight size of base opening	614 mm		

KDR-BES-U-SSP-800
(50 mm)

	Part No.	58215.0614	Brush height	50 mm
	EAN	4251269324666	For wall thickness	1,5 - 2 mm
	Package quantity	1	Suitable for enclosure	Schneider Electric Spacial SF
	Length	614 mm		
	Width	16 mm		
	For enclosure width	800 mm		
	Sight size of base opening	614 mm		

KDR-BES-U-SSP-1000
(35 mm)

	Part No.	58210.0814	Brush height	35 mm
	EAN	4251269324635	For wall thickness	1,5 - 2 mm
	Package quantity	1	Suitable for enclosure	Schneider Electric Spacial SF
	Length	814 mm		
	Width	16 mm		
	For enclosure width	1.000 mm		
	Sight size of base opening	814 mm		

KDR-BES-U-SSP-1000
(50 mm)

	Part No.	58215.0814	Brush height	50 mm
	EAN	4251269324673	For wall thickness	1,5 - 2 mm
	Package quantity	1	Suitable for enclosure	Schneider Electric Spacial SF
	Length	814 mm		
	Width	16 mm		
	For enclosure width	1.000 mm		
	Sight size of base opening	814 mm		

KDR-BES-U-SSP-1200
(35 mm)

	Part No.	58210.0477	Brush height	35 mm
	EAN	4251269324642	For wall thickness	1,5 - 2 mm
	Package quantity	1	Suitable for enclosure	Schneider Electric Spacial SF
	Length	477 mm		
	Width	16 mm		
	For enclosure width	1.200 mm		
	Sight size of base opening	477 mm		

KDR-BES-U-SSP-1200
(50 mm)

	Part No.	58215.0477	Brush height	50 mm
	EAN	4251269324680	For wall thickness	1,5 - 2 mm
	Package quantity	1	Suitable for enclosure	Schneider Electric Spacial SF
	Length	477 mm		
	Width	16 mm		
	For enclosure width	1.200 mm		
	Sight size of base opening	477 mm		

KDR-BES-U-ELDON-600
(35 mm)

	Part No.	58221.0430	Brush height	35 mm
	EAN	4251269339691	Suitable for enclosure	nVent Eldon
	Package quantity	1		MCD/MCS/MKD/MKS
	Length	430 mm		
	Width	16 mm		
	For enclosure width	600 mm		
	Sight size of base opening	430 mm		

KDR-BES-U-ELDON-600
(50 mm)

	Part No.	58222.0430	Brush height	50 mm
	EAN	4251269339738	Suitable for enclosure	nVent Eldon
	Package quantity	1		MCD/MCS/MKD/MKS
	Length	430 mm		
	Width	16 mm		
	For enclosure width	600 mm		
	Sight size of base opening	430 mm		

KDR-BES-U-ELDON-800+1600
(35 mm)

	Part No.	58221.0630	Brush height	35 mm
	EAN	4251269339707	Suitable for enclosure	nVent Eldon
	Package quantity	1		MCD/MCS/MKD/MKS
	Length	630 mm		
	Width	16 mm		
	For enclosure width	800 mm		
	Sight size of base opening	630 mm		

KDR-BES-U-ELDON-800+1600 (50 mm)

	Part No.	58222.0630	Brush height	50 mm
	EAN	4251269339745	Suitable for enclosure	nVent Eldon
	Package quantity	1		MCD/MCS/MKD/MKS
	Length	630 mm		
	Width	16 mm		
	For enclosure width	800 mm		
	Sight size of base opening	630 mm		

KDR-BES-U-ELDON-1000 (35 mm)

	Part No.	58221.0830	Brush height	35 mm
	EAN	4251269339714	Suitable for enclosure	nVent Eldon
	Package quantity	1		MCD/MCS/MKD/MKS
	Length	830 mm		
	Width	16 mm		
	For enclosure width	1.000 mm		
	Sight size of base opening	830 mm		

KDR-BES-U-ELDON-1000 (50 mm)

	Part No.	58222.0830	Brush height	50 mm
	EAN	4251269339752	Suitable for enclosure	nVent Eldon
	Package quantity	1		MCD/MCS/MKD/MKS
	Length	830 mm		
	Width	16 mm		
	For enclosure width	1.000 mm		
	Sight size of base opening	830 mm		

KDR-BES-U-ELDON-1200 (35 mm)

	Part No.	58221.0490	Brush height	35 mm
	EAN	4251269339721	Suitable for enclosure	nVent Eldon
	Package quantity	1		MCD/MCS/MKD/MKS
	Length	490 mm		
	Width	16 mm		
	For enclosure width	1.200 mm		
	Sight size of base opening	490 mm		

KDR-BES-U-ELDON-1200 (50 mm)

	Part No.	58222.0490	Brush height	50 mm
	EAN	4251269339769	Suitable for enclosure	nVent Eldon
	Package quantity	1		MCD/MCS/MKD/MKS
	Length	490 mm		
	Width	16 mm		
	For enclosure width	1.200 mm		
	Sight size of base opening	490 mm		

KDR-BES-U-ETA-ENUX-600 (35 mm)

	Part No.	58221.0363	Brush height	35 mm
	EAN	4251269325304	Suitable for enclosure	ETA E NUX
	Package quantity	1		
	Length	363 mm		
	Width	16 mm		
	For enclosure width	600 mm		
	Sight size of base opening	363 mm		

KDR-BES-U-ETA-ENUX-600 (50 mm)

	Part No.	58222.0363	Brush height	50 mm
	EAN	4251269325342	Suitable for enclosure	ETA E NUX
	Package quantity	1		
	Length	363 mm		
	Width	16 mm		
	For enclosure width	600 mm		
	Sight size of base opening	363 mm		

KDR-BES-U-ETA-ENUX-800 (35 mm)

	Part No.	58221.0563	Brush height	35 mm
	EAN	4251269325311	Suitable for enclosure	ETA E NUX
	Package quantity	1		
	Length	563 mm		
	Width	16 mm		
	For enclosure width	800 mm		
	Sight size of base opening	563 mm		

KDR-BES-U-ETA-ENUX-800 (50 mm)

	Part No.	58222.0563	Brush height	50 mm
	EAN	4251269325359	Suitable for enclosure	ETA E NUX
	Package quantity	1		
	Length	563 mm		
	Width	16 mm		
	For enclosure width	800 mm		
	Sight size of base opening	563 mm		

KDR-BES-U-ETA-ENUX-1000 (35 mm)

	Part No.	58221.0345	Brush height	35 mm
	EAN	4251269325328	Suitable for enclosure	ETA E NUX
	Package quantity	1		
	Length	345 mm		
	Width	16 mm		
	For enclosure width	1.000 mm		
	Sight size of base opening	345 mm		

KDR-BES-U-ETA-ENUX-1000 (50 mm)

	Part No.	58222.0345	Brush height	50 mm
	EAN	4251269325366	Suitable for enclosure	ETA E NUX
	Package quantity	1		
	Length	345 mm		
	Width	16 mm		
	For enclosure width	1.000 mm		
	Sight size of base opening	345 mm		

KDR-BES-U-ETA-ENUX-1200 (35 mm)

	Part No.	58221.0445	Brush height	35 mm
	EAN	4251269325335	Suitable for enclosure	ETA E NUX
	Package quantity	1		
	Length	445 mm		
	Width	16 mm		
	For enclosure width	1.200 mm		
	Sight size of base opening	445 mm		

KDR-BES-U-ETA-ENUX-1200 (50 mm)

	Part No.	58222.0445	Brush height	50 mm
	EAN	4251269325373	Suitable for enclosure	ETA E NUX
	Package quantity	1		
	Length	445 mm		
	Width	16 mm		
	For enclosure width	1.200 mm		
	Sight size of base opening	445 mm		

KDR-BES-U-HG2-600

	Part No.	58210.0362	Suitable for enclosure	nVent Hoffman PROLINE G2
	EAN	4251269318207		
	Package quantity	1		
	Length	362 mm		
	For enclosure width	600 mm		
	Sight size of base opening	362 mm		
	Brush height	35 mm		

KDR-BES-U-HG2-800

	Part No.	58210.0562	Suitable for enclosure	nVent Hoffman PROLINE G2
	EAN	4251269318214		
	Package quantity	1		
	Length	562 mm		
	For enclosure width	800 mm		
	Sight size of base opening	562 mm		
	Brush height	35 mm		

KDR-BES-U-HG2-1000

	Part No.	58210.0762	Suitable for enclosure	nVent Hoffman PROLINE G2
	EAN	4251269318221		
	Package quantity	1		
	Length	762 mm		
	For enclosure width	1.000 mm		
	Sight size of base opening	762 mm		
	Brush height	35 mm		

Edge protection trim

	Part No.	99152		
	EAN	4251269318238		
	Package quantity	1		
	Length	100.000 mm		
	For min. wall thickness	1 mm		
	For max. wall thickness	3 mm		
	Suitable for enclosure	universal		