

EMC shield clamps on earthing tapes

with or without integrated cable fixing function



The earthing tapes are fitted with a shield clamp at one end. This solution is used where space is limited.

The earthing tapes are available with M4 or M6 holes.

Specifications


Material	Shield clamp: Spring steel, zinc plated Base frame: Cu-ETP
Mounting options	Screw type mounting,Riveting

Advantages & Benefits


- Very flexible assembly
- Ideal for difficult to access installations
- Earthing tapes with pressed-on connecting end pads
- Standard products, short delivery times
- UL listed

Product Types & Sizes


MB|100|6|M4|MSKL 3-12



Part No.	32695.01	Min. shield diam.	3 mm
EAN	4251269324	Max. shield diam.	12 mm
Package quantity	10	Length	113 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	MSKL	Width	14,9 mm
For max. no. of cables	1	Height	25 mm
Shield diameter	3 - 12 mm	Hole size	M4
		Cross-section	6 mm²
		Current load	67 - 80 A




Part No.	32695.02	Min. shield	8 mm
EAN	4251269324	diam.	
	468	Max. shield	18 mm
Package	10	diam.	
quantity		Length	113 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	MSKL	Width	19,7 mm
type		Height	31,2 mm
For max. no. of	1	Hole size	M4
cables		Cross-section	6 mm²
Shield	8 - 18 mm	Current load	67 - 80 A
diameter			



Part No.	39711.01	Min. shield	3 mm
EAN	4251269324	diam.	
	413	Max. shield	12 mm
Package	10	diam.	
quantity		Length	120 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	MSKL	Width	14,9 mm
type		Height	25 mm
For max. no. of	1	Hole size	M6
cables		Cross-section	10 mm²
Shield	3 - 12 mm	Current load	89 - 106 A
diameter			


MB|100|10|M6+M4|MSKL 8-18


Part No.	39711.02	Min. shield	8 mm
EAN	4251269324	diam.	
	420	Max. shield	18 mm
Package	10	diam.	
quantity		Length	120 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	MSKL	Width	19,7 mm
type		Height	31,2 mm
For max. no. of	1	Hole size	M6
cables		Cross-section	10 mm²
Shield	8 - 18 mm	Current load	89 - 106 A
diameter			




MB|150|6|M4|MSKL 3-12

Part No.	39710.01	Min. shield	3 mm
EAN	4251269324	diam.	
	376	Max. shield	12 mm
Package	10	diam.	
quantity		Length	163 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	MSKL	Width	14,9 mm
type		Height	25 mm
For max. no. of	1	Hole size	M4
cables		Cross-section	6 mm²
Shield	3 - 12 mm	Current load	67 - 80 A
diameter			






Part No.	39710.02	Min. shield	8 mm
EAN	4251269324383	diam.	
		Max. shield	18 mm
Package	10	diam.	
quantity		Length	163 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	MSKL	Width	19,7 mm
type		Height	31,2 mm
For max. no. of	1	Hole size	M4
cables		Cross-section	6 mm²
Shield	8 - 18 mm	Current load	67 - 80 A
diameter			





Part No.	32707.01	Min. shield	3 mm
EAN	4251269324499	diam.	
		Max. shield	12 mm
Package	10	diam.	
quantity		Length	213 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	MSKL	Width	14,9 mm
type		Height	25 mm
For max. no. of	1	Hole size	M4
cables		Cross-section	6 mm²
Shield	3 - 12 mm	Current load	67 - 80 A
diameter			

Part No.	32707.02	Min. shield	8 mm
EAN	4251269324	diam.	
	505	Max. shield	18 mm
Package	10	diam.	
quantity		Length	213 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	MSKL	Width	19,7 mm
type		Height	31,2 mm
For max. no. of	1	Hole size	M4
cables		Cross-section	6 mm²
Shield	8 - 18 mm	Current load	67 - 80 A
diameter			




Part No.	32695.011	Min. shield	3 mm
EAN	4251269324	diam.	
	475	Max. shield	12 mm
Package	10	diam.	
quantity		Length	113 mm
No. of shield	1	Strain relief	Yes
clamps		function	
Shield clamp	MSKL	Width	14,9 mm
type		Height	25 mm
For max. no. of	1	Hole size	M4
cables		Cross-section	6 mm²
Shield	3 - 12 mm	Current load	67 - 80 A
diameter			






Part No.	32695.021	Min. shield	8 mm
EAN	4251269324	diam.	
	482	Max. shield	18 mm
Package	10	diam.	
quantity		Length	113 mm
No. of shield	1	Strain relief	Yes
clamps		function	
Shield clamp	MSKL	Width	19,7 mm
type		Height	31,2 mm
For max. no. of	1	Hole size	M4
cables		Cross-section	6 mm²
Shield	8 - 18 mm	Current load	67 - 80 A
diameter			



Part No.	39711.011	Min. shield	3 mm
EAN	4251269324	diam.	
	437	Max. shield	12 mm
Package	10	diam.	
quantity		Length	120 mm
No. of shield	1	Strain relief	Yes
clamps		function	
Shield clamp	MSKL	Width	14,9 mm
type		Height	25 mm
For max. no. of	1	Hole size	M6
cables		Cross-section	10 mm²
Shield	3 - 12 mm	Current load	89 - 106 A
diameter			


MB|100|10|M6+M4|Z-MSKL 8-18


Part No.	39711.021	Min. shield	8 mm
EAN	4251269324	diam.	
	444	Max. shield	18 mm
Package	10	diam.	
quantity		Length	120 mm
No. of shield	1	Strain relief	Yes
clamps		function	
Shield clamp	MSKL	Width	19,7 mm
type		Height	31,2 mm
For max. no. of	1	Hole size	M6
cables		Cross-section	10 mm²
Shield	8 - 18 mm	Current load	89 - 106 A
diameter			




MB|150|6|M4|Z-MSKL 3-12

Part No.	39710.011	Min. shield	3 mm
EAN	4251269324	diam.	
	390	Max. shield	12 mm
Package	10	diam.	
quantity		Length	163 mm
No. of shield	1	Strain relief	Yes
clamps		function	
Shield clamp	MSKL	Width	14,9 mm
type		Height	25 mm
For max. no. of	1	Hole size	M4
cables		Cross-section	6 mm²
Shield	3 - 12 mm	Current load	67 - 80 A
diameter			





Part No.	39710.021	Min. shield	8 mm
EAN	4251269324	diam.	
	406	Max. shield	18 mm
Package	10	diam.	
quantity		Length	163 mm
No. of shield	1	Strain relief	Yes
clamps		function	
Shield clamp	MSKL	Width	19,7 mm
type		Height	31,2 mm
For max. no. of	1	Hole size	M4
cables		Cross-section	6 mm²
Shield	8 - 18 mm	Current load	67 - 80 A
diameter			



Part No.	32707.011	Min. shield	3 mm
EAN	4251269324	diam.	
	512	Max. shield	12 mm
Package	10	diam.	
quantity		Length	213 mm
No. of shield	1	Strain relief	Yes
clamps		function	
Shield clamp	MSKL	Width	14,9 mm
type		Height	25 mm
For max. no. of	1	Hole size	M4
cables		Cross-section	6 mm²
Shield	3 - 12 mm	Current load	67 - 80 A
diameter			

Part No.	32707.021	Min. shield	8 mm
EAN	4251269324	diam.	
	529	Max. shield	18 mm
Package	10	diam.	
quantity		Length	213 mm
No. of shield	1	Strain relief	Yes
clamps		function	
Shield clamp	MSKL	Width	19,7 mm
type		Height	31,2 mm
For max. no. of	1	Hole size	M4
cables		Cross-section	6 mm²
Shield	8 - 18 mm	Current load	67 - 80 A
diameter			

