


KEL-DPZ | Multi-membrane cable entry plates

with high cable density / up to IP66 / UL Type 12



KEL-DPZ cable entry plates are designed to route and seal a large number cables without connectors, hoses or fibre optics (from 1.5 mm to 22 mm in diameter) in limited space.

The KEL-DPZ products are a cost and time saving alternative to traditional cable glands.

The assembly of the KEL-DPZ with unterminated cables or pneumatic hoses can be done quick and easy. Simply make a small hole in the thin membrane, push the cables through. The KEL-DPZ provides strain relief and protection up to IP66 / UL type 12.

The KEL-DPZ matches exactly the cut-out dimensions of 6-, 10-, 16- and 24-pin standard industrial connectors. The size KEL-DPZ-B fits on cut-outs 46 × 46 mm. The very compact size KEL-DPZ-E is designed for routing cables in very small space. Through a cut-out of only 18 × 112 mm, up to 21 cables can be easily routed and sealed.

Especially for Rittal KL / KX terminal boxes the size KEL-DPZ-KX/KL (IP65) was created. It was designed for routing up to 72 cables through the pre-cut standard cut-out. The self-tapping screws required for assembly are included in the scope of delivery.

The **new cable entry plate KEL-DPZ-FL21** (IP65) has been specially developed for the standard FL21 cut-out. It can be mounted with screws or rivets as required. Screws are not included in the scope of delivery, rivets (IP54) can be ordered as an option.

ST-B Plugs can be used for sealing pierced membranes if cables have been removed.

It is also possible to integrate threaded bushings (except KEL-DPZ 6 / KEL-DPZ-KX/KL / KEL-DPZ-FL21). Please ask us about your desired variant.

The version with threaded bushings enables the cable entry plate to be screwed onto the housing from the inside out. This protects against vandalism and tampering with the housing from the outside.

IP54





IP55



Made in Germany

IP64



RoHS compliant

IP65





IP66



UL TYPE 12



Specifications


IP rating (EN 60529)	IP54, IP55, IP64, IP65, IP66
UL Type (UL 50E)	UL Type 12
Material	Elastomer Base frame: Polyamide Base frame: Stainless steel (V2A)
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free
Mounting options	Screw type mounting

Product Types & Sizes

Advantages & Benefits

- Fast mounting
- High cable density
- Certified protection up to IP66 (acc. to EN 60529)
- Automatic sealing and strain relief for the cable
- Hygienic design - free of dirt-collecting recesses
- Space-saving shape

KEL-DPZ 24|14 gy




Part No.	43700	Width	58 mm
EAN	4251269310461	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	14	Cut-out size	112 × 36 mm
Max. cable diameter	22 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	10 x 3.2 - 6.5 mm 4 x 16 - 22 mm

KEL-DPZ 24|14 bk




Part No.	50700	Width	58 mm
EAN	4251269315084	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	14	Cut-out size	112 × 36 mm
Max. cable diameter	22 mm	No. of screw holes	4
Color	black	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	10 x 3.2 - 6.5 mm 4 x 16 - 22 mm

KEL-DPZ 24|15 gy




Part No.	43720	Width	58 mm
EAN	4251269310508	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	15	Cut-out size	112 × 36 mm
Max. cable diameter	12 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	15 x 7.5 - 12 mm

KEL-DPZ 24|15 bk




Part No.	50720	Width	58 mm
EAN	4251269315121	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	15	Cut-out size	112 × 36 mm
Max. cable diameter	12 mm	No. of screw holes	4
Color	black	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	15 x 7.5 - 12 mm

KEL-DPZ 24|16 gy




Part No.	43725	Width	58 mm
EAN	4251269310515	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	16	Cut-out size	112 × 36 mm
Max. cable diameter	22 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	8 x 3.2 - 6.5 mm 4 x 5 - 9.7 mm 2 x 9 - 16.2 mm 2 x 16 - 22 mm

KEL-DPZ 24|16 bk




Part No.	50725	Width	58 mm
EAN	4251269315138	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	16	Cut-out size	112 × 36 mm
Max. cable diameter	22 mm	No. of screw holes	4
Color	black	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	8 x 3.2 - 6.5 mm 4 x 5 - 9.7 mm 2 x 9 - 16.2 mm 2 x 16 - 22 mm

KEL-DPZ 24|17 gy




Part No.	43705	Width	58 mm
EAN	4251269310478	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	17	Cut-out size	112 × 36 mm
Max. cable diameter	16,2 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	6 x 3.2 - 6.5 mm 6 x 5 - 10.2 mm 5 x 9 - 16.2 mm

KEL-DPZ 24|17 bk




Part No.	50705	Width	58 mm
EAN	4251269315091	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	17	Cut-out size	112 × 36 mm
Max. cable diameter	16,2 mm	No. of screw holes	4
Color	black	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	6 x 3.2 - 6.5 mm 6 x 5 - 10.2 mm 5 x 9 - 16.2 mm

KEL-DPZ 24|25 gy




Part No.	43710	Width	58 mm
EAN	4251269310485	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	25	Cut-out size	112 × 36 mm
Max. cable diameter	12 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	12 x 3.2 - 6.5 mm 7 x 4.8 - 9.7 mm 6 x 7.5 - 12 mm

KEL-DPZ 24|25 bk



Part No.	50710	Width	58 mm
EAN	4251269315107	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	25	Cut-out size	112 × 36 mm
Max. cable diameter	12 mm	No. of screw holes	4
Color	black	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	12 x 3.2 - 6.5 mm 7 x 4.8 - 9.7 mm 6 x 7.5 - 12 mm

KEL-DPZ 24|26 gy




Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Color
Length

43711
4251269321498
10
26
10,2 mm
gray (similar RAL 7035)
147 mm

Width
Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Clamping range

58 mm
14 mm
14 mm
112 x 36 mm
4
5,9 mm
26 x 5 - 10.2 mm

KEL-DPZ 24|26 bk




Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Color
Length

50711
4251269321504
10
26
10,2 mm
black
147 mm

Width
Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Clamping range

58 mm
14 mm
14 mm
112 x 36 mm
4
5,9 mm
26 x 5 - 10.2 mm

KEL-DPZ 24|32 gy




Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Color
Length

43730
4251269310522
10
32
12 mm
gray (similar RAL 7035)
147 mm

Width
Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Clamping range

58 mm
14 mm
14 mm
112 x 36 mm
4
5,9 mm
21 x 3.2 - 6.5 mm
8 x 5 - 10.2 mm
3 x 7.5 - 12 mm

KEL-DPZ 24|32 bk



Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Color
Length

50730
4251269315145
10
32
12 mm
black
147 mm

Width
Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Clamping range

58 mm
14 mm
14 mm
112 x 36 mm
4
5,9 mm
21 x 3.2 - 6.5 mm
8 x 5 - 10.2 mm
3 x 7.5 - 12 mm

KEL-DPZ 24|42 gy




Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Color
Length

43715
4251269310492
10
42
6,5 mm
gray (similar RAL 7035)
147 mm

Width
Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Clamping range

58 mm
14 mm
14 mm
112 x 36 mm
4
5,9 mm
42 x 3.2 - 6.5 mm

KEL-DPZ 24|42 bk




Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Color
Length

50715
4251269315114
10
42
6,5 mm
black
147 mm

Width
Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Clamping range


58 mm
14 mm
14 mm
112 x 36 mm
4
5,9 mm
42 x 3.2 - 6.5 mm

KEL-DPZ 24|121 gy




Part No.	43735	Width	58 mm
EAN	4251269310560	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	121	Cut-out size	112 × 36 mm
Max. cable diameter	5 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	119 x 1.5 - 2.6 mm 2 x 2.5 - 5 mm

KEL-DPZ 24|121 bk




Part No.	50735	Width	58 mm
EAN	4251269315183	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	121	Cut-out size	112 × 36 mm
Max. cable diameter	5 mm	No. of screw holes	4
Color	black	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	119 x 1.5 - 2.6 mm 2 x 2.5 - 5 mm

KEL-DPZ 16|11 gy




Part No.	43815	Width	58 mm
EAN	4251269320507	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	11	Cut-out size	86 × 36 mm
Max. cable diameter	12 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	5,8 mm
Length	120 mm	Clamping range	11 x 7.5 - 12 mm

KEL-DPZ 16|14 gy




Part No.	43816	Width	58 mm
EAN	4251269320514	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	14	Cut-out size	86 × 36 mm
Max. cable diameter	16,2 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	5,8 mm
Length	120 mm	Clamping range	5 x 3.2 - 6.5 mm 5 x 5 - 10.2 mm 4 x 9 - 16.2 mm

KEL-DPZ 16|20 gy




Part No.	43817	Width	58 mm
EAN	4251269320521	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	20	Cut-out size	86 × 36 mm
Max. cable diameter	12 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	5,8 mm
Length	120 mm	Clamping range	11 x 3.2 - 6.5 mm 5 x 5 - 10.2 mm 4 x 7.5 - 12 mm

KEL-DPZ 16|25 gy




Part No.	43818	Width	58 mm
EAN	4251269320538	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	25	Cut-out size	86 × 36 mm
Max. cable diameter	12 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	5,8 mm
Length	120 mm	Clamping range	16 x 3.2 - 6.5 mm
			6 x 5 - 10.2 mm
			3 x 7.5 - 12 mm

KEL-DPZ 16|34 gy




Part No.	43819	Width	58 mm
EAN	4251269320545	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	34	Cut-out size	86 × 36 mm
Max. cable diameter	6,5 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	5,8 mm
Length	120 mm	Clamping range	34 x 3.2 - 6.5 mm

KEL-DPZ 10|8 gy




Part No.	43800	Width	58 mm
EAN	4251269324086	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	8	Cut-out size	65 × 36 mm
Max. cable diameter	12 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	5,8 mm
Length	98,3 mm	Clamping range	8 x 7.5 - 12 mm

KEL-DPZ 10|14 gy




Part No.	43801	Width	58 mm
EAN	4251269324093	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	14	Cut-out size	65 × 36 mm
Max. cable diameter	10,2 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	5,8 mm
Length	98,3 mm	Clamping range	14 x 5 - 10.2 mm

KEL-DPZ 10|15 gy




Part No.	43802	Width	58 mm
EAN	4251269324109	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	15	Cut-out size	65 × 36 mm
Max. cable diameter	10,2 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	5,8 mm
Length	98,3 mm	Clamping range	5 x 3.2 - 6.5 mm
			10 x 5 - 10.2 mm

KEL-DPZ 10|16 gy




Part No.	43803	Width	58 mm
EAN	4251269324116	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	16	Cut-out size	65 × 36 mm
Max. cable diameter	12 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	5,8 mm
Length	98,3 mm	Clamping range	9 x 3.2 - 6.5 mm 4 x 5 - 10.2 mm 3 x 7.5 - 12 mm

KEL-DPZ 10|26 gy




Part No.	43804	Width	58 mm
EAN	4251269324123	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	26	Cut-out size	65 × 36 mm
Max. cable diameter	6,5 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	5,8 mm
Length	98,3 mm	Clamping range	26 x 3.2 - 6.5 mm

KEL-DPZ 6|12 gy




Part No.	43809	Width	54 mm
EAN	4251269321061	Height	7,5 mm
Package quantity	10	Mounting height	7,5 mm
For max. no. of cables	12	Cut-out size	52 × 36 mm
Max. cable diameter	8 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	4,5
Length	85,5 mm	Clamping range	12 x 4.5 - 8 mm

KEL-DPZ 6|18 gy




Part No.	43812	Width	54 mm
EAN	4251269321030	Height	7,5 mm
Package quantity	10	Mounting height	7,5 mm
For max. no. of cables	18	Cut-out size	52 × 36 mm
Max. cable diameter	6,5 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	4,5
Length	85,5 mm	Clamping range	18 x 3.2 - 6.5 mm

KEL-DPZ 6|18-1 gy




Part No.	43811	Width	54 mm
EAN	4251269321023	Height	7,5 mm
Package quantity	10	Mounting height	7,5 mm
For max. no. of cables	18	Cut-out size	52 × 36 mm
Max. cable diameter	8 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	4,5
Length	85,5 mm	Clamping range	6 x 2.5 - 5 mm 5 x 3.2 - 6.5 mm 7 x 4.5 - 8 mm

KEL-DPZ 6|23 gy




Part No.	43813	Width	54 mm
EAN	4251269321047	Height	7,5 mm
Package quantity	10	Mounting height	7,5 mm
For max. no. of cables	23	Cut-out size	52 × 36 mm
Max. cable diameter	5 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	4,5
Length	85,5 mm	Clamping range	10 x 3.2 - 6.5 mm 13 x 2.5 - 5 mm

KEL-DPZ 6|27 gy




Part No.	43814	Width	54 mm
EAN	4251269321054	Height	7,5 mm
Package quantity	10	Mounting height	7,5 mm
For max. no. of cables	27	Cut-out size	52 × 36 mm
Max. cable diameter	5 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	4,5
Length	85,5 mm	Clamping range	27 x 2.5 - 5 mm

KEL-DPZ-B 13 gy




Part No.	43794	Width	58 mm
EAN	4251269310690	Height	10 mm
Package quantity	10	Mounting height	10 mm
For max. no. of cables	13	Cut-out size	46 × 46 mm
Max. cable diameter	22 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	5,7 mm
Length	72,8 mm	Clamping range	8 x 3.2 - 6.5 mm 4 x 5 - 10.2 mm 1 x 16 - 22 mm

KEL-DPZ-B 13 bk




Part No.	50794	Width	58 mm
EAN	4251269315312	Height	10 mm
Package quantity	10	Mounting height	10 mm
For max. no. of cables	13	Cut-out size	46 × 46 mm
Max. cable diameter	22 mm	No. of screw holes	4
Color	black	Diam. of screw holes	5,7 mm
Length	72,8 mm	Clamping range	8 x 3.2 - 6.5 mm 4 x 5 - 10.2 mm 1 x 16 - 22 mm

KEL-DPZ-B 17 gy




Part No.	43796	Width	58 mm
EAN	4251269310706	Height	10 mm
Package quantity	10	Mounting height	10 mm
For max. no. of cables	17	Cut-out size	46 × 46 mm
Max. cable diameter	16,2 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	5,7 mm
Length	72,8 mm	Clamping range	10 x 3.2 - 6.5 mm 4 x 5 - 10.2 mm 2 x 7.5 - 12 mm 1 x 9 - 16.2 mm

KEL-DPZ-B 17 bk




Part No.	50796	Width	58 mm
EAN	4251269315329	Height	10 mm
Package quantity	10	Mounting height	10 mm
For max. no. of cables	17	Cut-out size	46 × 46 mm
Max. cable diameter	16,2 mm	No. of screw holes	4
Color	black	Diam. of screw holes	5,7 mm
Length	72,8 mm	Clamping range	10 x 3.2 - 6.5 mm 4 x 5 - 10.2 mm 2 x 7.5 - 12 mm 1 x 9 - 16.2 mm

KEL-DPZ-B 25 gy



Part No.	43798	Width	58 mm
EAN	4251269310713	Height	10 mm
Package quantity	10	Mounting height	10 mm
For max. no. of cables	25	Cut-out size	46 × 46 mm
Max. cable diameter	6,5 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	5,7 mm
Length	72,8 mm	Clamping range	25 x 3.2 - 6.5 mm

KEL-DPZ-B 25 bk



Part No.	50798	Width	58 mm
EAN	4251269315336	Height	10 mm
Package quantity	10	Mounting height	10 mm
For max. no. of cables	25	Cut-out size	46 × 46 mm
Max. cable diameter	6,5 mm	No. of screw holes	4
Color	black	Diam. of screw holes	5,7 mm
Length	72,8 mm	Clamping range	25 x 3.2 - 6.5 mm

KEL-DPZ-E 112|7 gy



Part No.	43780	Width	29 mm
EAN	4251269310676	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	7	No. of screw holes	2
Max. cable diameter	12 mm	Diam. of screw holes	5,7 mm
Color	gray (similar RAL 7035)	Clamping range	7 x 7.5 - 12 mm
Length	147 mm		

KEL-DPZ-E 112|7 bk



Part No.	50780	Width	29 mm
EAN	4251269315299	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	7	No. of screw holes	2
Max. cable diameter	12 mm	Diam. of screw holes	5,7 mm
Color	black	Clamping range	7 x 7.5 - 12 mm
Length	147 mm		

KEL-DPZ-E 112|21 gy




Part No.	43790	Width	29 mm
EAN	4251269310683	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	21	No. of screw holes	2
Max. cable diameter	6,5 mm	Diam. of screw holes	5,7 mm
Color	gray (similar RAL 7035)	Clamping range	21 x 3.2 - 6.5 mm
Length	147 mm		

KEL-DPZ-E 112|21 bk




Part No.	50790	Width	29 mm
EAN	4251269315305	Height	14 mm
Package quantity	10	Mounting height	14 mm
For max. no. of cables	21	No. of screw holes	2
Max. cable diameter	6,5 mm	Diam. of screw holes	5,7 mm
Color	black	Clamping range	21 x 3.2 - 6.5 mm
Length	147 mm		

KEL-DPZ-KX/KL 24 gy




Part No.	43682	Width	90 mm
EAN	4251269334719	Height	4 mm
Package quantity	1	Mounting height	4 mm
For max. no. of cables	24	Cut-out size	192 x 62 mm
Max. cable diameter	26 mm	No. of screw holes	6
Color	gray (similar RAL 7035)	Diam. of screw holes	5,1 mm
Length	221 mm	Clamping range	1 x 4 - 7.5 mm 18 x 10 - 17 mm 3 x 15 - 20 mm 2 x 21 - 26 mm

KEL-DPZ-KX/KL 39 gy




Part No.	43684	Width	90 mm
EAN	4251269334733	Height	4 mm
Package quantity	1	Mounting height	4 mm
For max. no. of cables	39	Cut-out size	192 x 62 mm
Max. cable diameter	26 mm	No. of screw holes	6
Color	gray (similar RAL 7035)	Diam. of screw holes	5,1 mm
Length	221 mm	Clamping range	14 x 3.2 - 6.5 mm 1 x 4 - 7.5 mm 7 x 5 - 10.2 mm 2 x 9 - 16.2 mm 9 x 10 - 17 mm 3 x 15 - 20 mm 1 x 16 - 22 mm 2 x 21 - 26 mm

KEL-DPZ-KX/KL 42 gy




Part No.	43686	Width	90 mm
EAN	4251269334757	Height	4 mm
Package quantity	1	Mounting height	4 mm
For max. no. of cables	42	Cut-out size	192 x 62 mm
Max. cable diameter	22 mm	No. of screw holes	6
Color	gray (similar RAL 7035)	Diam. of screw holes	5,1 mm
Length	221 mm	Clamping range	14 x 3.2 - 6.5 mm 7 x 5 - 10.2 mm 2 x 9 - 16.2 mm 18 x 10 - 17 mm 1 x 16 - 22 mm

KEL-DPZ-KX/KL 54 gy



Part No.	43683	Width	90 mm
EAN	4251269334726	Height	4 mm
Package quantity	1	Mounting height	4 mm
For max. no. of cables	54	Cut-out size	192 x 62 mm
Max. cable diameter	26 mm	No. of screw holes	6
Color	gray (similar RAL 7035)	Diam. of screw holes	5,1 mm
Length	221 mm	Clamping range	28 x 3.2 - 6.5 mm 1 x 4 - 7.5 mm 14 x 5 - 10.2 mm 4 x 9 - 16.2 mm 2 x 15 - 20 mm 2 x 16 - 22 mm 2 x 21 - 26 mm


KEL-DPZ-KX/KL 57 gy



Part No. **43685**
EAN **4251269334740**
Package quantity **1**
For max. no. of cables **57**
Max. cable diameter **22 mm**
Color **gray (similar RAL 7035)**
Length **221 mm**

Width **90 mm**
Height **4 mm**
Mounting height **4 mm**
Cut-out size **192 × 62 mm**
No. of screw holes **6**
Diam. of screw holes **5,1 mm**
Clamping range **28 x 3.2 - 6.5 mm**
14 x 5 - 10.2 mm
4 x 9 - 16.2 mm
9 x 10 - 17 mm
2 x 16 - 22 mm


KEL-DPZ-KX/KL 72 gy



Part No. **43675.001**
EAN **4251269310447**
Package quantity **1**
For max. no. of cables **72**
Max. cable diameter **22 mm**
Color **gray (similar RAL 7035)**
Length **221 mm**

Width **90 mm**
Height **4 mm**
Mounting height **4 mm**
Cut-out size **192 × 62 mm**
No. of screw holes **6**
Diam. of screw holes **5,1 mm**
Clamping range **42 x 3.2 - 6.5 mm**
21 x 5 - 10.2 mm
6 x 9 - 16.2 mm
3 x 16 - 22 mm


KEL-DPZ-KX/KL 72 bk



Part No. **43675.101**
EAN **4251269310454**
Package quantity **1**
For max. no. of cables **72**
Max. cable diameter **22 mm**
Color **black**
Length **221 mm**

Width **90 mm**
Height **4 mm**
Mounting height **4 mm**
Cut-out size **192 × 62 mm**
No. of screw holes **6**
Diam. of screw holes **5,1 mm**
Clamping range **42 x 3.2 - 6.5 mm**
21 x 5 - 10.2 mm
6 x 9 - 16.2 mm
3 x 16 - 22 mm


KEL-DPZ-FL21|25 gy



Part No. **55550**
EAN **4251269338892**
Package quantity **5**
For max. no. of cables **25**
Max. cable diameter **22 mm**
Color **gray (similar RAL 7035)**
Length **216 mm**

Width **84 mm**
Height **5,5 mm**
Mounting height **5,5 mm**
Cut-out size **196 × 59 mm**
No. of screw holes **4**
Diam. of screw holes **9 mm**
Clamping range **4 x 5 - 10.2 mm**
16 x 9 - 16.2 mm
5 x 16 - 22 mm


KEL-DPZ-FL21|25 bk



Part No. **55560**
EAN **4251269338915**
Package quantity **5**
For max. no. of cables **25**
Max. cable diameter **22 mm**
Color **gray (similar RAL 7035)**
Length **216 mm**


Width **84 mm**
Height **5,5 mm**
Mounting height **5,5 mm**
Cut-out size **196 × 59 mm**
No. of screw holes **4**
Diam. of screw holes **9 mm**
Clamping range **4 x 5 - 10.2 mm**
16 x 9 - 16.2 mm
5 x 16 - 22 mm

KEL-DPZ-FL21|36 gy



Part No.	55551	Width	84 mm
EAN	4251269338908	Height	5,5 mm
Package quantity	5	Mounting height	5,5 mm
For max. no. of cables	36	Cut-out size	196 × 59 mm
Max. cable diameter	22 mm	No. of screw holes	4
Color	gray (similar RAL 7035)	Diam. of screw holes	9 mm
Length	216 mm	Clamping range	4 x 5 - 10.2 mm 12 x 7.2 - 12 mm 19 x 9 - 16.2 mm 1 x 16 - 22 mm

KEL-DPZ-FL21|36 bk



Part No.	55561	Width	84 mm
EAN	4251269338922	Height	5,5 mm
Package quantity	5	Mounting height	5,5 mm
For max. no. of cables	36	Cut-out size	196 × 59 mm
Max. cable diameter	22 mm	No. of screw holes	4
Color	black	Diam. of screw holes	9 mm
Length	216 mm	Clamping range	4 x 5 - 10.2 mm 12 x 7.2 - 12 mm 19 x 9 - 16.2 mm 1 x 16 - 22 mm