

# KEL-ER CR split cable entry frames

for the use in cleanrooms / IP66 / UL Type 12/4X\*



|                |              |            |                |                  |                  |
|----------------|--------------|------------|----------------|------------------|------------------|
| IP54           | IP55         | IP64       | IP65           | IP66             | UL TYPE 12       |
| UL TYPE 4X     | CULUS        | RIIR       | HL3 EN 45545-2 | EN 61373         | ECOLAB certified |
| UV ISO 4892-2A | EN ISO 14644 | PNEUMATICS | RoHS compliant | REACH COMPLIANCE | Made in Germany  |

Split cable entry system for routing and sealing cables with connectors, providing an IP66 / UL Type 12/4X\* rating and strain relief for cable diameters from 1 to 16 mm (single-hole grommets KT CR 1 - 15) and 16 to 35 mm (single-hole grommets KT CR 16 - 34).

The cable entry system is easy to install. Cable grommets are placed into compartments and are securely fixed to the frame during assembly.

The KEL-ER CR frames match exactly the cut-out dimensions for 10-, 16- and 24-pin standard industrial connectors. Either a cut-out of 36 mm or 46 mm in height can be chosen depending on the cables being routed. The KEL-ER-B CR frame matches the cut-out dimensions of 46 × 46 mm measuring instruments.

The single-row versions KEL-ER-E CR are particularly suited for flat connectors. The small frames are ideal for applications with limited space.

A flat rubber gasket is included in the shipment.

**The products with article ending .600 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1. The materials used for these products have been tested and certified for outgassing according to VOC/SVOC (ISO 14644-8; ISO 16000-6,-9,-11,-25, VDI 2083 sheet 17).**

**The products with the article ending .601 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1.**


\*4X for indoor use only

## Specifications

|                       |                                                                                           |
|-----------------------|-------------------------------------------------------------------------------------------|
| IP rating (EN 60529)  | IP54, IP55, IP64, IP65, IP66                                                              |
| UL Type (UL 50E)      | UL Type 12, UL Type 4X*                                                                   |
| Material              | Polyamide                                                                                 |
| Flame class           | UL94-V0, self-extinguishing                                                               |
| Operating temperature | -40 C° to 140 C°                                                                          |
| Properties            | vibration proof, UV-resistant, silicone free, anti-corrosive (V2A versions), halogen free |
| Mounting options      | Screw type mounting                                                                       |
| Mounting height       | 17 mm                                                                                     |


## Product Types & Sizes

### KEL-ER 24|10 CR




|                        |               |                       |                                      |
|------------------------|---------------|-----------------------|--------------------------------------|
| Part No.               | 48241.601     | Height                | 17 mm                                |
| EAN                    | 4251269325892 | Mounting height       | 17 mm                                |
| Package quantity       | 5             | Cut-out size          | 112 × 36 mm                          |
| For max. no. of cables | 10            | No. of screw holes    | 4                                    |
| Max. cable diameter    | 16 mm         | Diam. of screw holes  | 5,8 mm                               |
| Length                 | 147 mm        | Screw material        | Mild steel, galvanically zinc plated |
| Width                  | 58 mm         | (S)VOC tested         | No                                   |
|                        |               | Suitable for grommets | 10 x KT small                        |

KEL-ER 24|10 CR  
(S)VOC




|                        |               |                       |                                      |
|------------------------|---------------|-----------------------|--------------------------------------|
| Part No.               | 48241.600     | Height                | 17 mm                                |
| EAN                    | 4251269325755 | Mounting height       | 17 mm                                |
| Package quantity       | 5             | Cut-out size          | 112 × 36 mm                          |
| For max. no. of cables | 10            | No. of screw holes    | 4                                    |
| Max. cable diameter    | 16 mm         | Diam. of screw holes  | 5,8 mm                               |
| Length                 | 147 mm        | Screw material        | Mild steel, galvanically zinc plated |
| Width                  | 58 mm         | (S)VOC tested         | ja                                   |
|                        |               | Suitable for grommets | 10 x KT small                        |

KEL-ER 24|7 CR




|                        |               |                       |                                      |
|------------------------|---------------|-----------------------|--------------------------------------|
| Part No.               | 48247.601     | Height                | 17 mm                                |
| EAN                    | 4251269325915 | Mounting height       | 17 mm                                |
| Package quantity       | 5             | Cut-out size          | 112 × 36 mm                          |
| For max. no. of cables | 7             | No. of screw holes    | 4                                    |
| Max. cable diameter    | 35 mm         | Diam. of screw holes  | 5,8 mm                               |
| Length                 | 147 mm        | Screw material        | Mild steel, galvanically zinc plated |
| Width                  | 58 mm         | (S)VOC tested         | No                                   |
|                        |               | Suitable for grommets | 6 x KT small<br>1 x KT large         |

KEL-ER 24|7 CR  
(S)VOC




|                        |               |                       |                                      |
|------------------------|---------------|-----------------------|--------------------------------------|
| Part No.               | 48247.600     | Height                | 17 mm                                |
| EAN                    | 4251269325779 | Mounting height       | 17 mm                                |
| Package quantity       | 5             | Cut-out size          | 112 × 36 mm                          |
| For max. no. of cables | 7             | No. of screw holes    | 4                                    |
| Max. cable diameter    | 35 mm         | Diam. of screw holes  | 5,8 mm                               |
| Length                 | 147 mm        | Screw material        | Mild steel, galvanically zinc plated |
| Width                  | 58 mm         | (S)VOC tested         | ja                                   |
|                        |               | Suitable for grommets | 6 x KT small<br>1 x KT large         |

KEL-ER 24|4 CR




|                        |               |                       |                                      |
|------------------------|---------------|-----------------------|--------------------------------------|
| Part No.               | 48244.601     | Height                | 17 mm                                |
| EAN                    | 4251269325908 | Mounting height       | 17 mm                                |
| Package quantity       | 5             | Cut-out size          | 112 × 36 mm                          |
| For max. no. of cables | 4             | No. of screw holes    | 4                                    |
| Max. cable diameter    | 35 mm         | Diam. of screw holes  | 5,8 mm                               |
| Length                 | 147 mm        | Screw material        | Mild steel, galvanically zinc plated |
| Width                  | 58 mm         | (S)VOC tested         | No                                   |
|                        |               | Suitable for grommets | 2 x KT small<br>2 x KT large         |

KEL-ER 24|4 CR  
(S)VOC




|                        |               |                       |                                      |
|------------------------|---------------|-----------------------|--------------------------------------|
| Part No.               | 48244.600     | Height                | 17 mm                                |
| EAN                    | 4251269325762 | Mounting height       | 17 mm                                |
| Package quantity       | 5             | Cut-out size          | 112 × 36 mm                          |
| For max. no. of cables | 4             | No. of screw holes    | 4                                    |
| Max. cable diameter    | 35 mm         | Diam. of screw holes  | 5,8 mm                               |
| Length                 | 147 mm        | Screw material        | Mild steel, galvanically zinc plated |
| Width                  | 58 mm         | (S)VOC tested         | ja                                   |
|                        |               | Suitable for grommets | 2 x KT small<br>2 x KT large         |

KEL-ER 16|8 CR




|                        |               |                       |                                      |
|------------------------|---------------|-----------------------|--------------------------------------|
| Part No.               | 48168.601     | Height                | 17 mm                                |
| EAN                    | 4251269325847 | Mounting height       | 17 mm                                |
| Package quantity       | 5             | Cut-out size          | 86 × 36 mm                           |
| For max. no. of cables | 8             | No. of screw holes    | 4                                    |
| Max. cable diameter    | 16 mm         | Diam. of screw holes  | 5,8 mm                               |
| Length                 | 120 mm        | Screw material        | Mild steel, galvanically zinc plated |
| Width                  | 58 mm         | (S)VOC tested         | No                                   |
|                        |               | Suitable for grommets | 8 x KT small                         |

KEL-ER 16|8 CR  
(S)VOC




|                        |               |                       |                                      |
|------------------------|---------------|-----------------------|--------------------------------------|
| Part No.               | 48168.600     | Height                | 17 mm                                |
| EAN                    | 4251269325700 | Mounting height       | 17 mm                                |
| Package quantity       | 5             | Cut-out size          | 86 × 36 mm                           |
| For max. no. of cables | 8             | No. of screw holes    | 4                                    |
| Max. cable diameter    | 16 mm         | Diam. of screw holes  | 5,8 mm                               |
| Length                 | 120 mm        | Screw material        | Mild steel, galvanically zinc plated |
| Width                  | 58 mm         | (S)VOC tested         | ja                                   |
|                        |               | Suitable for grommets | 8 x KT small                         |

KEL-ER 16|5 CR




|                        |               |                       |                                      |
|------------------------|---------------|-----------------------|--------------------------------------|
| Part No.               | 48165.601     | Height                | 17 mm                                |
| EAN                    | 4251269325830 | Mounting height       | 17 mm                                |
| Package quantity       | 5             | Cut-out size          | 86 × 36 mm                           |
| For max. no. of cables | 5             | No. of screw holes    | 4                                    |
| Max. cable diameter    | 35 mm         | Diam. of screw holes  | 5,8 mm                               |
| Length                 | 120 mm        | Screw material        | Mild steel, galvanically zinc plated |
| Width                  | 58 mm         | (S)VOC tested         | No                                   |
|                        |               | Suitable for grommets | 4 x KT small<br>1 x KT large         |

KEL-ER 16|5 CR  
(S)VOC




|                        |               |                       |                                      |
|------------------------|---------------|-----------------------|--------------------------------------|
| Part No.               | 48165.600     | Height                | 17 mm                                |
| EAN                    | 4251269325694 | Mounting height       | 17 mm                                |
| Package quantity       | 5             | Cut-out size          | 86 × 36 mm                           |
| For max. no. of cables | 5             | No. of screw holes    | 4                                    |
| Max. cable diameter    | 35 mm         | Diam. of screw holes  | 5,8 mm                               |
| Length                 | 120 mm        | Screw material        | Mild steel, galvanically zinc plated |
| Width                  | 58 mm         | (S)VOC tested         | ja                                   |
|                        |               | Suitable for grommets | 4 x KT small<br>1 x KT large         |

KEL-ER 16|2 CR




|                        |               |                       |                                      |
|------------------------|---------------|-----------------------|--------------------------------------|
| Part No.               | 48162.601     | Height                | 17 mm                                |
| EAN                    | 4251269325823 | Mounting height       | 17 mm                                |
| Package quantity       | 5             | Cut-out size          | 86 × 36 mm                           |
| For max. no. of cables | 2             | No. of screw holes    | 4                                    |
| Max. cable diameter    | 35 mm         | Diam. of screw holes  | 5,8 mm                               |
| Length                 | 120 mm        | Screw material        | Mild steel, galvanically zinc plated |
| Width                  | 58 mm         | (S)VOC tested         | No                                   |
|                        |               | Suitable for grommets | 2 x KT large                         |

KEL-ER 16|2 CR  
(S)VOC




|                        |                      |                       |                                             |
|------------------------|----------------------|-----------------------|---------------------------------------------|
| Part No.               | <b>48162.600</b>     | Height                | <b>17 mm</b>                                |
| EAN                    | <b>4251269325687</b> | Mounting height       | <b>17 mm</b>                                |
| Package quantity       | <b>5</b>             | Cut-out size          | <b>86 × 36 mm</b>                           |
| For max. no. of cables | <b>2</b>             | No. of screw holes    | <b>4</b>                                    |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes  | <b>5,8 mm</b>                               |
| Length                 | <b>120 mm</b>        | Screw material        | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>58 mm</b>         | (S)VOC tested         | <b>ja</b>                                   |
|                        |                      | Suitable for grommets | <b>2 x KT large</b>                         |

KEL-ER 10|6 CR




|                        |                      |                       |                                             |
|------------------------|----------------------|-----------------------|---------------------------------------------|
| Part No.               | <b>48216.601</b>     | Height                | <b>17 mm</b>                                |
| EAN                    | <b>4251269325885</b> | Mounting height       | <b>17 mm</b>                                |
| Package quantity       | <b>5</b>             | Cut-out size          | <b>65 × 36 mm</b>                           |
| For max. no. of cables | <b>6</b>             | No. of screw holes    | <b>4</b>                                    |
| Max. cable diameter    | <b>16 mm</b>         | Diam. of screw holes  | <b>5,8 mm</b>                               |
| Length                 | <b>98 mm</b>         | Screw material        | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>58 mm</b>         | (S)VOC tested         | <b>No</b>                                   |
|                        |                      | Suitable for grommets | <b>6 x KT small</b>                         |

KEL-ER 10|6 CR  
(S)VOC




|                        |                      |                       |                                             |
|------------------------|----------------------|-----------------------|---------------------------------------------|
| Part No.               | <b>48216.600</b>     | Height                | <b>17 mm</b>                                |
| EAN                    | <b>4251269325748</b> | Mounting height       | <b>17 mm</b>                                |
| Package quantity       | <b>5</b>             | Cut-out size          | <b>65 × 36 mm</b>                           |
| For max. no. of cables | <b>6</b>             | No. of screw holes    | <b>4</b>                                    |
| Max. cable diameter    | <b>16 mm</b>         | Diam. of screw holes  | <b>5,8 mm</b>                               |
| Length                 | <b>98 mm</b>         | Screw material        | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>58 mm</b>         | (S)VOC tested         | <b>ja</b>                                   |
|                        |                      | Suitable for grommets | <b>6 x KT small</b>                         |

KEL-ER 10|3 CR




|                        |                      |                       |                                             |
|------------------------|----------------------|-----------------------|---------------------------------------------|
| Part No.               | <b>48212.601</b>     | Height                | <b>17 mm</b>                                |
| EAN                    | <b>4251269325878</b> | Mounting height       | <b>17 mm</b>                                |
| Package quantity       | <b>5</b>             | Cut-out size          | <b>65 × 36 mm</b>                           |
| For max. no. of cables | <b>3</b>             | No. of screw holes    | <b>4</b>                                    |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes  | <b>5,8 mm</b>                               |
| Length                 | <b>98 mm</b>         | Screw material        | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>58 mm</b>         | (S)VOC tested         | <b>No</b>                                   |
|                        |                      | Suitable for grommets | <b>2 x KT small</b>                         |
|                        |                      |                       | <b>1 x KT large</b>                         |

KEL-ER 10|3 CR  
(S)VOC




|                        |                      |                       |                                             |
|------------------------|----------------------|-----------------------|---------------------------------------------|
| Part No.               | <b>48212.600</b>     | Height                | <b>17 mm</b>                                |
| EAN                    | <b>4251269325731</b> | Mounting height       | <b>17 mm</b>                                |
| Package quantity       | <b>5</b>             | Cut-out size          | <b>65 × 36 mm</b>                           |
| For max. no. of cables | <b>3</b>             | No. of screw holes    | <b>4</b>                                    |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes  | <b>5,8 mm</b>                               |
| Length                 | <b>98 mm</b>         | Screw material        | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>58 mm</b>         | (S)VOC tested         | <b>ja</b>                                   |
|                        |                      | Suitable for grommets | <b>2 x KT small</b>                         |
|                        |                      |                       | <b>1 x KT large</b>                         |

KEL-ER-B4 CR




|                        |               |                       |                                      |
|------------------------|---------------|-----------------------|--------------------------------------|
| Part No.               | 48204.601     | Height                | 17 mm                                |
| EAN                    | 4251269325854 | Mounting height       | 17 mm                                |
| Package quantity       | 5             | Cut-out size          | 46 × 46 mm                           |
| For max. no. of cables | 4             | No. of screw holes    | 4                                    |
| Max. cable diameter    | 16 mm         | Diam. of screw holes  | 5,8 mm                               |
| Length                 | 73 mm         | Screw material        | Mild steel, galvanically zinc plated |
| Width                  | 58 mm         | (S)VOC tested         | No                                   |
|                        |               | Suitable for grommets | 4 x KT small                         |

KEL-ER-B4 CR (S)VOC




|                        |               |                       |                                      |
|------------------------|---------------|-----------------------|--------------------------------------|
| Part No.               | 48204.600     | Height                | 17 mm                                |
| EAN                    | 4251269325717 | Mounting height       | 17 mm                                |
| Package quantity       | 5             | Cut-out size          | 46 × 46 mm                           |
| For max. no. of cables | 4             | No. of screw holes    | 4                                    |
| Max. cable diameter    | 16 mm         | Diam. of screw holes  | 5,8 mm                               |
| Length                 | 73 mm         | Screw material        | Mild steel, galvanically zinc plated |
| Width                  | 58 mm         | (S)VOC tested         | ja                                   |
|                        |               | Suitable for grommets | 4 x KT small                         |

KEL-ER-B1 CR




|                        |               |                       |                                      |
|------------------------|---------------|-----------------------|--------------------------------------|
| Part No.               | 48206.601     | Height                | 17 mm                                |
| EAN                    | 4251269325861 | Mounting height       | 17 mm                                |
| Package quantity       | 5             | Cut-out size          | 46 × 46 mm                           |
| For max. no. of cables | 1             | No. of screw holes    | 4                                    |
| Max. cable diameter    | 35 mm         | Diam. of screw holes  | 5,8 mm                               |
| Length                 | 73 mm         | Screw material        | Mild steel, galvanically zinc plated |
| Width                  | 58 mm         | (S)VOC tested         | No                                   |
|                        |               | Suitable for grommets | 1 x KT large                         |

KEL-ER-B1 CR (S)VOC




|                        |               |                       |                                      |
|------------------------|---------------|-----------------------|--------------------------------------|
| Part No.               | 48206.600     | Height                | 17 mm                                |
| EAN                    | 4251269325724 | Mounting height       | 17 mm                                |
| Package quantity       | 5             | Cut-out size          | 46 × 46 mm                           |
| For max. no. of cables | 1             | No. of screw holes    | 4                                    |
| Max. cable diameter    | 35 mm         | Diam. of screw holes  | 5,8 mm                               |
| Length                 | 73 mm         | Screw material        | Mild steel, galvanically zinc plated |
| Width                  | 58 mm         | (S)VOC tested         | ja                                   |
|                        |               | Suitable for grommets | 1 x KT large                         |

KEL-ER-E5 CR




|                        |               |                       |                                      |
|------------------------|---------------|-----------------------|--------------------------------------|
| Part No.               | 48250.601     | Height                | 17 mm                                |
| EAN                    | 4251269325939 | Mounting height       | 17 mm                                |
| Package quantity       | 5             | Cut-out size          | 112 × 24 mm                          |
| For max. no. of cables | 5             | No. of screw holes    | 2                                    |
| Max. cable diameter    | 16 mm         | Diam. of screw holes  | 5,8 mm                               |
| Length                 | 147 mm        | Screw material        | Mild steel, galvanically zinc plated |
| Width                  | 39 mm         | (S)VOC tested         | No                                   |
|                        |               | Suitable for grommets | 5 x KT small                         |

KEL-ER-E5 CR (S)VOC




|                        |                      |                       |                                             |
|------------------------|----------------------|-----------------------|---------------------------------------------|
| Part No.               | <b>48250.600</b>     | Height                | <b>17 mm</b>                                |
| EAN                    | <b>4251269325793</b> | Mounting height       | <b>17 mm</b>                                |
| Package quantity       | <b>5</b>             | Cut-out size          | <b>112 × 24 mm</b>                          |
| For max. no. of cables | <b>5</b>             | No. of screw holes    | <b>2</b>                                    |
| Max. cable diameter    | <b>16 mm</b>         | Diam. of screw holes  | <b>5,8 mm</b>                               |
| Length                 | <b>147 mm</b>        | Screw material        | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>39 mm</b>         | (S)VOC tested         | <b>ja</b>                                   |
|                        |                      | Suitable for grommets | <b>5 x KT small</b>                         |

KEL-ER-E4 CR




|                        |                      |                       |                                             |
|------------------------|----------------------|-----------------------|---------------------------------------------|
| Part No.               | <b>48259.601</b>     | Height                | <b>17 mm</b>                                |
| EAN                    | <b>4251269325953</b> | Mounting height       | <b>17 mm</b>                                |
| Package quantity       | <b>5</b>             | Cut-out size          | <b>86 × 24 mm</b>                           |
| For max. no. of cables | <b>4</b>             | No. of screw holes    | <b>2</b>                                    |
| Max. cable diameter    | <b>16 mm</b>         | Diam. of screw holes  | <b>5,8 mm</b>                               |
| Length                 | <b>120 mm</b>        | Screw material        | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>39 mm</b>         | (S)VOC tested         | <b>No</b>                                   |
|                        |                      | Suitable for grommets | <b>4 x KT small</b>                         |

KEL-ER-E4 CR (S)VOC




|                        |                      |                       |                                             |
|------------------------|----------------------|-----------------------|---------------------------------------------|
| Part No.               | <b>48259.600</b>     | Height                | <b>17 mm</b>                                |
| EAN                    | <b>4251269325816</b> | Mounting height       | <b>17 mm</b>                                |
| Package quantity       | <b>5</b>             | Cut-out size          | <b>86 × 24 mm</b>                           |
| For max. no. of cables | <b>4</b>             | No. of screw holes    | <b>2</b>                                    |
| Max. cable diameter    | <b>16 mm</b>         | Diam. of screw holes  | <b>5,8 mm</b>                               |
| Length                 | <b>120 mm</b>        | Screw material        | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>39 mm</b>         | (S)VOC tested         | <b>ja</b>                                   |
|                        |                      | Suitable for grommets | <b>4 x KT small</b>                         |

KEL-ER-E3 CR




|                        |                      |                       |                                             |
|------------------------|----------------------|-----------------------|---------------------------------------------|
| Part No.               | <b>48258.601</b>     | Height                | <b>17 mm</b>                                |
| EAN                    | <b>4251269325946</b> | Mounting height       | <b>17 mm</b>                                |
| Package quantity       | <b>5</b>             | Cut-out size          | <b>65 × 24 mm</b>                           |
| For max. no. of cables | <b>3</b>             | No. of screw holes    | <b>2</b>                                    |
| Max. cable diameter    | <b>16 mm</b>         | Diam. of screw holes  | <b>5,8 mm</b>                               |
| Length                 | <b>98 mm</b>         | Screw material        | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>39 mm</b>         | (S)VOC tested         | <b>No</b>                                   |
|                        |                      | Suitable for grommets | <b>3 x KT small</b>                         |

KEL-ER-E3 CR (S)VOC




|                        |                      |                       |                                             |
|------------------------|----------------------|-----------------------|---------------------------------------------|
| Part No.               | <b>48258.600</b>     | Height                | <b>17 mm</b>                                |
| EAN                    | <b>4251269325809</b> | Mounting height       | <b>17 mm</b>                                |
| Package quantity       | <b>5</b>             | No. of screw holes    | <b>2</b>                                    |
| For max. no. of cables | <b>3</b>             | Diam. of screw holes  | <b>5,8 mm</b>                               |
| Max. cable diameter    | <b>16 mm</b>         | Screw material        | <b>Mild steel, galvanically zinc plated</b> |
| Length                 | <b>98 mm</b>         | (S)VOC tested         | <b>ja</b>                                   |
| Width                  | <b>39 mm</b>         | Suitable for grommets | <b>3 x KT small</b>                         |

KEL-ER-E2 CR



|                        |                      |                       |                                             |
|------------------------|----------------------|-----------------------|---------------------------------------------|
| Part No.               | <b>48249.601</b>     | Height                | <b>17 mm</b>                                |
| EAN                    | <b>4251269325922</b> | Mounting height       | <b>17 mm</b>                                |
| Package quantity       | <b>5</b>             | Cut-out size          | <b>43 × 24 mm</b>                           |
| For max. no. of cables | <b>2</b>             | No. of screw holes    | <b>2</b>                                    |
| Max. cable diameter    | <b>16 mm</b>         | Diam. of screw holes  | <b>5,8 mm</b>                               |
| Length                 | <b>73 mm</b>         | Screw material        | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>39 mm</b>         | (S)VOC tested         | <b>No</b>                                   |
|                        |                      | Suitable for grommets | <b>2 x KT small</b>                         |

KEL-ER-E2 CR (S)VOC



|                        |                      |                       |                                             |
|------------------------|----------------------|-----------------------|---------------------------------------------|
| Part No.               | <b>48249.600</b>     | Height                | <b>17 mm</b>                                |
| EAN                    | <b>4251269325786</b> | Mounting height       | <b>17 mm</b>                                |
| Package quantity       | <b>5</b>             | Cut-out size          | <b>43 × 24 mm</b>                           |
| For max. no. of cables | <b>2</b>             | No. of screw holes    | <b>2</b>                                    |
| Max. cable diameter    | <b>16 mm</b>         | Diam. of screw holes  | <b>5,8 mm</b>                               |
| Length                 | <b>73 mm</b>         | Screw material        | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>39 mm</b>         | (S)VOC tested         | <b>ja</b>                                   |
|                        |                      | Suitable for grommets | <b>2 x KT small</b>                         |