

KT CR | cable grommets

for the use in cleanrooms, 1 - 35 mm / IP66 / IP68 / UL Type 12/4X*



Cable grommets KT CR small are used with the following cleanroom cable entry components:

- [KEL-ER CR cable entry frames](#)
- [KEL-U CR cable entry frames](#)

In combination with KEL-ER CR cable entry frames the KT CR single-hole grommets enable a sealing of the cables with up to IP66 / IP68 and UL Type 4X*.

The model range KT CR small is designed for cable diameters from 1 to 17 mm. Cable grommets KT CR large accept a wide range of cable diameters from 16 to 35 mm.

When installing the small grommets in multiple rows, the flat sides should be facing each other. This allows the flat sides to match up and provide a secure seal.

The products with article ending .600 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1. The materials used for these products have been tested and certified for outgassing according to VOC/SVOC (ISO 14644-8; ISO 16000-6,-9,-11,-25, VDI 2083 sheet 17).

The products with the article ending .601 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1.

*4X for indoor use only

IP54	IP55	IP64	IP65	IP66	IP67
IP68	UL TYPE 12	UL TYPE 4X*	UL	DNV	RIIR
HL3 EN 45545-2	E45 EIB30 EN 45545-3	EN 61373	ECOLAB certified	UV ISO 4892-2A	EN ISO 14644
PNEUMATICS	RoHS compliant	REACH COMPLIANCE	Made in Germany		


Specifications








IP rating (EN 60529)	IP54, IP55, IP64, IP65, IP66, IP67, IP68
UL Type (UL 50E)	UL Type 12, UL Type 4X*
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free


Advantages & Benefits


- Enable routing of pre-terminated cables through cable entry frames and split cable glands
- Available for a large range of cable diameters
- Greatly increased cable density when using double or quadruple grommets


Product Types & Sizes


BTK CR gy 	Part No.	41251.601	Height	19 mm
	EAN	4251269326455	Mounting height	2 mm
	Package quantity	10	For cable type	Round cable
	Color	gray (similar RAL 7035)	Blank grommet	1
	Length	21 mm	(S)VOC tested	No
	Width	21 mm		


BTk CR (S)VOC gy 	Part No. EAN Package quantity Color Length Width	41251.600 4251269325441 10 gray (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Blank grommet (S)VOC tested	19 mm 2 mm Round cable 1 ja
KT 1 CR gy 	Part No. EAN Package quantity For max. no. of cables Color Length Width	39941.601 4251269326318 10 1 gray (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type (S)VOC tested Clamping range	19 mm 2 mm Round cable No 1 x 1 - 2 mm
KT 1 CR (S)VOC gy 	Part No. EAN Package quantity For max. no. of cables Color Length Width	39941.600 4251269326196 10 1 gray (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type (S)VOC tested Clamping range	19 mm 2 mm Round cable ja 1 x 1 - 2 mm
KT 2 CR gy 	Part No. EAN Package quantity For max. no. of cables Color Length Width	39934.601 4251269326301 10 1 gray (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type (S)VOC tested Clamping range	19 mm 2 mm Round cable No 1 x 2 - 3 mm
KT 2 CR (S)VOC gy 	Part No. EAN Package quantity For max. no. of cables Color Length Width	39934.600 4251269326189 10 1 gray (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type (S)VOC tested Clamping range	19 mm 2 mm Round cable ja 1 x 2 - 3 mm
KT 3 CR gy 	Part No. EAN Package quantity For max. no. of cables Color Length Width	41203.601 4251269326325 10 1 gray (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type (S)VOC tested Clamping range	19 mm 2 mm Round cable No 1 x 3 - 4 mm
KT 3 CR (S)VOC gy 	Part No. EAN Package quantity For max. no. of cables Color Length Width	41203.600 4251269326202 10 1 gray (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type (S)VOC tested Clamping range	19 mm 2 mm Round cable ja 1 x 3 - 4 mm


KT 4 CR gy 	Part No.	41204.601	Height	19 mm
	EAN	4251269326332	Mounting height	2 mm
	Package quantity	10	For cable type	Round cable
	For max. no. of cables	1	(S)VOC tested	No
	Color	gray (similar RAL 7035)	Clamping range	1 x 4 - 5 mm
	Length	21 mm		
	Width	21 mm		

KT 4 CR (S)VOC gy 	Part No.	41204.600	Height	19 mm
	EAN	4251269326219	Mounting height	2 mm
	Package quantity	10	For cable type	Round cable
	For max. no. of cables	1	(S)VOC tested	ja
	Color	gray (similar RAL 7035)	Clamping range	1 x 4 - 5 mm
	Length	21 mm		
	Width	21 mm		


KT 5 CR gy 	Part No.	41205.601	Height	19 mm
	EAN	4251269326349	Mounting height	2 mm
	Package quantity	10	For cable type	Round cable
	For max. no. of cables	1	(S)VOC tested	No
	Color	gray (similar RAL 7035)	Clamping range	1 x 5 - 6 mm
	Length	21 mm		
	Width	21 mm		

KT 5 CR (S)VOC gy 	Part No.	41205.600	Height	19 mm
	EAN	4251269325397	Mounting height	2 mm
	Package quantity	10	For cable type	Round cable
	For max. no. of cables	1	(S)VOC tested	ja
	Color	gray (similar RAL 7035)	Clamping range	1 x 5 - 6 mm
	Length	21 mm		
	Width	21 mm		

KT 6 CR gy 	Part No.	41206.601	Height	19 mm
	EAN	4251269326356	Mounting height	2 mm
	Package quantity	10	For cable type	Round cable
	For max. no. of cables	1	(S)VOC tested	No
	Color	gray (similar RAL 7035)	Clamping range	1 x 6 - 7 mm
	Length	21 mm		
	Width	21 mm		

KT 6 CR (S)VOC gy 	Part No.	41206.600	Height	19 mm
	EAN	4251269325403	Mounting height	2 mm
	Package quantity	10	For cable type	Round cable
	For max. no. of cables	1	(S)VOC tested	ja
	Color	gray (similar RAL 7035)	Clamping range	1 x 6 - 7 mm
	Length	21 mm		
	Width	21 mm		


KT 7 CR gy



Part No. **41207.601**
EAN **4251269326363**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
(S)VOC tested **No**
Clamping range **1 x 7 - 8 mm**


KT 7 CR (S)VOC gy



Part No. **41207.600**
EAN **4251269326226**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
(S)VOC tested **ja**
Clamping range **1 x 7 - 8 mm**


KT 8 CR gy



Part No. **41208.601**
EAN **4251269326370**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
(S)VOC tested **No**
Clamping range **1 x 8 - 9 mm**


KT 8 CR (S)VOC gy



Part No. **41208.600**
EAN **4251269326233**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
(S)VOC tested **ja**
Clamping range **1 x 8 - 9 mm**


KT 9 CR gy



Part No. **41209.601**
EAN **4251269326387**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
(S)VOC tested **No**
Clamping range **1 x 9 - 10 mm**


KT 9 CR (S)VOC gy



Part No. **41209.600**
EAN **4251269326240**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
(S)VOC tested **ja**
Clamping range **1 x 9 - 10 mm**

KT 10 CR gy




Part No. **41210.601**
EAN **4251269326394**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height
Mounting height
For cable type
(S)VOC tested
Clamping range

19 mm
2 mm
Round cable
No
1 x 10 - 11 mm

KT 10 CR (S)VOC gy




Part No. **41210.600**
EAN **4251269326257**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height
Mounting height
For cable type
(S)VOC tested
Clamping range

19 mm
2 mm
Round cable
ja
1 x 10 - 11 mm

KT 11 CR gy




Part No. **41211.601**
EAN **4251269326400**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height
Mounting height
For cable type
(S)VOC tested
Clamping range

19 mm
2 mm
Round cable
No
1 x 11 - 12 mm

KT 11 CR (S)VOC gy




Part No. **41211.600**
EAN **4251269325410**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height
Mounting height
For cable type
(S)VOC tested
Clamping range

19 mm
2 mm
Round cable
ja
1 x 11 - 12 mm

KT 12 CR gy




Part No. **41212.601**
EAN **4251269326417**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height
Mounting height
For cable type
(S)VOC tested
Clamping range

19 mm
2 mm
Round cable
No
1 x 12 - 13 mm

KT 12 CR (S)VOC gy




Part No. **41212.600**
EAN **4251269325427**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **21 mm**
Width **21 mm**

Height
Mounting height
For cable type
(S)VOC tested
Clamping range


19 mm
2 mm
Round cable
ja
1 x 12 - 13 mm

KT 13 CR gy




Part No.	41213.601	Height	19 mm
EAN	4251269326424	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	No
Color	gray (similar RAL 7035)	Clamping range	1 x 13 - 14 mm
Length	21 mm		
Width	21 mm		

KT 13 CR (S)VOC gy




Part No.	41213.600	Height	19 mm
EAN	4251269326264	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	ja
Color	gray (similar RAL 7035)	Clamping range	1 x 13 - 14 mm
Length	21 mm		
Width	21 mm		

KT 14 CR gy




Part No.	41214.601	Height	19 mm
EAN	4251269326431	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	No
Color	gray (similar RAL 7035)	Clamping range	1 x 14 - 15 mm
Length	21 mm		
Width	21 mm		

KT 14 CR (S)VOC gy




Part No.	41214.600	Height	19 mm
EAN	4251269326271	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	ja
Color	gray (similar RAL 7035)	Clamping range	1 x 14 - 15 mm
Length	21 mm		
Width	21 mm		

KT 15 CR gy




Part No.	41215.601	Height	19 mm
EAN	4251269326448	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	No
Color	gray (similar RAL 7035)	Clamping range	1 x 15 - 16 mm
Length	21 mm		
Width	21 mm		

KT 15 CR (S)VOC gy



Part No.	41215.600	Height	19 mm
EAN	4251269325434	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	ja
Color	gray (similar RAL 7035)	Clamping range	1 x 15 - 16 mm
Length	21 mm		
Width	21 mm		

BTG CR (S)VOC gy




Part No. **41252.600**
EAN **4251269326912**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height
For cable type
Blank grommet
(S)VOC tested

19 mm
2 mm
Round cable
1
ja

BTG CR gy




Part No. **41252.601**
EAN **4251269327124**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height
For cable type
Blank grommet
(S)VOC tested

19 mm
2 mm
Round cable
1
No

KT 16 CR (S)VOC gy




Part No. **41216.600**
EAN **4251269326721**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height
For cable type
(S)VOC tested
Clamping range

19 mm
2 mm
Round cable
ja
1 x 16 - 17 mm

KT 16 CR gy




Part No. **41216.601**
EAN **4251269326936**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height
For cable type
(S)VOC tested
Clamping range

19 mm
2 mm
Round cable
No
1 x 16 - 17 mm

KT 17 CR (S)VOC gy




Part No. **41217.600**
EAN **4251269326738**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height
For cable type
(S)VOC tested
Clamping range

19 mm
2 mm
Round cable
ja
1 x 17 - 18 mm

KT 17 CR gy




Part No. **41217.601**
EAN **4251269326943**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height
Mounting height
For cable type
(S)VOC tested
Clamping range


19 mm
2 mm
Round cable
No
1 x 17 - 18 mm

KT 18 CR (S)VOC gy




Part No.	41218.600	Height	19 mm
EAN	4251269326745	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	ja
Color	gray (similar RAL 7035)	Clamping range	1 x 18 - 19 mm
Length	41,5 mm		
Width	42 mm		

KT 18 CR gy




Part No.	41218.601	Height	19 mm
EAN	4251269326950	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	No
Color	gray (similar RAL 7035)	Clamping range	1 x 18 - 19 mm
Length	41,5 mm		
Width	42 mm		

KT 19 CR (S)VOC gy




Part No.	41219.600	Height	19 mm
EAN	4251269326752	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	ja
Color	gray (similar RAL 7035)	Clamping range	1 x 19 - 20 mm
Length	41,5 mm		
Width	42 mm		

KT 19 CR gy




Part No.	41219.601	Height	19 mm
EAN	4251269326967	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	No
Color	gray (similar RAL 7035)	Clamping range	1 x 19 - 20 mm
Length	41,5 mm		
Width	42 mm		

KT 20 CR (S)VOC gy




Part No.	41220.600	Height	19 mm
EAN	4251269326769	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	ja
Color	gray (similar RAL 7035)	Clamping range	1 x 20 - 21 mm
Length	41,5 mm		
Width	42 mm		

KT 20 CR gy



Part No.	41220.601	Height	19 mm
EAN	4251269326974	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	No
Color	gray (similar RAL 7035)	Clamping range	1 x 20 - 21 mm
Length	41,5 mm		
Width	42 mm		


KT 21 CR (S)VOC gy



Part No. **41221.600**
EAN **4251269326776**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
(S)VOC tested **ja**
Clamping range **1 x 21 - 22 mm**


KT 21 CR gy



Part No. **41221.601**
EAN **4251269326981**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
(S)VOC tested **No**
Clamping range **1 x 21 - 22 mm**


KT 22 CR (S)VOC gy



Part No. **41222.600**
EAN **4251269326783**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
(S)VOC tested **ja**
Clamping range **1 x 22 - 23 mm**


KT 22 CR gy



Part No. **41222.601**
EAN **4251269326998**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
(S)VOC tested **No**
Clamping range **1 x 22 - 23 mm**


KT 23 CR (S)VOC gy



Part No. **41223.600**
EAN **4251269326790**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
(S)VOC tested **ja**
Clamping range **1 x 23 - 24 mm**


KT 23 CR gy



Part No. **41223.601**
EAN **4251269327001**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**


Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
(S)VOC tested **No**
Clamping range **1 x 23 - 24 mm**

KT 24 CR (S)VOC gy




Part No.	41224.600	Height	19 mm
EAN	4251269326806	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	ja
Color	gray (similar RAL 7035)	Clamping range	1 x 24 - 25 mm
Length	41,5 mm		
Width	42 mm		

KT 24 CR gy




Part No.	41224.601	Height	19 mm
EAN	4251269327018	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	No
Color	gray (similar RAL 7035)	Clamping range	1 x 24 - 25 mm
Length	41,5 mm		
Width	42 mm		

KT 25 CR (S)VOC gy




Part No.	41225.600	Height	19 mm
EAN	4251269326813	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	ja
Color	gray (similar RAL 7035)	Clamping range	1 x 25 - 26 mm
Length	41,5 mm		
Width	42 mm		

KT 25 CR gy




Part No.	41225.601	Height	19 mm
EAN	4251269327025	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	No
Color	gray (similar RAL 7035)	Clamping range	1 x 25 - 26 mm
Length	41,5 mm		
Width	42 mm		

KT 26 CR (S)VOC gy




Part No.	41226.600	Height	19 mm
EAN	4251269326820	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	ja
Color	gray (similar RAL 7035)	Clamping range	1 x 26 - 27 mm
Length	41,5 mm		
Width	42 mm		

KT 26 CR gy



Part No.	41226.601	Height	19 mm
EAN	4251269327032	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	No
Color	gray (similar RAL 7035)	Clamping range	1 x 26 - 27 mm
Length	41,5 mm		
Width	42 mm		


KT 27 CR (S)VOC gy



Part No. **41227.600**
EAN **4251269326837**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
(S)VOC tested **ja**
Clamping range **1 x 27 - 28 mm**


KT 27 CR gy



Part No. **41227.601**
EAN **4251269327049**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
(S)VOC tested **No**
Clamping range **1 x 27 - 28 mm**


KT 28 CR (S)VOC gy



Part No. **41228.600**
EAN **4251269326844**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
(S)VOC tested **ja**
Clamping range **1 x 28 - 29 mm**


KT 28 CR gy



Part No. **41228.601**
EAN **4251269327056**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
(S)VOC tested **No**
Clamping range **1 x 28 - 29 mm**


KT 29 CR (S)VOC gy



Part No. **41229.600**
EAN **4251269326851**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
(S)VOC tested **ja**
Clamping range **1 x 29 - 30 mm**


KT 29 CR gy



Part No. **41229.601**
EAN **4251269327063**
Package quantity **10**
For max. no. of cables **1**
Color **gray (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**


Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
(S)VOC tested **No**
Clamping range **1 x 29 - 30 mm**

KT 30 CR (S)VOC gy




Part No.	41230.600	Height	19 mm
EAN	4251269326868	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	ja
Color	gray (similar RAL 7035)	Clamping range	1 x 30 - 31 mm
Length	41,5 mm		
Width	42 mm		

KT 30 CR gy




Part No.	41230.601	Height	19 mm
EAN	4251269327070	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	No
Color	gray (similar RAL 7035)	Clamping range	1 x 30 - 31 mm
Length	41,5 mm		
Width	42 mm		

KT 31 CR (S)VOC gy




Part No.	41231.600	Height	19 mm
EAN	4251269326875	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	ja
Color	gray (similar RAL 7035)	Clamping range	1 x 31 - 32 mm
Length	41,5 mm		
Width	42 mm		

KT 31 CR gy




Part No.	41231.601	Height	19 mm
EAN	4251269327087	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	No
Color	gray (similar RAL 7035)	Clamping range	1 x 31 - 32 mm
Length	41,5 mm		
Width	42 mm		

KT 32 CR (S)VOC gy




Part No.	41232.600	Height	19 mm
EAN	4251269326882	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	ja
Color	gray (similar RAL 7035)	Clamping range	1 x 32 - 33 mm
Length	41,5 mm		
Width	42 mm		

KT 32 CR gy



Part No.	41232.601	Height	19 mm
EAN	4251269327094	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	(S)VOC tested	No
Color	gray (similar RAL 7035)	Clamping range	1 x 32 - 33 mm
Length	41,5 mm		
Width	42 mm		


KT 33 CR (S)VOC gy

Part No.
EAN
Package quantity
For max. no. of cables
Color
Length
Width

41233.600
4251269326899
10
1
gray (similar RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
(S)VOC tested
Clamping range

19 mm
2 mm
Round cable
ja
1 x 33 - 34 mm


KT 33 CR gy

Part No.
EAN
Package quantity
For max. no. of cables
Color
Length
Width

41233.601
4251269327100
10
1
gray (similar RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
(S)VOC tested
Clamping range

19 mm
2 mm
Round cable
No
1 x 33 - 34 mm


KT 34 CR (S)VOC gy

Part No.
EAN
Package quantity
For max. no. of cables
Color
Length
Width

41234.600
4251269326905
10
1
gray (similar RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
(S)VOC tested
Clamping range

19 mm
2 mm
Round cable
ja
1 x 34 - 35 mm

KT 34 CR gy

Part No.
EAN
Package quantity
For max. no. of cables
Color
Length
Width

41234.601
4251269327117
10
1
gray (similar RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
(S)VOC tested
Clamping range

19 mm
2 mm
Round cable
No
1 x 34 - 35 mm