


# KT | Cable grommets, grey

for cable diameters 1 - 35 mm / IP66 / IP68 / UL Type 12/4X\*



Cable grommets KT small are used with the following cable entry components:

- [KEL cable entry frames](#)
- [KVT split cable glands](#)

In combination with [KEL-ER cable entry frames](#) and [KVT-ER cable glands](#) the KT single-hole grommets enable a sealing of the cables with up to IP66 / IP68 and UL Type 4X\*.

The model range KT small is designed for cable diameters from 1 to 17 mm. Cable grommets KT large accept a wide range of cable diameters from 13 to 35 mm.

When installing the small grommets in multiple rows, the flat sides should be facing each other. This allows the flat sides to match up and provide a secure seal.

\*4X for indoor use only

|                   |                           |                    |                     |             |            |
|-------------------|---------------------------|--------------------|---------------------|-------------|------------|
| IP54              | IP55                      | IP64               | IP65                | IP66        | IP67       |
| IP68              | UL TYPE 12                | UL TYPE 4X*        | UL US               | DNV         | RIR        |
| HL3<br>EN 45545-2 | E45<br>E130<br>EN 45545-3 | EN 61373           | ECOLAB<br>certified | ISO 4892-2A | PNEUMATICS |
| RoHS<br>compliant | REACH<br>COMPLIANCE       | Made in<br>Germany |                     |             |            |

## Specifications

|                       |                                          |
|-----------------------|------------------------------------------|
| IP rating (EN 60529)  | IP54, IP55, IP64, IP65, IP66, IP67, IP68 |
| UL Type (UL 50E)      | UL Type 12, UL Type 4X*                  |
| Material              | Elastomer                                |
| Flame class           | UL94-V0, self-extinguishing              |
| Operating temperature | -40 C° to 100 C°                         |
| Properties            | silicone free, halogen free              |

## Advantages & Benefits

- Enable routing of pre-terminated cables through cable entry frames and split cable glands
- High strain relief in accordance with EN 62444 when a suitable cable entry is selected
- Available for a large range of cable diameters
- Greatly increased cable density when using [double or quadruple grommets](#)

## Product Types & Sizes


BTK gy



|                  |                         |
|------------------|-------------------------|
| Part No.         | 41251                   |
| EAN              | 4251269306686           |
| Package quantity | 10                      |
| Color            | gray (similar RAL 7035) |
| Length           | 21 mm                   |
| Width            | 21 mm                   |


|                 |             |
|-----------------|-------------|
| Height          | 19 mm       |
| Mounting height | 2 mm        |
| For cable type  | Round cable |
| Blank grommet   | 1           |


KT 1 gy





|                        |                         |
|------------------------|-------------------------|
| Part No.               | 39941                   |
| EAN                    | 4251269318146           |
| Package quantity       | 10                      |
| For max. no. of cables | 1                       |
| Color                  | gray (similar RAL 7035) |
| Length                 | 21 mm                   |
| Width                  | 21 mm                   |


|                 |              |
|-----------------|--------------|
| Height          | 19 mm        |
| Mounting height | 2 mm         |
| For cable type  | Round cable  |
| Clamping range  | 1 x 1 - 2 mm |


|                                                                                 |                                                                                           |                                                                                                                                 |                                                               |                                                                          |
|---------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|--------------------------------------------------------------------------|
| <b>KT 2 gy</b>                                                                  | Part No.<br>EAN<br>Package quantity<br>For max. no. of cables<br>Color<br>Length<br>Width | <b>39934</b><br><b>4251269306280</b><br><b>10</b><br><b>1</b><br><b>gray (similar RAL 7035)</b><br><b>21 mm</b><br><b>21 mm</b> | Height<br>Mounting height<br>For cable type<br>Clamping range | <b>19 mm</b><br><b>2 mm</b><br><b>Round cable</b><br><b>1 x 2 - 3 mm</b> |
|  |                                                                                           |                                                                                                                                 |                                                               |                                                                          |


|                                                                                  |                                                                                           |                                                                                                                                 |                                                               |                                                                          |
|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|--------------------------------------------------------------------------|
| <b>KT 3 gy</b>                                                                   | Part No.<br>EAN<br>Package quantity<br>For max. no. of cables<br>Color<br>Length<br>Width | <b>41203</b><br><b>4251269306389</b><br><b>10</b><br><b>1</b><br><b>gray (similar RAL 7035)</b><br><b>21 mm</b><br><b>21 mm</b> | Height<br>Mounting height<br>For cable type<br>Clamping range | <b>19 mm</b><br><b>2 mm</b><br><b>Round cable</b><br><b>1 x 3 - 4 mm</b> |
|  |                                                                                           |                                                                                                                                 |                                                               |                                                                          |


|                                                                                  |                                                                                           |                                                                                                                                 |                                                               |                                                                          |
|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|--------------------------------------------------------------------------|
| <b>KT 4 gy</b>                                                                   | Part No.<br>EAN<br>Package quantity<br>For max. no. of cables<br>Color<br>Length<br>Width | <b>41204</b><br><b>4251269306396</b><br><b>10</b><br><b>1</b><br><b>gray (similar RAL 7035)</b><br><b>21 mm</b><br><b>21 mm</b> | Height<br>Mounting height<br>For cable type<br>Clamping range | <b>19 mm</b><br><b>2 mm</b><br><b>Round cable</b><br><b>1 x 4 - 5 mm</b> |
|  |                                                                                           |                                                                                                                                 |                                                               |                                                                          |


|                                                                                    |                                                                                           |                                                                                                                                 |                                                               |                                                                          |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|--------------------------------------------------------------------------|
| <b>KT 5 gy</b>                                                                     | Part No.<br>EAN<br>Package quantity<br>For max. no. of cables<br>Color<br>Length<br>Width | <b>41205</b><br><b>4251269306402</b><br><b>10</b><br><b>1</b><br><b>gray (similar RAL 7035)</b><br><b>21 mm</b><br><b>21 mm</b> | Height<br>Mounting height<br>For cable type<br>Clamping range | <b>19 mm</b><br><b>2 mm</b><br><b>Round cable</b><br><b>1 x 5 - 6 mm</b> |
|  |                                                                                           |                                                                                                                                 |                                                               |                                                                          |


|                                                                                    |                                                                                           |                                                                                                                                 |                                                               |                                                                          |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|--------------------------------------------------------------------------|
| <b>KT 6 gy</b>                                                                     | Part No.<br>EAN<br>Package quantity<br>For max. no. of cables<br>Color<br>Length<br>Width | <b>41206</b><br><b>4251269306419</b><br><b>10</b><br><b>1</b><br><b>gray (similar RAL 7035)</b><br><b>21 mm</b><br><b>21 mm</b> | Height<br>Mounting height<br>For cable type<br>Clamping range | <b>19 mm</b><br><b>2 mm</b><br><b>Round cable</b><br><b>1 x 6 - 7 mm</b> |
|  |                                                                                           |                                                                                                                                 |                                                               |                                                                          |


|                                                                                    |                                                                                           |                                                                                                                                 |                                                               |                                                                          |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|--------------------------------------------------------------------------|
| <b>KT 7 gy</b>                                                                     | Part No.<br>EAN<br>Package quantity<br>For max. no. of cables<br>Color<br>Length<br>Width | <b>41207</b><br><b>4251269306426</b><br><b>10</b><br><b>1</b><br><b>gray (similar RAL 7035)</b><br><b>21 mm</b><br><b>21 mm</b> | Height<br>Mounting height<br>For cable type<br>Clamping range | <b>19 mm</b><br><b>2 mm</b><br><b>Round cable</b><br><b>1 x 7 - 8 mm</b> |
|  |                                                                                           |                                                                                                                                 |                                                               |                                                                          |


|                                                                                    |                                                                                           |                                                                                                                                 |                                                               |                                                                          |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|--------------------------------------------------------------------------|
| <b>KT 8 gy</b>                                                                     | Part No.<br>EAN<br>Package quantity<br>For max. no. of cables<br>Color<br>Length<br>Width | <b>41208</b><br><b>4251269306433</b><br><b>10</b><br><b>1</b><br><b>gray (similar RAL 7035)</b><br><b>21 mm</b><br><b>21 mm</b> | Height<br>Mounting height<br>For cable type<br>Clamping range | <b>19 mm</b><br><b>2 mm</b><br><b>Round cable</b><br><b>1 x 8 - 9 mm</b> |
|  |                                                                                           |                                                                                                                                 |                                                               |                                                                          |


|                                                                                                    |                        |                                |                 |                      |
|----------------------------------------------------------------------------------------------------|------------------------|--------------------------------|-----------------|----------------------|
| <b>KT 9 gy</b><br> | Part No.               | <b>41209</b>                   | Height          | <b>19 mm</b>         |
|                                                                                                    | EAN                    | <b>4251269306440</b>           | Mounting height | <b>2 mm</b>          |
|                                                                                                    | Package quantity       | <b>10</b>                      | For cable type  | <b>Round cable</b>   |
|                                                                                                    | For max. no. of cables | <b>1</b>                       | Clamping range  | <b>1 x 9 - 10 mm</b> |
|                                                                                                    | Color                  | <b>gray (similar RAL 7035)</b> |                 |                      |
|                                                                                                    | Length                 | <b>21 mm</b>                   |                 |                      |
|                                                                                                    | Width                  | <b>21 mm</b>                   |                 |                      |

|                                                                                                     |                        |                                |                 |                       |
|-----------------------------------------------------------------------------------------------------|------------------------|--------------------------------|-----------------|-----------------------|
| <b>KT 10 gy</b><br> | Part No.               | <b>41210</b>                   | Height          | <b>19 mm</b>          |
|                                                                                                     | EAN                    | <b>4251269306457</b>           | Mounting height | <b>2 mm</b>           |
|                                                                                                     | Package quantity       | <b>10</b>                      | For cable type  | <b>Round cable</b>    |
|                                                                                                     | For max. no. of cables | <b>1</b>                       | Clamping range  | <b>1 x 10 - 11 mm</b> |
|                                                                                                     | Color                  | <b>gray (similar RAL 7035)</b> |                 |                       |
|                                                                                                     | Length                 | <b>21 mm</b>                   |                 |                       |
|                                                                                                     | Width                  | <b>21 mm</b>                   |                 |                       |


|                                                                                                     |                        |                                |                 |                       |
|-----------------------------------------------------------------------------------------------------|------------------------|--------------------------------|-----------------|-----------------------|
| <b>KT 11 gy</b><br> | Part No.               | <b>41211</b>                   | Height          | <b>19 mm</b>          |
|                                                                                                     | EAN                    | <b>4251269306464</b>           | Mounting height | <b>2 mm</b>           |
|                                                                                                     | Package quantity       | <b>10</b>                      | For cable type  | <b>Round cable</b>    |
|                                                                                                     | For max. no. of cables | <b>1</b>                       | Clamping range  | <b>1 x 11 - 12 mm</b> |
|                                                                                                     | Color                  | <b>gray (similar RAL 7035)</b> |                 |                       |
|                                                                                                     | Length                 | <b>21 mm</b>                   |                 |                       |
|                                                                                                     | Width                  | <b>21 mm</b>                   |                 |                       |

|                                                                                                       |                        |                                |                 |                       |
|-------------------------------------------------------------------------------------------------------|------------------------|--------------------------------|-----------------|-----------------------|
| <b>KT 12 gy</b><br> | Part No.               | <b>41212</b>                   | Height          | <b>19 mm</b>          |
|                                                                                                       | EAN                    | <b>4251269306471</b>           | Mounting height | <b>2 mm</b>           |
|                                                                                                       | Package quantity       | <b>10</b>                      | For cable type  | <b>Round cable</b>    |
|                                                                                                       | For max. no. of cables | <b>1</b>                       | Clamping range  | <b>1 x 12 - 13 mm</b> |
|                                                                                                       | Color                  | <b>gray (similar RAL 7035)</b> |                 |                       |
|                                                                                                       | Length                 | <b>21 mm</b>                   |                 |                       |
|                                                                                                       | Width                  | <b>21 mm</b>                   |                 |                       |

|                                                                                                       |                        |                                |                 |                       |
|-------------------------------------------------------------------------------------------------------|------------------------|--------------------------------|-----------------|-----------------------|
| <b>KT 13 gy</b><br> | Part No.               | <b>41213</b>                   | Height          | <b>19 mm</b>          |
|                                                                                                       | EAN                    | <b>4251269306488</b>           | Mounting height | <b>2 mm</b>           |
|                                                                                                       | Package quantity       | <b>10</b>                      | For cable type  | <b>Round cable</b>    |
|                                                                                                       | For max. no. of cables | <b>1</b>                       | Clamping range  | <b>1 x 13 - 14 mm</b> |
|                                                                                                       | Color                  | <b>gray (similar RAL 7035)</b> |                 |                       |
|                                                                                                       | Length                 | <b>21 mm</b>                   |                 |                       |
|                                                                                                       | Width                  | <b>21 mm</b>                   |                 |                       |

|                                                                                                       |                        |                                |                 |                       |
|-------------------------------------------------------------------------------------------------------|------------------------|--------------------------------|-----------------|-----------------------|
| <b>KT 14 gy</b><br> | Part No.               | <b>41214</b>                   | Height          | <b>19 mm</b>          |
|                                                                                                       | EAN                    | <b>4251269306495</b>           | Mounting height | <b>2 mm</b>           |
|                                                                                                       | Package quantity       | <b>10</b>                      | For cable type  | <b>Round cable</b>    |
|                                                                                                       | For max. no. of cables | <b>1</b>                       | Clamping range  | <b>1 x 14 - 15 mm</b> |
|                                                                                                       | Color                  | <b>gray (similar RAL 7035)</b> |                 |                       |
|                                                                                                       | Length                 | <b>21 mm</b>                   |                 |                       |
|                                                                                                       | Width                  | <b>21 mm</b>                   |                 |                       |


KT 15 gy



Part No. **41215**  
EAN **4251269306501**  
Package quantity **10**  
For max. no. of cables **1**  
Color **gray (similar RAL 7035)**  
Length **21 mm**  
Width **21 mm**

Height **19 mm**  
Mounting height **2 mm**  
For cable type **Round cable**  
Clamping range **1 x 15 - 16 mm**


BTG gy



Part No. **41252**  
EAN **4251269306693**  
Package quantity **10**  
Color **gray (similar RAL 7035)**  
Length **41,5 mm**  
Width **42 mm**

Height **19 mm**  
Mounting height **2 mm**  
For cable type **Round cable**  
Blank grommet **1**


KTG 13 gy



Part No. **41263**  
EAN **4251269331947**  
Package quantity **10**  
For max. no. of cables **1**  
Color **gray (similar RAL 7035)**  
Length **41,5 mm**  
Width **42 mm**

Height **19 mm**  
Mounting height **2 mm**  
For cable type **Round cable**  
Clamping range **1 x 13 - 14 mm**


KTG 14 gy



Part No. **41264**  
EAN **4251269331954**  
Package quantity **10**  
For max. no. of cables **1**  
Color **gray (similar RAL 7035)**  
Length **41,5 mm**  
Width **42 mm**

Height **19 mm**  
Mounting height **2 mm**  
For cable type **Round cable**  
Clamping range **1 x 14 - 15 mm**


KTG 15 gy



Part No. **41265**  
EAN **4251269331961**  
Package quantity **10**  
For max. no. of cables **1**  
Color **gray (similar RAL 7035)**  
Length **41,5 mm**  
Width **42 mm**

Height **19 mm**  
Mounting height **2 mm**  
For cable type **Round cable**  
Clamping range **1 x 15 - 16 mm**


KT 16 gy



Part No. **41216**  
EAN **4251269306518**  
Package quantity **10**  
For max. no. of cables **1**  
Color **gray (similar RAL 7035)**  
Length **41,5 mm**  
Width **42 mm**

Height **19 mm**  
Mounting height **2 mm**  
For cable type **Round cable**  
Clamping range **1 x 16 - 17 mm**


KT 17 gy



Part No. **41217**  
EAN **4251269306525**  
Package quantity **10**  
For max. no. of cables **1**  
Color **gray (similar RAL 7035)**  
Length **41,5 mm**  
Width **42 mm**

Height  
Mounting height **19 mm**  
For cable type **2 mm**  
Clamping range **Round cable**  
**1 x 17 - 18 mm**


KT 18 gy



Part No. **41218**  
EAN **4251269306532**  
Package quantity **10**  
For max. no. of cables **1**  
Color **gray (similar RAL 7035)**  
Length **41,5 mm**  
Width **42 mm**

Height  
Mounting height **19 mm**  
For cable type **2 mm**  
Clamping range **Round cable**  
**1 x 18 - 19 mm**


KT 19 gy



Part No. **41219**  
EAN **4251269306549**  
Package quantity **10**  
For max. no. of cables **1**  
Color **gray (similar RAL 7035)**  
Length **41,5 mm**  
Width **42 mm**

Height  
Mounting height **19 mm**  
For cable type **2 mm**  
Clamping range **Round cable**  
**1 x 19 - 20 mm**


KT 20 gy



Part No. **41220**  
EAN **4251269306556**  
Package quantity **10**  
For max. no. of cables **1**  
Color **gray (similar RAL 7035)**  
Length **41,5 mm**  
Width **42 mm**

Height  
Mounting height **19 mm**  
For cable type **2 mm**  
Clamping range **Round cable**  
**1 x 20 - 21 mm**


KT 21 gy



Part No. **41221**  
EAN **4251269306563**  
Package quantity **10**  
For max. no. of cables **1**  
Color **gray (similar RAL 7035)**  
Length **41,5 mm**  
Width **42 mm**

Height  
Mounting height **19 mm**  
For cable type **2 mm**  
Clamping range **Round cable**  
**1 x 21 - 22 mm**


KT 22 gy



Part No. **41222**  
EAN **4251269306570**  
Package quantity **10**  
For max. no. of cables **1**  
Color **gray (similar RAL 7035)**  
Length **41,5 mm**  
Width **42 mm**


Height  
Mounting height **19 mm**  
For cable type **2 mm**  
Clamping range **Round cable**  
**1 x 22 - 23 mm**

KT 23 gy




|                        |                                |                 |                       |
|------------------------|--------------------------------|-----------------|-----------------------|
| Part No.               | <b>41223</b>                   | Height          | <b>19 mm</b>          |
| EAN                    | <b>4251269306587</b>           | Mounting height | <b>2 mm</b>           |
| Package quantity       | <b>10</b>                      | For cable type  | <b>Round cable</b>    |
| For max. no. of cables | <b>1</b>                       | Clamping range  | <b>1 x 23 - 24 mm</b> |
| Color                  | <b>gray (similar RAL 7035)</b> |                 |                       |
| Length                 | <b>41,5 mm</b>                 |                 |                       |
| Width                  | <b>42 mm</b>                   |                 |                       |

KT 24 gy




|                        |                                |                 |                       |
|------------------------|--------------------------------|-----------------|-----------------------|
| Part No.               | <b>41224</b>                   | Height          | <b>19 mm</b>          |
| EAN                    | <b>4251269306594</b>           | Mounting height | <b>2 mm</b>           |
| Package quantity       | <b>10</b>                      | For cable type  | <b>Round cable</b>    |
| For max. no. of cables | <b>1</b>                       | Clamping range  | <b>1 x 24 - 25 mm</b> |
| Color                  | <b>gray (similar RAL 7035)</b> |                 |                       |
| Length                 | <b>41,5 mm</b>                 |                 |                       |
| Width                  | <b>42 mm</b>                   |                 |                       |

KT 25 gy




|                        |                                |                 |                       |
|------------------------|--------------------------------|-----------------|-----------------------|
| Part No.               | <b>41225</b>                   | Height          | <b>19 mm</b>          |
| EAN                    | <b>4251269306600</b>           | Mounting height | <b>2 mm</b>           |
| Package quantity       | <b>10</b>                      | For cable type  | <b>Round cable</b>    |
| For max. no. of cables | <b>1</b>                       | Clamping range  | <b>1 x 25 - 26 mm</b> |
| Color                  | <b>gray (similar RAL 7035)</b> |                 |                       |
| Length                 | <b>41,5 mm</b>                 |                 |                       |
| Width                  | <b>42 mm</b>                   |                 |                       |

KT 26 gy




|                        |                                |                 |                       |
|------------------------|--------------------------------|-----------------|-----------------------|
| Part No.               | <b>41226</b>                   | Height          | <b>19 mm</b>          |
| EAN                    | <b>4251269306617</b>           | Mounting height | <b>2 mm</b>           |
| Package quantity       | <b>10</b>                      | For cable type  | <b>Round cable</b>    |
| For max. no. of cables | <b>1</b>                       | Clamping range  | <b>1 x 26 - 27 mm</b> |
| Color                  | <b>gray (similar RAL 7035)</b> |                 |                       |
| Length                 | <b>41,5 mm</b>                 |                 |                       |
| Width                  | <b>42 mm</b>                   |                 |                       |

KT 27 gy




|                        |                                |                 |                       |
|------------------------|--------------------------------|-----------------|-----------------------|
| Part No.               | <b>41227</b>                   | Height          | <b>19 mm</b>          |
| EAN                    | <b>4251269306624</b>           | Mounting height | <b>2 mm</b>           |
| Package quantity       | <b>10</b>                      | For cable type  | <b>Round cable</b>    |
| For max. no. of cables | <b>1</b>                       | Clamping range  | <b>1 x 27 - 28 mm</b> |
| Color                  | <b>gray (similar RAL 7035)</b> |                 |                       |
| Length                 | <b>41,5 mm</b>                 |                 |                       |
| Width                  | <b>42 mm</b>                   |                 |                       |

KT 28 gy



|                        |                                |                 |                       |
|------------------------|--------------------------------|-----------------|-----------------------|
| Part No.               | <b>41228</b>                   | Height          | <b>19 mm</b>          |
| EAN                    | <b>4251269306631</b>           | Mounting height | <b>2 mm</b>           |
| Package quantity       | <b>10</b>                      | For cable type  | <b>Round cable</b>    |
| For max. no. of cables | <b>1</b>                       | Clamping range  | <b>1 x 28 - 29 mm</b> |
| Color                  | <b>gray (similar RAL 7035)</b> |                 |                       |
| Length                 | <b>41,5 mm</b>                 |                 |                       |
| Width                  | <b>42 mm</b>                   |                 |                       |


**KT 29 gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Color  
Length  
Width

**41229**  
**4251269306648**  
**10**  
**1**  
**gray (similar RAL 7035)**  
**41,5 mm**  
**42 mm**

Height  
Mounting height  
For cable type  
Clamping range

**19 mm**  
**2 mm**  
**Round cable**  
**1 x 29 - 30 mm**


**KT 30 gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Color  
Length  
Width

**41230**  
**4251269306655**  
**10**  
**1**  
**gray (similar RAL 7035)**  
**41,5 mm**  
**42 mm**

Height  
Mounting height  
For cable type  
Clamping range

**19 mm**  
**2 mm**  
**Round cable**  
**1 x 30 - 31 mm**


**KT 31 gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Color  
Length  
Width

**41231**  
**4251269316784**  
**10**  
**1**  
**gray (similar RAL 7035)**  
**41,5 mm**  
**42 mm**

Height  
Mounting height  
For cable type  
Clamping range

**19 mm**  
**2 mm**  
**Round cable**  
**1 x 31 - 32 mm**


**KT 32 gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Color  
Length  
Width

**41232**  
**4251269306662**  
**10**  
**1**  
**gray (similar RAL 7035)**  
**41,5 mm**  
**42 mm**

Height  
Mounting height  
For cable type  
Clamping range

**19 mm**  
**2 mm**  
**Round cable**  
**1 x 32 - 33 mm**


**KT 33 gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Color  
Length  
Width

**41233**  
**4251269316791**  
**10**  
**1**  
**gray (similar RAL 7035)**  
**41,5 mm**  
**42 mm**

Height  
Mounting height  
For cable type  
Clamping range

**19 mm**  
**2 mm**  
**Round cable**  
**1 x 33 - 34 mm**

**KT 34 gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Color  
Length  
Width

**41234**  
**4251269306679**  
**10**  
**1**  
**gray (similar RAL 7035)**  
**41,5 mm**  
**42 mm**

Height  
Mounting height  
For cable type  
Clamping range

**19 mm**  
**2 mm**  
**Round cable**  
**1 x 34 - 35 mm**

