


MB earthing tapes

made of flexible E-Cu stranded wires with connecting end pads



Manufactured with highly flexible E-Cu stranded wires with connecting end pads made of tinned copper strips.

The minimum transition and connecting resistance makes them perfectly suitable for use as earthing tapes.

Earthing Tapes are available with M4, M5, M6, M8 or M10 connections and in some sizes with both connection sizes combined.

The earthing tapes are also available with green and yellow shrink sleeve (MB-GG). This provides clear visual colour identification.

UL Product iQ: [Download PDF](#)
(except all MB-GG as well as part no. 32868 / 32870 / 32872)

Cross-section	Current load
6 mm²	67 - 80 A
10 mm²	89 - 106 A
16 mm²	132 - 157 A
25 mm²	177 - 210 A
35 mm²	230 - 275 A
50 mm²	280 - 350 A
70 mm²	338 - 403 A

Specifications

Material Cu-ETP
 Shrink sleeve: Polyolefin

Mounting options Screw type mounting

Advantages & Benefits

- Available in a variety of lengths and cross-sections
- Low impedances
- UL listed

Product Types & Sizes

- MB 6 C-T 100 M4**
 - Part No. 32695
 - EAN 4251269324253
 - Package quantity 1
 - Length 100 mm
 - Length L1 14 mm
 - Length L2 113 mm
 - Width 10 mm
- Height 2 mm
 - Hole size M4
 - Cross-section 6 mm²
 - Current load 67 - 80 A

- MB 6 C-T 100 M6**
 - Part No. 32700
 - EAN 4251269301407
 - Package quantity 1
 - Length 100 mm
 - Length L1 14 mm
 - Length L2 113 mm
 - Width 10 mm
- Height 2 mm
 - Hole size M6
 - Cross-section 6 mm²
 - Current load 67 - 80 A

- MB 10 C-T 100 M6+M4**
 - Part No. 39711
 - EAN
 - Package quantity 1
 - Length 100 mm
 - Length L1 22 mm
 - Length L2 120 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M4/ M6
 - Cross-section 10 mm²
 - Current load 89 - 106 A

- MB 10 C-T 100 M6**

- Part No. 32730
 - EAN 4251269301476
 - Package quantity 1
 - Length 100 mm
 - Length L1 22 mm
 - Length L2 120 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M6
 - Cross-section 10 mm²
 - Current load 89 - 106 A

- MB 10 C-T 100 M8**

- Part No. 32731
 - EAN 4251269301483
 - Package quantity 1
 - Length 100 mm
 - Length L1 22 mm
 - Length L2 120 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M8
 - Cross-section 10 mm²
 - Current load 89 - 106 A

- MB 16 C-T 100 M6**

- Part No. 32760
 - EAN 4251269301605
 - Package quantity 1
 - Length 100 mm
 - Length L1 22 mm
 - Length L2 120 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M6
 - Cross-section 16 mm²
 - Current load 132 - 157 A

- MB 16 C-T 100 M6+M8**

- Part No. 32758
 - EAN 4251269322099
 - Package quantity 1
 - Length 100 mm
 - Length L1 22 mm
 - Length L2 120 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M6/ M8
 - Cross-section 16 mm²
 - Current load 132 - 157 A

- MB 16 C-T 100 M8**

- Part No. 32761
 - EAN 4251269301612
 - Package quantity 1
 - Length 100 mm
 - Length L1 22 mm
 - Length L2 120 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M8
 - Cross-section 16 mm²
 - Current load 132 - 157 A

- MB 16 C-T 100 M10**

- Part No. 32759
 - EAN 4251269322303
 - Package quantity 1
 - Length 100 mm
 - Length L1 22 mm
 - Length L2 120 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M10
 - Cross-section 16 mm²
 - Current load 132 - 157 A

- MB 25 C-T 100 M10**

- Part No. 32800
 - EAN 4251269301766
 - Package quantity 1
 - Length 100 mm
 - Length L1 22 mm
 - Length L2 123 mm
 - Width 21 mm
- Height 4 mm
 - Hole size M10
 - Cross-section 25 mm²
 - Current load 177 - 210 A

- MB 6 C-T 150 M4**

- Part No. 39710
 - EAN
 - Package quantity 1
 - Length 150 mm
 - Length L1 14 mm
 - Length L2 163 mm
 - Width 10 mm
- Height 3 mm
 - Hole size M4
 - Cross-section 6 mm²
 - Current load 67 - 80 A

- MB 6 C-T 150 M6**

- Part No. 32701
 - EAN 4251269301414
 - Package quantity 1
 - Length 150 mm
 - Length L1 14 mm
 - Length L2 163 mm
 - Width 10 mm
- Height 2 mm
 - Hole size M6
 - Cross-section 6 mm²
 - Current load 67 - 80 A

- MB 10 C-T 150 M5**

- Part No. 32709
 - EAN 4251269322297
 - Package quantity 1
 - Length 150 mm
 - Length L1 22 mm
 - Length L2 170 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M5
 - Cross-section 10 mm²
 - Current load 89 - 106 A

- MB 10 C-T 150 M5+M6**

- Part No. 32746
 - EAN 4251269322082
 - Package quantity 1
 - Length 150 mm
 - Length L1 22 mm
 - Length L2 170 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M5/ M6
 - Cross-section 10 mm²
 - Current load 89 - 106 A

- MB 10 C-T 150 M8**

- Part No. 32732
 - EAN 4251269301490
 - Package quantity 1
 - Length 150 mm
 - Length L1 22 mm
 - Length L2 170 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M8
 - Cross-section 10 mm²
 - Current load 89 - 106 A

- MB 16 C-T 150 M6**

- Part No. 32762
 - EAN 4251269301629
 - Package quantity 1
 - Length 150 mm
 - Length L1 22 mm
 - Length L2 170 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M6
 - Cross-section 16 mm²
 - Current load 132 - 157 A

- MB 16 C-T 150 M8**

- Part No. 32763
 - EAN 4251269301636
 - Package quantity 1
 - Length 150 mm
 - Length L1 22 mm
 - Length L2 170 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M8
 - Cross-section 16 mm²
 - Current load 132 - 157 A

- MB 25 C-T 150 M10**

- Part No. 32801
 - EAN 4251269301773
 - Package quantity 1
 - Length 150 mm
 - Length L1 22 mm
 - Length L2 173 mm
 - Width 21 mm
- Height 4 mm
 - Hole size M10
 - Cross-section 25 mm²
 - Current load 177 - 210 A

- MB 50 C-T 150 M10**

- Part No. 32847
 - EAN 4251269322198
 - Package quantity 1
 - Length 150 mm
 - Length L1 25 mm
 - Length L2 177 mm
 - Width 26 mm
- Height 5 mm
 - Hole size M10
 - Cross-section 50 mm²
 - Current load 280 - 350 A

- MB 6 C-T 200 M4**

- Part No. 32707
 - EAN 4251269322273
 - Package quantity 1
 - Length 200 mm
 - Length L1 14 mm
 - Length L2 213 mm
 - Width 10 mm
- Height 2 mm
 - Hole size M4
 - Cross-section 6 mm²
 - Current load 67 - 80 A

- MB 6 C-T 200 M6**

- Part No. 32702
 - EAN 4251269301421
 - Package quantity 1
 - Length 200 mm
 - Length L1 14 mm
 - Length L2 213 mm
 - Width 10 mm
- Height 2 mm
 - Hole size M6
 - Cross-section 6 mm²
 - Current load 67 - 80 A

- MB 10 C-T 200 M5**

- Part No. 32744
 - EAN 4251269322266
 - Package quantity 1
 - Length 200 mm
 - Length L1 22 mm
 - Length L2 220 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M5
 - Cross-section 10 mm²
 - Current load 89 - 106 A

- MB 10 C-T 200 M6**

- Part No. 32733
 - EAN 4251269301506
 - Package quantity 1
 - Length 200 mm
 - Length L1 22 mm
 - Length L2 220 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M6
 - Cross-section 10 mm²
 - Current load 89 - 106 A

- MB 10 C-T 200 M6+M8**

- Part No. 32741
 - EAN 4251269301575
 - Package quantity 1
 - Length 200 mm
 - Length L1 22 mm
 - Length L2 220 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M6/ M8
 - Cross-section 10 mm²
 - Current load 89 - 106 A

- MB 10 C-T 200 M8**

- Part No. 32734
 - EAN 4251269301513
 - Package quantity 1
 - Length 200 mm
 - Length L1 22 mm
 - Length L2 220 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M8
 - Cross-section 10 mm²
 - Current load 89 - 106A

- MB 16 C-T 200 M5+M6**

- Part No. 32776
 - EAN 4251269322105
 - Package quantity 1
 - Length 200 mm
 - Length L1 22 mm
 - Length L2 220 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M5/ M6
 - Cross-section 16 mm²
 - Current load 132 - 157 A

- MB 16 C-T 200 M6**

- Part No. 32764
 - EAN 4251269301643
 - Package quantity 1
 - Length 200 mm
 - Length L1 22 mm
 - Length L2 220 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M6
 - Cross-section 16 mm²
 - Current load 132 - 157 A

- MB 16 C-T 200 M6+M8**

- Part No. 32773
 - EAN 4251269301735
 - Package quantity 1
 - Length 200 mm
 - Length L1 22 mm
 - Length L2 220 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M6/ M8
 - Cross-section 16 mm²
 - Current load 132 - 157 A

- MB 16 C-T 200 M8**

- Part No. 32765
 - EAN 4251269301650
 - Package quantity 1
 - Length 200 mm
 - Length L1 22 mm
 - Length L2 220 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M8
 - Cross-section 16 mm²
 - Current load 132 - 157 A

- MB 25 C-T 200 M8**

- Part No. 32802
 - EAN 4251269301780
 - Package quantity 1
 - Length 250 mm
 - Length L1 22 mm
 - Length L2 223 mm
 - Width 21 mm
- Height 4 mm
 - Hole size M8
 - Cross-section 25 mm²
 - Current load 177 - 210 A

- MB 25 C-T 200 M10**

- Part No. 32803
 - EAN 4251269301797
 - Package quantity 1
 - Length 200 mm
 - Length L1 22 mm
 - Length L2 223 mm
 - Width 21 mm
- Height 4 mm
 - Hole size M10
 - Cross-section 25 mm²
 - Current load 177 - 210 A

- MB 35 C-T 200 M10**

- Part No. 32823
 - EAN 4251269322167
 - Package quantity 1
 - Length 200 mm
 - Length L1 25 mm
 - Length L2 227 mm
 - Width 26 mm
- Height 4,5 mm
 - Hole size M10
 - Cross-section 35 mm²
 - Current load 230 - 275 A

- MB 50 C-T 200 M10**

- Part No. 32848
 - EAN 4251269322204
 - Package quantity 1
 - Length 200 mm
 - Length L1 25 mm
 - Length L2 227 mm
 - Width 26 mm
- Height 5 mm
 - Hole size M10
 - Cross-section 50 mm²
 - Current load 280 - 350 A

MB 70 C-T 200 M10



- Part No. 32868
- EAN 4251269322235
- Package quantity 1
- Length 200 mm
- Length L1 25 mm
- Length L2 227 mm
- Width 26 mm
- Height 6,2 mm
- Hole size M10
- Cross-section 70 mm²
- Current load 338 - 403 A

MB 6 C-T 200 M4 GG



- Part No. 32707.800
- EAN 4251269338687
- Package quantity 10
- Length 200 mm
- Length L1 14 mm
- Length L2 213 mm
- Width 10 mm
- Height 2 mm
- Hole size M4
- Cross-section 6 mm²
- Current load 67 - 80 A

MB 6 C-T 200 M6 GG



- Part No. 32702.800
- EAN 4251269338694
- Package quantity 10
- Length 200 mm
- Length L1 14 mm
- Length L2 213 mm
- Width 10 mm
- Height 2 mm
- Hole size M6
- Cross-section 6 mm²
- Current load 67 - 80 A

MB 16 C-T 200 M6 GG



- Part No. 32764.800
- EAN 4251269338649
- Package quantity 10
- Length 200 mm
- Length L1 22 mm
- Length L2 220 mm
- Width 16 mm
- Height 3 mm
- Hole size M6
- Cross-section 16 mm²
- Current load 132 - 157 A

MB 16 C-T 200 M8 GG



- Part No. 32765.800
- EAN 4251269338656
- Package quantity 10
- Length 200 mm
- Length L1 22 mm
- Length L2 220 mm
- Width 16 mm
- Height 3 mm
- Hole size M8
- Cross-section 16 mm²
- Current load 132 - 157 A

MB 6 C-T 250 M6

- Part No. 32706
- EAN 4251269301469
- Package quantity 1
- Length 250 mm
- Length L1 14 mm
- Length L2 263 mm
- Width 10 mm
- Height 2 mm
- Hole size M6
- Cross-section 6 mm²
- Current load 67 - 80 A

MB 10 C-T 250 M6+M8	• Part No. 32742 • EAN 4251269301582 • Package quantity 1 • Length 250 mm • Length L1 22 mm • Length L2 260 mm • Width 16 mm • Height 3 mm • Hole size M6/ M8 • Cross-section 10 mm² • Current load 89 - 106 A
MB 16 C-T 250 M6+M8	• Part No. 32774 • EAN 4251269301742 • Package quantity 1 • Length 250 mm • Length L1 22 mm • Length L2 270 mm • Width 16 mm • Height 3 mm • Hole size M6/ M8 • Cross-section 16 mm² • Current load 132 - 157 A
MB 16 C-T 250 M8	• Part No. 32766 • EAN 4251269301667 • Package quantity 1 • Length 250 mm • Length L1 22 mm • Length L2 270 mm • Width 16 mm • Height 3 mm • Hole size M8 • Cross-section 16 mm² • Current load 132 - 157 A
MB 25 C-T 250 M8	• Part No. 32804 • EAN 4251269301803 • Package quantity 1 • Length 250 mm • Length L1 22 mm • Length L2 273 mm • Width 21 mm • Height 4 mm • Hole size M8 • Cross-section 25 mm² • Current load 177 - 210 A
MB 25 C-T 250 M10	• Part No. 32805 • EAN 4251269301810 • Package quantity 1 • Length 250 mm • Length L1 22 mm • Length L2 273 mm • Width 21 mm • Height 4 mm • Hole size M10 • Cross-section 25 mm² • Current load 177 - 210 A
MB 35 C-T 250 M10	• Part No. 32824 • EAN 4251269322174 • Package quantity 1 • Length 250 mm • Length L1 25 mm • Length L2 277 mm • Width 26 mm • Height 4,5 mm • Hole size M10 • Cross-section 35 mm² • Current load 230 - 275 A

MB 50 C-T 250 M10

- Part No. 32849
 - EAN 4251269322211
 - Package quantity 1
 - Length 250 mm
 - Length L1 25 mm
 - Length L2 277 mm
 - Width 16 mm
-
- Height 5 mm
 - Hole size M10
 - Cross-section 50 mm²
 - Current load 280 - 350 A

MB 16 C-T 250 M8 GG



- Part No. 32766.800
 - EAN 4251269338663
 - Package quantity 10
 - Length 250 mm
 - Length L1 22 mm
 - Length L2 270 mm
 - Width 16 mm
-
- Height 3 mm
 - Hole size M8
 - Cross-section 16 mm²
 - Current load 132 - 157 A

MB 6 C-T 300 M6

- Part No. 32703
 - EAN 4251269301438
 - Package quantity 1
 - Length 300 mm
 - Length L1 14 mm
 - Length L2 313 mm
 - Width 10 mm
-
- Height 2 mm
 - Hole size M6
 - Cross-section 6 mm²
 - Current load 67 - 80 A

MB 10 C-T 300 M6

- Part No. 32735
 - EAN 4251269301520
 - Package quantity 1
 - Length 300 mm
 - Length L1 22 mm
 - Length L2 320 mm
 - Width 16 mm
-
- Height 3 mm
 - Hole size M6
 - Cross-section 10 mm²
 - Current load 89 - 106 A

MB 10 C-T 300 M6+M8

- Part No. 32743
 - EAN 4251269301599
 - Package quantity 1
 - Length 300 mm
 - Length L1 22 mm
 - Length L2 320 mm
 - Width 16 mm
-
- Height 3 mm
 - Hole size M6/ M8
 - Cross-section 10 mm²
 - Current load 89 - 106 A

MB 10 C-T 300 M8

- Part No. 32736
 - EAN 4251269301537
 - Package quantity 1
 - Length 300 mm
 - Length L1 22 mm
 - Length L2 320 mm
 - Width 16 mm
-
- Height 3 mm
 - Hole size M8
 - Cross-section 10 mm²
 - Current load 89 - 106 A

- MB 16 C-T 300 M6**

- Part No. 32767
 - EAN 4251269301674
 - Package quantity 1
 - Length 300 mm
 - Length L1 22 mm
 - Length L2 320 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M6
 - Cross-section 16 mm²
 - Current load 132 - 157 A

- MB 16 C-T 300 M6+M8**

- Part No. 32775
 - EAN 4251269301759
 - Package quantity 1
 - Length 300 mm
 - Length L1 22 mm
 - Length L2 320 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M6/ M8
 - Cross-section 16 mm²
 - Current load 132 - 157 A

- MB 16 C-T 300 M8**

- Part No. 32768
 - EAN 4251269301681
 - Package quantity 1
 - Length 300 mm
 - Length L1 22 mm
 - Length L2 320 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M8
 - Cross-section 16 mm²
 - Current load 132 - 157 A

- MB 25 C-T 300 M6**

- Part No. 32816
 - EAN 4251269333187
 - Package quantity 1
 - Length 300 mm
 - Length L1 22 mm
 - Length L2 323 mm
 - Width 21 mm
- Height 4 mm
 - Hole size M6
 - Cross-section 25 mm²
 - Current load 177 - 210 A

- MB 25 C-T 300 M8**

- Part No. 32806
 - EAN 4251269301827
 - Package quantity 1
 - Length 300 mm
 - Length L1 22 mm
 - Length L2 323 mm
 - Width 21 mm
- Height 4 mm
 - Hole size M8
 - Cross-section 25 mm²
 - Current load 177 - 210 A

- MB 25 C-T 300 M8+M10**

- Part No. 32817
 - EAN 4251269333194
 - Package quantity 1
 - Length 300 mm
 - Length L1 22 mm
 - Length L2 323 mm
 - Width 21 mm
- Height 4 mm
 - Hole size M8/ M10
 - Cross-section 25 mm²
 - Current load 177 - 210 A

MB 25 C-T 300 M10

- Part No. 32807
 - EAN 4251269301834
 - Package quantity 1
 - Length 300 mm
 - Length L1 22 mm
 - Length L2 323 mm
 - Width 21 mm
-
- Height 4 mm
 - Hole size M10
 - Cross-section 25 mm²
 - Current load 177 - 210 A

MB 35 C-T 300 M10

- Part No. 32825
 - EAN 4251269322181
 - Package quantity 1
 - Length 300 mm
 - Length L1 25 mm
 - Length L2 327 mm
 - Width 26 mm
-
- Height 4,5 mm
 - Hole size M10
 - Cross-section 35 mm²
 - Current load 230 - 275 A

MB 50 C-T 300 M10

- Part No. 32850
 - EAN 4251269322228
 - Package quantity 1
 - Length 300 mm
 - Length L1 25 mm
 - Length L2 327 mm
 - Width 26 mm
-
- Height 5 mm
 - Hole size M10
 - Cross-section 50 mm²
 - Current load 280 - 350 A

MB 70 C-T 300 M10

- Part No. 32870
 - EAN 4251269322242
 - Package quantity 1
 - Length 300 mm
 - Length L1 25 mm
 - Length L2 327 mm
 - Width 26 mm
-
- Height 6,2 mm
 - Hole size M10
 - Cross-section 70 mm²
 - Current load 338 - 403 A

**MB 16 C-T 300 M6
GG**



- Part No. 32767.800
 - EAN 4251269338632
 - Package quantity 10
 - Length 300 mm
 - Length L1 22 mm
 - Length L2 320 mm
 - Width 16 mm
-
- Height 3 mm
 - Hole size M6
 - Cross-section 16 mm²
 - Current load 132 - 157 A

**MB 16 C-T 300 M8
GG**



- Part No. 32768.800
 - EAN 4251269338700
 - Package quantity 10
 - Length 300 mm
 - Length L1 22 mm
 - Length L2 320 mm
 - Width 16 mm
-
- Height 3 mm
 - Hole size M8
 - Cross-section 16 mm²
 - Current load 132 - 157 A

**MB 25 C-T 300 M8
GG**



- Part No. 32806.800
 - EAN 4251269338670
 - Package quantity 10
 - Length 300 mm
 - Length L1 22 mm
 - Length L2 323 mm
 - Width 21 mm
-
- Height 4 mm
 - Hole size M8
 - Cross-section 25 mm²
 - Current load 177 - 210 A

**MB 16 C-T 350
M5+M6**

- Part No. 32777
 - EAN 4251269322112
 - Package quantity 1
 - Length 350 mm
 - Length L1 22 mm
 - Length L2 370 mm
 - Width 16 mm
-
- Height 3 mm
 - Hole size M5/ M6
 - Cross-section 16 mm²
 - Current load 132 - 157

MB 16 C-T 350 M8

- Part No. 32769
 - EAN 4251269301698
 - Package quantity 1
 - Length 350 mm
 - Length L1 22 mm
 - Length L2 370 mm
 - Width 16 mm
-
- Height 3 mm
 - Hole size M8
 - Cross-section 16 mm²
 - Current load 132 - 157 A

MB 25 C-T 350 M10

- Part No. 32808
 - EAN 4251269301841
 - Package quantity 1
 - Length 350 mm
 - Length L1 22 mm
 - Length L2 373 mm
 - Width 21 mm
-
- Height 4 mm
 - Hole size M10
 - Cross-section 25 mm²
 - Current load 177 - 210 A

MB 6 C-T 400 M6

- Part No. 32704
 - EAN 4251269301445
 - Package quantity 1
 - Length 400 mm
 - Length L1 14 mm
 - Length L2 413 mm
 - Width 10 mm
-
- Height 2 mm
 - Hole size M6
 - Cross-section 6 mm²
 - Current load 67 - 80 A

MB 10 C-T 400 M4

- Part No. 32878
 - EAN 4251269324130
 - Package quantity 1
 - Length 400 mm
 - Length L1 22 mm
 - Length L2 420 mm
 - Width 16 mm
-
- Height 3 mm
 - Hole size M4
 - Cross-section 10 mm²
 - Current load 89 - 106 A

- MB 10 C-T 400 M6**

- Part No. 32737
 - EAN 4251269301544
 - Package quantity 1
 - Length 400 mm
 - Length L1 22 mm
 - Length L2 420 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M6
 - Cross-section 10 mm²
 - Current load 89 - 106 A

- MB 10 C-T 400 M8**

- Part No. 32738
 - EAN 4251269301551
 - Package quantity 1
 - Length 400 mm
 - Length L1 22 mm
 - Length L2 420 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M8
 - Cross-section 10 mm²
 - Current load 89 - 106 A

- MB 16 C-T 400 M6**

- Part No. 32873
 - EAN 4251269322129
 - Package quantity 1
 - Length 400 mm
 - Length L1 22 mm
 - Length L2 420 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M6
 - Cross-section 16 mm²
 - Current load 132 - 157 A

- MB 16 C-T 400 M8**

- Part No. 32770
 - EAN 4251269301704
 - Package quantity 1
 - Length 400 mm
 - Length L1 22 mm
 - Length L2 420 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M8
 - Cross-section 16 mm²
 - Current load 132 - 157 A

- MB 25 C-T 400 M8**

- Part No. 32809
 - EAN 4251269301858
 - Package quantity 1
 - Length 400 mm
 - Length L1 22 mm
 - Length L2 423 mm
 - Width 21 mm
- Height 4 mm
 - Hole size M8
 - Cross-section 25 mm²
 - Current load 177 - 210 A

- MB 35 C-T 400 M8**

- Part No. 32886
 - EAN 4251269335976
 - Package quantity 1
 - Length 400 mm
 - Length L1 22 mm
 - Length L2 423 mm
 - Width 26 mm
- Height 4,5 mm
 - Hole size M8
 - Cross-section 35 mm²
 - Current load 230 - 275 A

- MB 6 C-T 500 M6**

- Part No. 32705
 - EAN 4251269301452
 - Package quantity 1
 - Length 500 mm
 - Length L1 14 mm
 - Length L2 513 mm
 - Width 10 mm
- Height 2 mm
 - Hole size M6
 - Cross-section 6 mm²
 - Current load 67 - 80 A

- MB 10 C-T 500 M6**

- Part No. 32739
 - EAN 4251269301568
 - Package quantity 1
 - Length 500 mm
 - Length L1 22 mm
 - Length L2 520 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M6
 - Cross-section 10 mm²
 - Current load 89 - 106 A

- MB 16 C-T 500 M8**

- Part No. 32771
 - EAN 4251269301711
 - Package quantity 1
 - Length 500 mm
 - Length L1 22 mm
 - Length L2 520 mm
 - Width 16 mm
- Height 3 mm
 - Hole size M8
 - Cross-section 16 mm²
 - Current load 132 - 157 A

- MB 25 C-T 500 M8**

- Part No. 32810
 - EAN 4251269301865
 - Package quantity 1
 - Length 500 mm
 - Length L1 22 mm
 - Length L2 523 mm
 - Width 21 mm
- Height 4 mm
 - Hole size M8
 - Cross-section 25 mm²
 - Current load 177 - 210 A

- MB 25 C-T 500 M10**

- Part No. 32812
 - EAN 4251269322143
 - Package quantity 1
 - Length 500 mm
 - Length L1 22 mm
 - Length L2 523 mm
 - Width 21 mm
- Height 4 mm
 - Hole size M10
 - Cross-section 25 mm²
 - Current load 177 - 210 A

- MB 70 C-T 500 M10**

- Part No. 32872
 - EAN 4251269322259
 - Package quantity 1
 - Length 500 mm
 - Length L1 25 mm
 - Length L2 527 mm
 - Width 26 mm
- Height 6,2 mm
 - Hole size M10
 - Cross-section 70 mm²
 - Current load 338 - 403 A

MB 16 C-T 600 M8

- Part No. 32772
 - EAN 4251269301728
 - Package quantity 1
 - Length 600 mm
 - Length L1 22 mm
 - Length L2 620 mm
 - Width 16 mm
-
- Height 3 mm
 - Hole size M8
 - Cross-section 16 mm²
 - Current load 132 - 157 A

MB 25 C-T 600 M8

- Part No. 32811
 - EAN 4251269301872
 - Package quantity 1
 - Length 600 mm
 - Length L1 22 mm
 - Length L2 623 mm
 - Width 21 mm
-
- Height 4 mm
 - Hole size M8
 - Cross-section 25 mm²
 - Current load 177 - 210 A

MB 25 C-T 800 M8

- Part No. 32815
 - EAN 4251269322150
 - Package quantity 1
 - Length 800 mm
 - Length L1 22 mm
 - Length L2 823 mm
 - Width 21 mm
-
- Height 4 mm
 - Hole size M8
 - Cross-section 25 mm²
 - Current load 177 - 210 A

MB 16 C-T 1000 M8

- Part No. 32778
 - EAN
 - Package quantity 1
 - Length 1.000 mm
 - Length L1 22 mm
 - Length L2 823 mm
 - Width 21 mm
-
- Height 4 mm
 - Hole size M8
 - Cross-section 16 mm²
 - Current load 132 - 157 A

