

CONFIX™ WS | 1000 00 0000



RoHS
compliant

REACH
COMPLIANCE

Made in
Germany

	1000000 0000000
	UL94-HB
	-40 C° to 120 C°
	UV- ☐ , high resistance against acids/alkalis, ☐

1000 00 0000

1000 00 0000 0000 0000 0000 0000 0000 0000.

icotek 1000 00 (NW 7.5, 8.5, 10, 13, 17, 23, 29, 37, 50) 1000 000000. NW 13 1000 00 00
CONFIX™ FWS 1000 0000 0000 0000 0000 0000.

1000 00 0000 0 007+ 00000.

CONFIX™ WS-PA: 1000 0000 0000 000000 0000 (000 0, 00, 00000, 00, 00000 0 0000 0000 0)

CONFIX™ WS-PAL (light): 1000 0000 0000 000000 0000 (000 0, 00, 00000, 00, 00000 0 0000 00 0000 00)

CONFIX™ WS-PP: 00000000 0000 (000 0, 00, 00000 0 00000 0000 0000)

1000 0 000

- CONFIX™ WS-PA: 1000 0000 000
- CONFIX™ WS-PA(L): 1000 000000 000 000 000
- CONFIX™ WS-PP: 1000 000 000 UL94-V2
- CONFIX™ WS-PP: 000, 000000 000 000 0 0000000 000 000 000

	EAN	31570 42512693005 30 1 50.000 mm	1000 0000	6,7 mm
	1000 0000	NW 7.5 10 mm		



	31550	□□ □□□	6,7 mm
EAN	42512693004		
	48		
	1		
	50.000 mm		
	□□(RAL 7011)		
	NW 7.5		
□□ □□□	10 mm		



	31572	□□ □□□	8,4 mm
EAN	42512693005		
	47		
	1		
	50.000 mm		
	NW 8.5		
□□ □□□	11,4 mm		



	31552	□□ □□□	8,4 mm
EAN	42512693004		
	55		
	1		
	50.000 mm		
	□□(RAL 7011)		
	NW 8.5		
□□ □□□	11,4 mm		



EAN	31574	00 000	9,9 mm
	42512693005	00 00 CONFIX™	31300
	54	SH	
	1		
	50.000 mm		
00 000	NW 10		
	13 mm		



EAN	31554	00 000	9,9 mm
	42512693004	00 00 CONFIX™	31300
	62	SH	
	1		
	50.000 mm		
00 000	00(RAL 7011)		
	NW 10		
	13 mm		



EAN	31576	00 000	12,7 mm
	42512693005	00 00 CONFIX™	31410
	61	FWS	
	1		
	50.000 mm		
00 000	NW 13		
	15,8 mm		



EAN	31556	Ø 12,7 mm	12,7 mm
	42512693004	Ø 12,7 mm CONFIX™	31411
	79	FWS	
	1		
	50.000 mm		
Ø 12,7 mm	Ø (RAL 7011)		
	NW 13		
	15,8 mm		



EAN	31578	Ø 16,6 mm	16,6 mm
	42512693005	Ø 16,6 mm CONFIX™	31413
	78	FWS	
	1	Ø 16,6 mm CONFIX™	31315 (NW
	50.000 mm	SH	16)
Ø 16,6 mm	NW 17		
	21,2 mm		



EAN	31558	Ø 16,6 mm	16,6 mm
	42512693004	Ø 16,6 mm CONFIX™	31414
	86	FWS	
	1	Ø 16,6 mm CONFIX™	31315 (NW
	50.000 mm	SH	16)
Ø 16,6 mm	Ø (RAL 7011)		
	NW 17		
	21,2 mm		



EAN	31580	□□ □□□	23,2 mm
	42512693005	□□ □□ CONFIX™	31416
	85	FWS	
	1		
	50.000 mm		
□□ □□□	NW 23		
	28,3 mm		



EAN	31560	□□ □□□	23,2 mm
	42512693004	□□ □□ CONFIX™	31417
	93	FWS	
	1		
	50.000 mm		
□□ □□□	□□(RAL 7011)		
	NW 23		
	28,3 mm		



EAN	31582	□□ □□□	29 mm
	42512693005	□□ □□ CONFIX™	31419
	92	FWS	
	1	□□ □□ CONFIX™	31335
	25.000 mm	SH	
□□ □□□	NW 29		
	34,5 mm		



EAN **31562** **42512693005** **09** **1** **25.000 mm** **(RAL 7011)** **NW 29**

34,5 mm

31420 **31335**

29 mm **36 mm**

CONFIX™ **CONFIX™**

FWS **SH**



EAN **31584** **42512693006** **08** **1** **25.000 mm**

NW 37 **42,4 mm**

31422 **31340**

36 mm **36 mm**

CONFIX™ **CONFIX™**

FWS **SH**



EAN **31564** **42512693005** **16** **1** **25.000 mm** **(RAL 7011)** **NW 37**

42,4 mm

31423 **31340**

36 mm **36 mm**

CONFIX™ **CONFIX™**

FWS **SH**



EAN	31586	□□ □□□	47,7 mm
	42512693006	□□ □□ CONFIX™	31425
	15	FWS	
	1	□□ □□ CONFIX™	31350 (NW
	25.000 mm	SH	45)
		NW 50	
□□ □□□		54,5 mm	



EAN	31566	□□ □□□	47,7 mm
	42512693005	□□ □□ CONFIX™	31426
	23	FWS	
	1	□□ □□ CONFIX™	31350 (NW
	25.000 mm	SH	45)
		□□(RAL 7011)	
		NW 50	
□□ □□□		54,5 mm	



EAN	31590	□□ □□□	6,7 mm
	42512693006		
	22		
	1		
	50.000 mm		
		NW 7.5	
□□ □□□		10 mm	



EAN	31598	□□ □□□	16,6 mm
	42512693006	□□ □□ CONFIX™	31413
	60	FWS	
	1	□□ □□ CONFIX™	31315 (NW
	50.000 mm	SH	16)
	NW 17		
□□ □□□	21,2 mm		



EAN	31600	□□ □□□	23,2 mm
	42512693006	□□ □□ CONFIX™	31416
	77	FWS	
	1		
	50.000 mm		
	NW 23		
□□ □□□	28,3 mm		



EAN	31602	□□ □□□	29 mm
	42512693006	□□ □□ CONFIX™	31419
	84	FWS	
	1	□□ □□ CONFIX™	31335
	25.000 mm	SH	
	NW 29		
□□ □□□	34,5 mm		



EAN	31604	□□ □□□	36 mm
	42512693006	□□ □□ CONFIX™	31422
	91	FWS	
	1	□□ □□ CONFIX™	31340
	25.000 mm	SH	
	NW 37		
□□ □□□	42,4 mm		



EAN	31606	□□ □□□	47,7 mm
	42512693007	□□ □□ CONFIX™	31425
	07	FWS	
	1	□□ □□ CONFIX™	31350 (NW
	25.000 mm	SH	45)
	NW 50		
□□ □□□	54,4 mm		



EAN	31610	□□ □□□	7,1 mm
	42512693007		
	14		
	1		
	50.000 mm		
	NW 7.5		
□□ □□□	10 mm		



	31612	□□ □□□	8,4 mm
EAN	42512693007		
	21		
	1		
	50.000 mm		
	NW 8.5		
□□ □□□	11,4 mm		



	31614	□□ □□□	9,9 mm
EAN	42512693007	□□ □□ CONFIX™	31300
	38	SH	
	1		
	50.000 mm		
	NW 10		
□□ □□□	13 mm		



	31616	□□ □□□	12,7 mm
EAN	42512693007	□□ □□ CONFIX™	31410
	45	FWS	
	1		
	50.000 mm		
	NW 13		
□□ □□□	15,8 mm		



EAN

31624 00 000 **36 mm**
42512693007 00 00 CONFIX™ **31422**
83 FWS
1 00 00 CONFIX™ **31340**
25.000 mm SH

00 000

NW 37
42,4 mm



EAN

31626 00 000 **47,7 mm**
42512693007 00 00 CONFIX™ **31425**
90 FWS
1 00 00 CONFIX™ **31350 (NW**
25.000 mm SH **45)**

00 000

NW 50
54,5 mm