

CONFIX™ WST |



CONFIX™ WST가 가 0 0 0 0 0 0 0 0 0 0. 가 0 0 0 0 0 0 0 0 0 0.

KVT-W90 □ □□□□, □□ □□□ □□□□□. □□□ □□□ □□ □□□□ □□ □□□ □□□ □□□ □□□ □□□□□.

CONFIX™ WST□ □□□ □□□ 가□□□□.

□□ □□ □□:

$\Delta x = 1.500 \text{ mm} \rightarrow \Delta x^2 = 31200.01500$

□□ □□□□ □□ □□□ □□□□□.

☐ ☐ ☐ ☐ ☐

■ □□□ □□□□ □□ □□

	□□□□□□
	-30 C° to 105 C°
	UV-□□

□□ □□ □ □□



	31200.xxxxx
EAN	1
	NW 10
□□ □□□	13,6 mm
□□ □□□	8,7 mm
□□ □□ (□□)	25 mm



EAN

31210.xxxxx

CONFIX™

31410,

1

NW 14

18,5 mm

12,5 mm

35 mm

FWS

31411



EAN

31215.xxxxx

CONFIX™

31413,

1

NW 16

21,5 mm

16 mm

40 mm

FWS

31414



EAN

31220.xxxxx

1

NW 20

25,5 mm

19,5 mm

45 mm



EAN

31230.xxxxx

00 00 CONFIX™

31416,
31417

1

NW 23

31 mm

24,2 mm

50 mm



EAN

31235.xxxxx

00 00 CONFIX™

31419,
31420

1

NW 29

35,5 mm

27,3 mm

90 mm



EAN

31240.xxxxx

00 00 CONFIX™

31422,
31423

1

NW 37

41,4 mm

31 mm

110 mm



EAN

□□ □□
□□ □□
□□ □□ (□□)

31250.xxxxx □□ □□ CONFIX™ **31425,**
FWS **31426**

1
NW 45
54 mm
42,7 mm
130 mm



EAN

□□ □□
□□ □□
□□ □□ (□□)

31260.xxxxx

1
NW 70
79,8 mm
66,5 mm
190 mm