


KEL-EMC-PF 0000 00000 0000

00 00 000 0000



PFS|SKL (EMC 00000-00000)은 EMC 0000 KEL 000 000 000 000 00000.

EMC 0000 000 000 0000 000. M5 0000 KEL-EMC-PF bracket을 00000.

000 000 00 PFS|SKL EMC 00000가 EMC bracket을 00000.




		0000 0
00 00		00 000

00 0 00

- 000 00000 00/000 00 00 0000 00
- 000 000 00 0000 000 00, 00, 000 00 00
- 00000 00 PE 000 M5 0
- 00000 00 000 00 000 가
- 000 000 00 000 00 가00 000
- EMC 000 0000 000 0 000, 000가 000 0000 00 00 가

00 00 0 00




EAN


00 L1
00 L2

00 :


39180
4251269305993
1
140 mm
130 mm
35 mm
KEL-ER 24, KEL-ER-E5, KEL
24, KEL-E5, KEL-U 24, KEL-
FG-E5, KEL-FA 24, KEL-QUICK
24, KEL-QUICK-E5, KEL-BES
24, KEL-BES-S 24, KEL-DPZ
24, KEL-DPZ-E, KEL-DPU 24,
KEL-DPR 24, KEL-DPFR 24




EAN	39170 4251269305986
	1
□□ L1	113 mm
□□ L2	103 mm
	35 mm
□□ :	KEL-ER 16, KEL-ER-E4, KEL 16, KEL-E4, KEL-U 16, KEL-FA 16, KEL-QUICK 16, KEL-QUICK-E4, KEL-BES 16, KEL-BES-S 16, KEL-DPZ 16, KEL-DPFR 16




EAN	39160 4251269305979
	1
□□ L1	93 mm
□□ L2	83 mm
	35 mm
□□ :	KEL-ER 10, KEL-ER-E3, KEL 10, KEL-E3, KEL-U 10, KEL-FG-E3, KEL-FA 10, MIS-E3 2, KEL-QUICK 10, KEL-QUICK-E3, KEL-BES 10, KEL-BES-S 10



EAN	39150 4251269305962
	1
□□ L1	68 mm
□□ L2	58 mm
	35 mm
□□ :	KEL-ER-B, KEL-ER-E2, KEL-B, KEL-E2, KEL-U-B, KEL-FG-E2, KEL-QUICK-B, KEL-QUICK-E2, KEL-DPZ-B



EAN	39190 4251269318313
	1
□□ L1	200 mm
□□ L2	95 mm
	35 mm
□□ :	KEL 183, KEL 183-E




EAN

L1
L2

:

39181
4251269318368
1
140 mm
130 mm
60 mm
KEL-ER 24, KEL 24, KEL-U 24,
KEL-FA 24, KEL-QUICK 24,
KEL-BES 24, KEL-BES-S 24,
KEL-DPZ 24, KEL-DPU 24,
KEL-DPR 24, KEL-DPFR 24




EAN

L1
L2

:

39183
4251269318344
1
113 mm
103 mm
60 mm
KEL-ER 16, KEL 16, KEL-U 16,
KEL-FA 16, KEL-QUICK 16,
KEL-BES 16, KEL-BES-S 16,
KEL-DPZ 16, KEL-DPFR 16




EAN

L1
L2

:

39184
4251269318351
1
93 mm
83 mm
60 mm
KEL-ER 10, KEL 10, KEL-U 10,
KEL-FA 10, KEL-QUICK 10,
KEL-BES 10, KEL-BES-S 10




EAN

L2

39191
4251269321528
1
140 mm
130 mm
60 mm
2

:

5,5 mm
KDR-ESR-VX25, KDR-VX25



EAN

L2

39192
4251269321535
1
113 mm
103 mm
60 mm
2

:

5,5 mm
KDR-ESR-VX25, KDR-VX25

