


KEL-SNAP | 24mm 24mm

24mm 24mm 24mm 24mm 24mm 24mm / IP54 / UL Type 12*



KEL-SNAP 24mm 24mm KEL 24mm 24mm 24mm 가하하하하.

24mm 24mm 24mm KEL-SNAP 24mm 24mm, 24mm 24mm 24mm KEL-SNAP SNAP 24mm 24mm 24mm

24mm(Cut-out) 24mm 36mm 46mm 24mm 24mm 가하하하하.

* KEL-SNAP-S 24mm KEL-SNAP 24-E / KEL-SNAP 24-MT 24mm

IP54

RoHS compliant

UL TYPE 12

REACH COMPLIANCE

CULUS

Made in Germany

H13 EN 45545-2

EN 61373

ECOLAB certified

IP 24mm (EN 60529)	IP54
UL Type (UL 50E)	UL Type 12
	24mm 24mm
	UL94-V0, 24mm 24mm
	-40 C° to 140 C°
	24mm 24mm, 24mm 24mm
24mm 24mm	24mm 24mm
24mm 24mm	38 mm


24mm 24mm

- KEL 24mm 24mm 24mm 24mm 24mm 24mm
- KEL 24mm 24mm 24mm 24mm(KEL-SNAP-B 24mm)
- 가하하하하
- 24mm 24mm KEL-SNAP 24mm 24mm 24mm

24mm 24mm 24mm

	EAN	42042 4251269307652 10 155 mm 64 mm 38 mm 38 mm	24mm 24mm 24mm 24mm 24mm 24mm 24mm : 24mm 24mm	112 × 46 mm 4 5,5 mm KEL 24, KEL-U 24, KEL-QUICK 24, KEL-FA 24, KEL-FG-A
--	-----	---	--	--

	EAN 00 00	42044 4251269307669 1 155 mm 89 mm 38 mm 38 mm	 00 000 00 0 0 000 00 00 : 00 0 00	112 × 66 mm 4 5,5 mm KEL 24-E
	EAN 00 00	42046 4251269307676 1 155 mm 108 mm 38 mm 38 mm	 00 000 00 0 0 000 00 00 : 00 0 00	112 × 82 mm 6 5,5 mm KEL 24-MT
	EAN 00 00	42040 4251269307645 10 128 mm 64 mm 38 mm 38 mm	 00 000 00 0 0 000 00 00 : 00 0 00	86 × 36 mm 4 5,5 mm KEL 16, KEL-U 16, KEL-FA 16, KEL-QUICK 16
	EAN 00 00	42039 4251269307638 10 108 mm 64 mm 38 mm 38 mm	 00 000 00 0 0 000 00 00 : 00 0 00	65 × 36 mm 4 5,5 mm KEL 10, KEL-U 10, KEL-FA 10, KEL-QUICK 10
	EAN 00 00	42038 4251269307621 10 81 mm 64 mm 38 mm 38 mm	 00 000 00 0 0 000 00 00 : 00 0 00	38 × 46 mm 4 5,5 mm KEL-B, KEL-U-B, KEL-QUICK-B
	EAN 00 00	42060 4251269323720 10 155 mm 64 mm 38 mm 38 mm	 00 000 00 0 0 000 00 00 : 00 0 00	112 × 46 mm 4 5,5 mm KEL 24, KEL-U 24, KEL-QUICK 24, KEL-FA 24, KEL-FG-A
	EAN 00 00	42061 4251269323737 10 128 mm 64 mm 38 mm 38 mm	 00 000 00 0 0 000 00 00 : 00 0 00	86 × 36 mm 4 5,5 mm KEL 16, KEL-U 16, KEL-FA 16, KEL-QUICK 16



EAN


00 00

42062
4251269323744
10
108 mm
64 mm
38 mm
38 mm

00 000
00 0 0
000 00
00 :

00 0 00

65 × 36 mm
4
5,5 mm
KEL 10, KEL-U 10, KEL-FA 10,
KEL-QUICK 10



EAN

00 00

42063
4251269323751
10
81 mm
64 mm
38 mm
38 mm

00 000
00 0 0
000 00
00 :
00 0 00

38 × 46 mm
4
5,5 mm
KEL-B, KEL-U-B, KEL-QUICK-B