





□□□ □□ 2.5 - 33 mm□ / IP54 / UL Type 12






KTMB 0000 0000 0000 000가 00 0000000 00 가0000.

■ 000가 00 00 0000 00
■ 00 00

IP 等级 (EN 60529)	IP54
UL Type (UL 50E)	UL Type 12
	□□□□□
	UL94-V0, □□□□□
	-40 C° to 100 C°
	□□□ □□, □□□□□

□□ □□ □ □□

	EAN □□□ □	41432 4251269307188 10 1 □□(RAL 7035□ □□) 21 mm 21 mm	□□ □□ □□□ □□ □□□ □□ □ □□□ □□ □	19 mm 2 mm □□ □□□ 2,5 - 6,5 mm 1 x 2.5 - 6.5 mm
	EAN □□□ □	41434 4251269307195 10 1 □□(RAL 7035□ □□) 21 mm 21 mm	□□ □□ □□□ □□ □□□ □□ □ □□□ □□ □	19 mm 2 mm □□ □□□ 4 - 7,5 mm 1 x 4 - 7.5 mm




EAN
□□□ □

41436
4251269307201
10
1
□□(RAL 7035□ □)
21 mm
21 mm

□□ □□
□□□ □□
□□□ □□ □
□□□ □□ □

19 mm
2 mm
□□ □□□
6,5 - 10 mm
1 x 6.5 - 10 mm




EAN
□□□ □

41438
4251269307218
10
1
□□(RAL 7035□ □)
21 mm
21 mm

□□ □□
□□□ □□
□□□ □□ □
□□□ □□ □

19 mm
2 mm
□□ □□□
9,5 - 13 mm
1 x 9.5 - 13 mm




EAN
□□□ □

41440
4251269307225
10
1
□□(RAL 7035□ □)
21 mm
21 mm

□□ □□
□□□ □□
□□□ □□ □
□□□ □□ □

19 mm
2 mm
□□ □□□
13 - 16 mm
1 x 13 - 16 mm




EAN
□□□ □

41460
4251269307232
10
1
□□(RAL 7035□ □)
41,5 mm
40,5 mm

□□ □□
□□□ □□
□□□ □□ □
□□□ □□ □

19 mm
2 mm
□□ □□□
13 - 18 mm
1 x 13 - 18 mm




EAN
□□□ □

41465
4251269307249
10
1
□□(RAL 7035□ □)
41,5 mm
40,5 mm

□□ □□
□□□ □□
□□□ □□ □
□□□ □□ □

19 mm
2 mm
□□ □□□
18 - 23 mm
1 x 18 - 23 mm




EAN
□□□ □

41470
4251269307256
10
1
□□(RAL 7035□ □)
41,5 mm
40,5 mm

□□ □□
□□□ □□
□□□ □□ □
□□□ □□ □

19 mm
2 mm
□□ □□□
23 - 28 mm
1 x 23 - 28 mm




EAN
□□□ □

41475
4251269307263
10
1
□□(RAL 7035□ □)
41,5 mm
40,5 mm

□□ □□
□□□ □□
□□□ □□ □
□□□ □□ □

19 mm
2 mm
□□ □□□
28 - 33 mm
1 x 28 - 33 mm



EAN

□□□ □

41480
4251269307270
10
2
□□(RAL 7035□ □□)
41,5 mm
40,5 mm

□□ □□
□□□ □□
□□□ □□ □
□□□ □□ □

19 mm
2 mm
□□ □□□
2× 13 - 18 mm
2 x 13 - 18 mm