


Rittal TS 8 & Rittal VX25 □□□□□ / IP54




KDR 2 000 00 VX25 / TS 8 000000 000000. 00 000 00 0 00 가0000.

- 000000 00 0000 0000 0000 0000 0 000
- 0 00000 00000 00 0000 0 000
- 00 00 가자
- 0가자00 00 0000 00 00
- 00000 0 00 0 00000 00000 BPM000 00 0 00


EAN	44400	□□□□ □□	600 mm
	4251269320	□□ □□□ □□	452 mm
	262	□□ :	3 × KEL 24
	1	□□□□□ □□	Rittal VX25
	488 mm		
	100 mm		
	12 mm		
	488 mm		



EAN	44401	□□□□ □□	600 mm
	4251269320	□□ □□□ □□	452 mm
	279	□□ :	2 × KEL 24, 1
	1		× KEL-JUMBO
	488 mm		1
	120 mm	□□□□□ □□	Rittal VX25
	12 mm		
	488 mm		



EAN	44402	□□□□ □□	600 mm
	4251269320	□□ □□□ □□	452 mm
	286	□□ :	1 × KEL 24, 1
	1		× KEL-JUMBO
	488 mm		2
	120 mm	□□□□□ □□	Rittal VX25
	12 mm		
	488 mm		



EAN

44403

4251269320

293

1

688 mm

100 mm

12 mm

688 mm

□□□□ □□

□□ □□□ □□

□□ :


□□□□□ □□

800 mm

652 mm

4 × KEL 24

Rittal VX25



EAN

44404

4251269320

309

1

688 mm

120 mm

12 mm

688 mm

□□□□ □□

□□ □□□ □□

□□ :

□□□□□ □□


800 mm

652 mm

3 × KEL 24, 1 × KEL-JUMBO

1

Rittal VX25



EAN

44405

4251269320

316

1

688 mm

120 mm

12 mm

688 mm

□□□□ □□

□□ □□□ □□

□□ :

□□□□□ □□


800 mm

652 mm

2 × KEL 24, 1 × KEL-JUMBO

2

Rittal VX25



EAN

44406

4251269320

323

1

438 mm

100 mm

12 mm

438 mm

□□□□ □□

□□ □□□ □□

□□ :


□□□□□ □□

1.000 mm

402 mm

2 × KEL 24

Rittal VX25



EAN

44407

4251269320

330

1

438 mm

120 mm

12 mm

438 mm

□□□□ □□

□□ □□□ □□

□□ :

□□□□□ □□


1.000 mm

402 mm

1 × KEL 24, 1 × KEL-JUMBO

1

Rittal VX25



EAN

44408

4251269320

347

1

438 mm

120 mm

12 mm

438 mm

□□□□ □□

□□ □□□ □□

□□ :

□□□□□ □□

1.000 mm

402 mm

1 × KEL 24, 1 × KEL-JUMBO

2

Rittal VX25



EAN

44409

4251269320

354

1

538 mm

100 mm

12 mm

538 mm

□□□□ □□

□□ □□□ □□

□□ :


□□□□□ □□

1.200 mm

502 mm

3 × KEL 24

Rittal VX25



EAN

44410

4251269320

361

1

538 mm

120 mm

12 mm

538 mm

□□□□ □□

□□ □□□ □□

□□ :

□□□□□ □□

1.200 mm

502 mm

2 × KEL 24, 1 × KEL-JUMBO

1

Rittal VX25



EAN

44411

4251269320

378

1

538 mm

120 mm

12 mm

538 mm

□□□□ □□

□□ □□□ □□

□□ :

□□□□□ □□


1.200 mm

502 mm

1 × KEL 24, 1 × KEL-JUMBO

2

Rittal VX25




EAN

42924
4251269309
397
1
458 mm
100 mm
12 mm
458 mm

□□□□ □□
□□ □□□ □□
□□ :
□□□□□ □□

600 mm
435 mm
3 × KEL 24
Rittal TS 8




EAN

42922
4251269309
373
1
658 mm
100 mm
12 mm
658 mm

□□□□ □□
□□ □□□ □□
□□ :
□□□□□ □□

800 mm
635 mm
4 × KEL 24
Rittal TS 8



EAN

42958
4251269309
496
1
420 mm
148,5 mm
12 mm
420 mm


□□□□ □□
□□ □□□ □□
□□ :
□□□□□ □□

1.000 mm
398 mm
2 × KEL 24
Rittal TS 8



EAN

42920	□□□□ □□	1.200 mm
4251269309	□□ □□□ □□	495 mm
366	□□ :	3 × KEL 24
1	□□□□□ □□	Rittal TS 8
518 mm		
100 mm		
12 mm		
518 mm		



EAN

42956	□□□□ □□	1.200 mm
4251269309	□□ □□□ □□	495 mm
472	□□ :	2 × KEL 24, 1
1		× KEL-JUMBO
518 mm		1
148,5 mm	□□□□□ □□	Rittal TS 8
12 mm		
518 mm		

icotek[®]
smart cable management