

KDR-VX25 | 0000 00000

Rittal VX25 00000 / IP54



KDR-VX25 0000 0000 0000 **KEL-U / KEL-FA / KEL-QUICK / KEL-DPR / KEL-JUMBO** 000 000 0000 000 00 0000 0000.

KEL 000 000 00 0000 **BPM / BPK** 00000000000 0 00.

KDR-VX25 000 00000 Rittal VX25 00000000 00. 00 0 00 000 00 가.

- IP54
- HL3
EN 45545-2
- RoHS
compliant
- REACH
COMPLIANCE
- Made in
Germany


IP 0000 (EN 60529)	IP54
	000 0000:0
	UL94-V0, 00000
	000 00, 00000
00 00	00 000








00 0 00

- KEL-U / KEL-FA / KEL-QUICK / KEL-DPR / KEL-JUMBO 000 00
- 000 KDR-EMC-PFM 00
- 00 0000 00 000 000 00 가
- 0000 0 000 00
- 00 000 000
- 0가 00 00 000
- 00 0 0000 00 000 0 00

00 00 0 00

	EAN	44300 4251269336430 1 488 mm 100 mm 12 mm 488 mm	0000 00 00 000 00 00 : 00000 00	600 mm 452 mm 2 × KEL-U 24 / KEL-FA 24 / KEL-QUICK 24 / KEL-DPR 24 Rittal VX25
--	-----	---	--	---

	EAN	44301 4251269336447 1 488 mm 120 mm 12 mm 488 mm	0000 00 00 000 00 00 : 00000 00	600 mm 452 mm 1 × KEL-JUMBO 2 1 × KEL-U 24 / KEL-FA 24 / KEL-QUICK 24 / KEL-DPR 24 Rittal VX25
--	-----	---	--	---

	EAN	44302 4251269336454 1 488 mm 120 mm 12 mm 488 mm	□□□□ □□ □□ □□□ □□ □□ : □□□□□ □□	600 mm 452 mm 1 × KEL-JUMBO 1 2 × KEL-U 24 / KEL-FA 24 / KEL-QUICK 24 / KEL-DPR 24 Rittal VX25
	EAN	44303 4251269336461 1 688 mm 100 mm 12 mm 688 mm	□□□□ □□ □□ □□□ □□ □□ : □□□□□ □□	800 mm 652 mm 4 × KEL-U 24 / KEL-FA 24 / KEL-QUICK 24 / KEL-DPR 24 Rittal VX25
	EAN	44304 4251269336478 1 688 mm 120 mm 12 mm 688 mm	□□□□ □□ □□ □□□ □□ □□ : □□□□□ □□	800 mm 652 mm 1 × KEL-JUMBO 1 3 × KEL-U 24 / KEL-FA 24 / KEL-QUICK 24 / KEL-DPR 24 Rittal VX25
	EAN	44305 4251269336485 1 688 mm 120 mm 12 mm 688 mm	□□□□ □□ □□ □□□ □□ □□ : □□□□□ □□	800 mm 652 mm 1 × KEL-JUMBO 2 2 × KEL-U 24 / KEL-FA 24 / KEL-QUICK 24 / KEL-DPR 24 Rittal VX25
	EAN	44306 4251269336492 1 438 mm 100 mm 12 mm 438 mm	□□□□ □□ □□ □□□ □□ □□ : □□□□□ □□	1.000 mm 402 mm 2 × KEL-U 24 / KEL-FA 24 / KEL-QUICK 24 / KEL-DPR 24 Rittal VX25
	EAN	44307 4251269336508 1 438 mm 120 mm 12 mm 438 mm	□□□□ □□ □□ □□□ □□ □□ : □□□□□ □□	1.000 mm 402 mm 1 × KEL-JUMBO 1 1 × KEL-U 24 / KEL-FA 24 / KEL-QUICK 24 / KEL-DPR 24 Rittal VX25
	EAN	44308 4251269336515 1 438 mm 120 mm 12 mm 438 mm	□□□□ □□ □□ □□□ □□ □□ : □□□□□ □□	1.000 mm 402 mm 1 × KEL-JUMBO 2 1 × KEL-U 24 / KEL-FA 24 / KEL-QUICK 24 / KEL-DPR 24 Rittal VX25

	EAN	44309	□□□□ □□	1.200 mm
		4251269336522	□□ □□□ □□	502 mm
		1	□□ :	3 × KEL-U 24 / KEL-FA 24 /
		538 mm		KEL-QUICK 24 / KEL-DPR 24
		100 mm	□□□□□ □□	Rittal VX25
		12 mm		
		538 mm		

	EAN	44310	□□□□ □□	1.200 mm
		4251269336539	□□ □□□ □□	502 mm
		1	□□ :	1 × KEL-JUMBO 1 2 × KEL-U
		538 mm		24 / KEL-FA 24 / KEL-QUICK 24
		120 mm		/ KEL-DPR 24
		12 mm	□□□□□ □□	Rittal VX25
		538 mm		

	EAN	44311	□□□□ □□	1.200 mm
		4251269336546	□□ □□□ □□	502 mm
		1	□□ :	1 × KEL-JUMBO 2 1 × KEL-U
		538 mm		24 / KEL-FA 24 / KEL-QUICK 24
		120 mm		/ KEL-DPR 24
		12 mm	□□□□□ □□	Rittal VX25
		538 mm		