



MB aardlitzten

gemaakt van flexibele E-Cu gevlochten draden met aansluitogen



ccnederland [Bestel direct online @ CC Nederland »](#)

 **Voor aanvragen uit België [klik hier »](#)**

Manufactured with highly flexible E-Cu stranded wires with connecting end pads made of tinned copper strips.

The minimum transition and connecting resistance makes them perfectly suitable for use as earthing tapes.

Earthing Tapes are available with M4, M5, M6, M8 or M10 connections and in some sizes with both connection sizes combined.

The earthing tapes are also available with green and yellow shrink sleeve. This provides clear visual colour identification.

UL Product iQ: [Download PDF](#)

Cross-section	Current load
6 mm²	67 – 80 A
10 mm²	89 – 106 A
16 mm²	132 – 157 A
25 mm²	177 – 210 A
35 mm²	230 – 275 A
50 mm²	280 – 350 A
70 mm²	338 – 403 A

Specificaties

Materiaal Cu-ETP
 Krimpkous: Polyolefin

Montage type Schroefbevestiging

Voordelen

- Verkrijgbaar in verschillende lengtes en doorsneden
- Lage impedanties
- UL listed

Producttypes en maten

- Art.nr. 32695
 - EAN 4251269324253
 - Aantal 1
 - Lengte 100 mm
 - Lengte L1 14 mm
 - Lengte L2 113 mm
 - Breedte 10 mm
-
- Hoogte 2 mm
 - Gatmaat M4
 - Doorsnede 6 mm²
 - Stroombelasting 67 - 80 A

- Art.nr. 32700
 - EAN 4251269301407
 - Aantal 1
 - Lengte 100 mm
 - Lengte L1 14 mm
 - Lengte L2 113 mm
 - Breedte 10 mm
-
- Hoogte 2 mm
 - Gatmaat M6
 - Doorsnede 6 mm²
 - Stroombelasting 67 - 80 A

- Art.nr. 39711
 - EAN
 - Aantal 1
 - Lengte 100 mm
 - Lengte L1 22 mm
 - Lengte L2 120 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M4/ M6
 - Doorsnede 10 mm²
 - Stroombelasting 89 - 106 A

- Art.nr. 32730
 - EAN 4251269301476
 - Aantal 1
 - Lengte 100 mm
 - Lengte L1 22 mm
 - Lengte L2 120 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M6
 - Doorsnede 10 mm²
 - Stroombelasting 89 - 106 A
-

- Art.nr. 32731
 - EAN 4251269301483
 - Aantal 1
 - Lengte 100 mm
 - Lengte L1 22 mm
 - Lengte L2 120 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M8
 - Doorsnede 10 mm²
 - Stroombelasting 89 - 106 A
-

- Art.nr. 32760
 - EAN 4251269301605
 - Aantal 1
 - Lengte 100 mm
 - Lengte L1 22 mm
 - Lengte L2 120 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M6
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A
-

- Art.nr. 32758
 - EAN 4251269322099
 - Aantal 1
 - Lengte 100 mm
 - Lengte L1 22 mm
 - Lengte L2 120 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M6/ M8
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A
-

- Art.nr. 32761
 - EAN 4251269301612
 - Aantal 1
 - Lengte 100 mm
 - Lengte L1 22 mm
 - Lengte L2 120 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M8
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A
-

- Art.nr. 32759
 - EAN 4251269322303
 - Aantal 1
 - Lengte 100 mm
 - Lengte L1 22 mm
 - Lengte L2 120 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M10
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A
-

- Art.nr. 32800
 - EAN 4251269301766
 - Aantal 1
 - Lengte 100 mm
 - Lengte L1 22 mm
 - Lengte L2 123 mm
 - Breedte 21 mm
-
- Hoogte 4 mm
 - Gatmaat M10
 - Doorsnede 25 mm²
 - Stroombelasting 177 - 210 A
-

- Art.nr. 39710
 - EAN
 - Aantal 1
 - Lengte 150 mm
 - Lengte L1 14 mm
 - Lengte L2 163 mm
 - Breedte 10 mm
-
- Hoogte 3 mm
 - Gatmaat M4
 - Doorsnede 6 mm²
 - Stroombelasting 67 - 80 A
-

- Art.nr. 32701
 - EAN 4251269301414
 - Aantal 1
 - Lengte 150 mm
 - Lengte L1 14 mm
 - Lengte L2 163 mm
 - Breedte 10 mm
-
- Hoogte 2 mm
 - Gatmaat M6
 - Doorsnede 6 mm²
 - Stroombelasting 67 - 80 A
-

- Art.nr. 32709
 - EAN 4251269322297
 - Aantal 1
 - Lengte 150 mm
 - Lengte L1 22 mm
 - Lengte L2 170 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M5
 - Doorsnede 10 mm²
 - Stroombelasting 89 - 106 A
-

- Art.nr. 32746
 - EAN 4251269322082
 - Aantal 1
 - Lengte 150 mm
 - Lengte L1 22 mm
 - Lengte L2 170 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M5/ M6
 - Doorsnede 10 mm²
 - Stroombelasting 89 - 106 A
-

- Art.nr. 32732
 - EAN 4251269301490
 - Aantal 1
 - Lengte 150 mm
 - Lengte L1 22 mm
 - Lengte L2 170 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M8
 - Doorsnede 10 mm²
 - Stroombelasting 89 - 106 A
-

- Art.nr. 32762
 - EAN 4251269301629
 - Aantal 1
 - Lengte 150 mm
 - Lengte L1 22 mm
 - Lengte L2 170 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M6
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A
-

- Art.nr. 32763
 - EAN 4251269301636
 - Aantal 1
 - Lengte 150 mm
 - Lengte L1 22 mm
 - Lengte L2 170 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M8
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A
-

- Art.nr. 32801
 - EAN 4251269301773
 - Aantal 1
 - Lengte 150 mm
 - Lengte L1 22 mm
 - Lengte L2 173 mm
 - Breedte 21 mm
-
- Hoogte 4 mm
 - Gatmaat M10
 - Doorsnede 25 mm²
 - Stroombelasting 177 - 210 A
-

- Art.nr. 32847
 - EAN 4251269322198
 - Aantal 1
 - Lengte 150 mm
 - Lengte L1 25 mm
 - Lengte L2 177 mm
 - Breedte 26 mm
-
- Hoogte 5 mm
 - Gatmaat M10
 - Doorsnede 50 mm²
 - Stroombelasting 280 - 350 A
-

- Art.nr. 32707
 - EAN 4251269322273
 - Aantal 1
 - Lengte 200 mm
 - Lengte L1 14 mm
 - Lengte L2 213 mm
 - Breedte 10 mm
-
- Hoogte 2 mm
 - Gatmaat M4
 - Doorsnede 6 mm²
 - Stroombelasting 67 - 80 A
-

- Art.nr. 32702
 - EAN 4251269301421
 - Aantal 1
 - Lengte 200 mm
 - Lengte L1 14 mm
 - Lengte L2 213 mm
 - Breedte 10 mm
-
- Hoogte 2 mm
 - Gatmaat M6
 - Doorsnede 6 mm²
 - Stroombelasting 67 - 80 A
-

- Art.nr. 32744
 - EAN 4251269322266
 - Aantal 1
 - Lengte 200 mm
 - Lengte L1 22 mm
 - Lengte L2 220 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M5
 - Doorsnede 10 mm²
 - Stroombelasting 89 - 106 A
-

- Art.nr. 32733
 - EAN 4251269301506
 - Aantal 1
 - Lengte 200 mm
 - Lengte L1 22 mm
 - Lengte L2 220 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M6
 - Doorsnede 10 mm²
 - Stroombelasting 89 - 106 A
-

- Art.nr. 32741
 - EAN 4251269301575
 - Aantal 1
 - Lengte 200 mm
 - Lengte L1 22 mm
 - Lengte L2 220 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M6/ M8
 - Doorsnede 10 mm²
 - Stroombelasting 89 - 106 A
-

- Art.nr. 32734
 - EAN 4251269301513
 - Aantal 1
 - Lengte 200 mm
 - Lengte L1 22 mm
 - Lengte L2 220 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M8
 - Doorsnede 10 mm²
 - Stroombelasting 89 - 106A
-

- Art.nr. 32776
 - EAN 4251269322105
 - Aantal 1
 - Lengte 200 mm
 - Lengte L1 22 mm
 - Lengte L2 220 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M5/ M6
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A
-

- Art.nr. 32764
 - EAN 4251269301643
 - Aantal 1
 - Lengte 200 mm
 - Lengte L1 22 mm
 - Lengte L2 220 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M6
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A
-

- Art.nr. 32773
 - EAN 4251269301735
 - Aantal 1
 - Lengte 200 mm
 - Lengte L1 22 mm
 - Lengte L2 220 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M6/ M8
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A
-

- Art.nr. 32765
 - EAN 4251269301650
 - Aantal 1
 - Lengte 200 mm
 - Lengte L1 22 mm
 - Lengte L2 220 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M8
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A
-

- Art.nr. 32802
 - EAN 4251269301780
 - Aantal 1
 - Lengte 250 mm
 - Lengte L1 22 mm
 - Lengte L2 223 mm
 - Breedte 21 mm
-
- Hoogte 4 mm
 - Gatmaat M8
 - Doorsnede 25 mm²
 - Stroombelasting 177 - 210 A
-

- Art.nr. 32803
 - EAN 4251269301797
 - Aantal 1
 - Lengte 200 mm
 - Lengte L1 22 mm
 - Lengte L2 223 mm
 - Breedte 21 mm
-
- Hoogte 4 mm
 - Gatmaat M10
 - Doorsnede 25 mm²
 - Stroombelasting 177 - 210 A
-

- Art.nr. 32823
 - EAN 4251269322167
 - Aantal 1
 - Lengte 200 mm
 - Lengte L1 25 mm
 - Lengte L2 227 mm
 - Breedte 26 mm
-
- Hoogte 4,5 mm
 - Gatmaat M10
 - Doorsnede 35 mm²
 - Stroombelasting 230 - 275 A
-

- Art.nr. 32848
 - EAN 4251269322204
 - Aantal 1
 - Lengte 200 mm
 - Lengte L1 25 mm
 - Lengte L2 227 mm
 - Breedte 26 mm
-
- Hoogte 5 mm
 - Gatmaat M10
 - Doorsnede 50 mm²
 - Stroombelasting 280 - 350 A
-

- Art.nr. 32868
 - EAN 4251269322235
 - Aantal 1
 - Lengte 200 mm
 - Lengte L1 25 mm
 - Lengte L2 227 mm
 - Breedte 26 mm
-
- Hoogte 6,2 mm
 - Gatmaat M10
 - Doorsnede 70 mm²
 - Stroombelasting 338 - 403 A



- Art.nr. 32707.800
 - EAN 4251269338687
 - Aantal 10
 - Lengte 200 mm
 - Lengte L1 14 mm
 - Lengte L2 213 mm
 - Breedte 10 mm
-
- Hoogte 2 mm
 - Gatmaat M4
 - Doorsnede 6 mm²
 - Stroombelasting 67 - 80 A



- Art.nr. 32702.800
 - EAN 4251269338694
 - Aantal 10
 - Lengte 200 mm
 - Lengte L1 14 mm
 - Lengte L2 213 mm
 - Breedte 10 mm
-
- Hoogte 2 mm
 - Gatmaat M6
 - Doorsnede 6 mm²
 - Stroombelasting 67 - 80 A



- Art.nr. 32764.800
 - EAN 4251269338649
 - Aantal 10
 - Lengte 200 mm
 - Lengte L1 22 mm
 - Lengte L2 220 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M6
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A



- Art.nr. 32765.800
 - EAN 4251269338656
 - Aantal 10
 - Lengte 200 mm
 - Lengte L1 22 mm
 - Lengte L2 220 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M8
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A

- Art.nr. 32706
 - EAN 4251269301469
 - Aantal 1
 - Lengte 250 mm
 - Lengte L1 14 mm
 - Lengte L2 263 mm
 - Breedte 10 mm
-
- Hoogte 2 mm
 - Gatmaat M6
 - Doorsnede 6 mm²
 - Stroombelasting 67 - 80 A

- Art.nr. 32742
 - EAN 4251269301582
 - Aantal 1
 - Lengte 250 mm
 - Lengte L1 22 mm
 - Lengte L2 260 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M6/ M8
 - Doorsnede 10 mm²
 - Stroombelasting 89 - 106 A
-

- Art.nr. 32774
 - EAN 4251269301742
 - Aantal 1
 - Lengte 250 mm
 - Lengte L1 22 mm
 - Lengte L2 270 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M6/ M8
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A
-

- Art.nr. 32766
 - EAN 4251269301667
 - Aantal 1
 - Lengte 250 mm
 - Lengte L1 22 mm
 - Lengte L2 270 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M8
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A
-

- Art.nr. 32804
 - EAN 4251269301803
 - Aantal 1
 - Lengte 250 mm
 - Lengte L1 22 mm
 - Lengte L2 273 mm
 - Breedte 21 mm
-
- Hoogte 4 mm
 - Gatmaat M8
 - Doorsnede 25 mm²
 - Stroombelasting 177 - 210 A
-

- Art.nr. 32805
 - EAN 4251269301810
 - Aantal 1
 - Lengte 250 mm
 - Lengte L1 22 mm
 - Lengte L2 273 mm
 - Breedte 21 mm
-
- Hoogte 4 mm
 - Gatmaat M10
 - Doorsnede 25 mm²
 - Stroombelasting 177 - 210 A
-

- Art.nr. 32824
 - EAN 4251269322174
 - Aantal 1
 - Lengte 250 mm
 - Lengte L1 25 mm
 - Lengte L2 277 mm
 - Breedte 26 mm
-
- Hoogte 4,5 mm
 - Gatmaat M10
 - Doorsnede 35 mm²
 - Stroombelasting 230 - 275 A
-

- Art.nr. 32849
 - EAN 4251269322211
 - Aantal 1
 - Lengte 250 mm
 - Lengte L1 25 mm
 - Lengte L2 277 mm
 - Breedte 16 mm
-
- Hoogte 5 mm
 - Gatmaat M10
 - Doorsnede 50 mm²
 - Stroombelasting 280 - 350 A



- Art.nr. 32766.800
 - EAN 4251269338663
 - Aantal 10
 - Lengte 250 mm
 - Lengte L1 22 mm
 - Lengte L2 270 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M8
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A

- Art.nr. 32703
 - EAN 4251269301438
 - Aantal 1
 - Lengte 300 mm
 - Lengte L1 14 mm
 - Lengte L2 313 mm
 - Breedte 10 mm
-
- Hoogte 2 mm
 - Gatmaat M6
 - Doorsnede 6 mm²
 - Stroombelasting 67 - 80 A

- Art.nr. 32735
 - EAN 4251269301520
 - Aantal 1
 - Lengte 300 mm
 - Lengte L1 22 mm
 - Lengte L2 320 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M6
 - Doorsnede 10 mm²
 - Stroombelasting 89 - 106 A

- Art.nr. 32743
 - EAN 4251269301599
 - Aantal 1
 - Lengte 300 mm
 - Lengte L1 22 mm
 - Lengte L2 320 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M6/ M8
 - Doorsnede 10 mm²
 - Stroombelasting 89 - 106 A

- Art.nr. 32736
 - EAN 4251269301537
 - Aantal 1
 - Lengte 300 mm
 - Lengte L1 22 mm
 - Lengte L2 320 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M8
 - Doorsnede 10 mm²
 - Stroombelasting 89 - 106 A

- Art.nr. 32767
 - EAN 4251269301674
 - Aantal 1
 - Lengte 300 mm
 - Lengte L1 22 mm
 - Lengte L2 320 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M6
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A
-

- Art.nr. 32775
 - EAN 4251269301759
 - Aantal 1
 - Lengte 300 mm
 - Lengte L1 22 mm
 - Lengte L2 320 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M6/ M8
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A
-

- Art.nr. 32768
 - EAN 4251269301681
 - Aantal 1
 - Lengte 300 mm
 - Lengte L1 22 mm
 - Lengte L2 320 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M8
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A
-

- Art.nr. 32816
 - EAN 4251269333187
 - Aantal 1
 - Lengte 300 mm
 - Lengte L1 22 mm
 - Lengte L2 323 mm
 - Breedte 21 mm
-
- Hoogte 4 mm
 - Gatmaat M6
 - Doorsnede 25 mm²
 - Stroombelasting 177 - 210 A
-

- Art.nr. 32806
 - EAN 4251269301827
 - Aantal 1
 - Lengte 300 mm
 - Lengte L1 22 mm
 - Lengte L2 323 mm
 - Breedte 21 mm
-
- Hoogte 4 mm
 - Gatmaat M8
 - Doorsnede 25 mm²
 - Stroombelasting 177 - 210 A
-

- Art.nr. 32817
 - EAN 4251269333194
 - Aantal 1
 - Lengte 300 mm
 - Lengte L1 22 mm
 - Lengte L2 323 mm
 - Breedte 21 mm
-
- Hoogte 4 mm
 - Gatmaat M8/ M10
 - Doorsnede 25 mm²
 - Stroombelasting 177 - 210 A
-

- Art.nr. 32807
 - EAN 4251269301834
 - Aantal 1
 - Lengte 300 mm
 - Lengte L1 22 mm
 - Lengte L2 323 mm
 - Breedte 21 mm
-
- Hoogte 4 mm
 - Gatmaat M10
 - Doorsnede 25 mm²
 - Stroombelasting 177 - 210 A

- Art.nr. 32825
- EAN 4251269322181
- Aantal 1
- Lengte 300 mm
- Lengte L1 25 mm
- Lengte L2 327 mm
- Breedte 26 mm

- Hoogte 4,5 mm
- Gatmaat M10
- Doorsnede 35 mm²
- Stroombelasting 230 - 275 A

- Art.nr. 32850
- EAN 4251269322228
- Aantal 1
- Lengte 300 mm
- Lengte L1 25 mm
- Lengte L2 327 mm
- Breedte 26 mm

- Hoogte 5 mm
- Gatmaat M10
- Doorsnede 50 mm²
- Stroombelasting 280 - 350 A

- Art.nr. 32870
- EAN 4251269322242
- Aantal 1
- Lengte 300 mm
- Lengte L1 25 mm
- Lengte L2 327 mm
- Breedte 26 mm

- Hoogte 6,2 mm
- Gatmaat M10
- Doorsnede 70 mm²
- Stroombelasting 338 - 403 A



- Art.nr. 32767.800
- EAN 4251269338632
- Aantal 10
- Lengte 300 mm
- Lengte L1 22 mm
- Lengte L2 320 mm
- Breedte 16 mm

- Hoogte 3 mm
- Gatmaat M6
- Doorsnede 16 mm²
- Stroombelasting 132 - 157 A



- Art.nr. 32768.800
- EAN 4251269338700
- Aantal 10
- Lengte 300 mm
- Lengte L1 22 mm
- Lengte L2 320 mm
- Breedte 16 mm

- Hoogte 3 mm
- Gatmaat M8
- Doorsnede 16 mm²
- Stroombelasting 132 - 157 A



- Art.nr. 32806.800
 - EAN 4251269338670
 - Aantal 10
 - Lengte 300 mm
 - Lengte L1 22 mm
 - Lengte L2 323 mm
 - Breedte 21 mm
-
- Hoogte 4 mm
 - Gatmaat M8
 - Doorsnede 25 mm²
 - Stroombelasting 177 - 210 A
-

- Art.nr. 32777
 - EAN 4251269322112
 - Aantal 1
 - Lengte 350 mm
 - Lengte L1 22 mm
 - Lengte L2 370 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M5/ M6
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157
-

- Art.nr. 32769
 - EAN 4251269301698
 - Aantal 1
 - Lengte 350 mm
 - Lengte L1 22 mm
 - Lengte L2 370 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M8
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A
-

- Art.nr. 32808
 - EAN 4251269301841
 - Aantal 1
 - Lengte 350 mm
 - Lengte L1 22 mm
 - Lengte L2 373 mm
 - Breedte 21 mm
-
- Hoogte 4 mm
 - Gatmaat M10
 - Doorsnede 25 mm²
 - Stroombelasting 177 - 210 A
-

- Art.nr. 32704
 - EAN 4251269301445
 - Aantal 1
 - Lengte 400 mm
 - Lengte L1 14 mm
 - Lengte L2 413 mm
 - Breedte 10 mm
-
- Hoogte 2 mm
 - Gatmaat M6
 - Doorsnede 6 mm²
 - Stroombelasting 67 - 80 A
-

- Art.nr. 32878
 - EAN 4251269324130
 - Aantal 1
 - Lengte 400 mm
 - Lengte L1 22 mm
 - Lengte L2 420 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M4
 - Doorsnede 10 mm²
 - Stroombelasting 89 - 106 A
-

- Art.nr. 32737
 - EAN 4251269301544
 - Aantal 1
 - Lengte 400 mm
 - Lengte L1 22 mm
 - Lengte L2 420 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M6
 - Doorsnede 10 mm²
 - Stroombelasting 89 - 106 A
-

- Art.nr. 32738
 - EAN 4251269301551
 - Aantal 1
 - Lengte 400 mm
 - Lengte L1 22 mm
 - Lengte L2 420 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M8
 - Doorsnede 10 mm²
 - Stroombelasting 89 - 106 A
-

- Art.nr. 32873
 - EAN 4251269322129
 - Aantal 1
 - Lengte 400 mm
 - Lengte L1 22 mm
 - Lengte L2 420 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M6
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A
-

- Art.nr. 32770
 - EAN 4251269301704
 - Aantal 1
 - Lengte 400 mm
 - Lengte L1 22 mm
 - Lengte L2 420 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M8
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A
-

- Art.nr. 32809
 - EAN 4251269301858
 - Aantal 1
 - Lengte 400 mm
 - Lengte L1 22 mm
 - Lengte L2 423 mm
 - Breedte 21 mm
-
- Hoogte 4 mm
 - Gatmaat M8
 - Doorsnede 25 mm²
 - Stroombelasting 177 - 210 A
-

- Art.nr. 32886
 - EAN 4251269335976
 - Aantal 1
 - Lengte 400 mm
 - Lengte L1 22 mm
 - Lengte L2 423 mm
 - Breedte 26 mm
-
- Hoogte 4,5 mm
 - Gatmaat M8
 - Doorsnede 35 mm²
 - Stroombelasting 230 - 275 A
-

- Art.nr. 32705
 - EAN 4251269301452
 - Aantal 1
 - Lengte 500 mm
 - Lengte L1 14 mm
 - Lengte L2 513 mm
 - Breedte 10 mm
-
- Hoogte 2 mm
 - Gatmaat M6
 - Doorsnede 6 mm²
 - Stroombelasting 67 - 80 A
-

- Art.nr. 32739
 - EAN 4251269301568
 - Aantal 1
 - Lengte 500 mm
 - Lengte L1 22 mm
 - Lengte L2 520 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M6
 - Doorsnede 10 mm²
 - Stroombelasting 89 - 106 A
-

- Art.nr. 32771
 - EAN 4251269301711
 - Aantal 1
 - Lengte 500 mm
 - Lengte L1 22 mm
 - Lengte L2 520 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M8
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A
-

- Art.nr. 32810
 - EAN 4251269301865
 - Aantal 1
 - Lengte 500 mm
 - Lengte L1 22 mm
 - Lengte L2 523 mm
 - Breedte 21 mm
-
- Hoogte 4 mm
 - Gatmaat M8
 - Doorsnede 25 mm²
 - Stroombelasting 177 - 210 A
-

- Art.nr. 32812
 - EAN 4251269322143
 - Aantal 1
 - Lengte 500 mm
 - Lengte L1 22 mm
 - Lengte L2 523 mm
 - Breedte 21 mm
-
- Hoogte 4 mm
 - Gatmaat M10
 - Doorsnede 25 mm²
 - Stroombelasting 177 - 210 A
-

- Art.nr. 32872
 - EAN 4251269322259
 - Aantal 1
 - Lengte 500 mm
 - Lengte L1 25 mm
 - Lengte L2 527 mm
 - Breedte 26 mm
-
- Hoogte 6,2 mm
 - Gatmaat M10
 - Doorsnede 70 mm²
 - Stroombelasting 338 - 403 A
-

- Art.nr. 32772
 - EAN 4251269301728
 - Aantal 1
 - Lengte 600 mm
 - Lengte L1 22 mm
 - Lengte L2 620 mm
 - Breedte 16 mm
-
- Hoogte 3 mm
 - Gatmaat M8
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A
-

- Art.nr. 32811
 - EAN 4251269301872
 - Aantal 1
 - Lengte 600 mm
 - Lengte L1 22 mm
 - Lengte L2 623 mm
 - Breedte 21 mm
-
- Hoogte 4 mm
 - Gatmaat M8
 - Doorsnede 25 mm²
 - Stroombelasting 177 - 210 A
-

- Art.nr. 32815
 - EAN 4251269322150
 - Aantal 1
 - Lengte 800 mm
 - Lengte L1 22 mm
 - Lengte L2 823 mm
 - Breedte 21 mm
-
- Hoogte 4 mm
 - Gatmaat M8
 - Doorsnede 25 mm²
 - Stroombelasting 177 - 210 A
-

- Art.nr. 32778
 - EAN
 - Aantal 1
 - Lengte 1.000 mm
 - Lengte L1 22 mm
 - Lengte L2 823 mm
 - Breedte 21 mm
-
- Hoogte 4 mm
 - Gatmaat M8
 - Doorsnede 16 mm²
 - Stroombelasting 132 - 157 A

